

1974

CELEBRATING

50

2024

YEARS

GREAT BASIN SEED

EST. 1974



YOUR TRUSTED SEED SUPPLIER SINCE 1974

FAMILY OWNED, FAMILY OPERATED
PROUDLY USA MADE



Monday - Thursday: 8:00 AM - 5:00 PM MST
Friday: 8:00 AM - 12:00 PM MST



@greatbasinseeds @greatbasinseed

This catalog is a complementary publication of Great Basin Seed.
Request a copy on our website, call, write or email:

Great Basin Seed
450 South 50 East
Ephraim, UT 84627

(Office) 435.283.1411
payton@haystackmtn.com



© 2024 Great Basin Seed

The Great Basin Seed and Haystack Mountain Brand
Seed logos are registered trademarks. Reproduction of
any kind is prohibited.

TABLE OF CONTENTS

2-3	Meet the Team		
4-7	Our History		
8	Seed Cleaning, Quality Testing, and Labeling		
9	Reclamation		
10	Salt & Alkali Soil Scales		
11	Salt & Alkali Soils		
12	CUSTOM MIXES		
14	Custom Mixes		
15	Design Your Own Mix		
16	Conservation Reserve Program (CRP)		
17	Seed Mixes For Sage Grouse Habitat		
18	PASTURE MIXES		
20	FAQ		
21	Pasture Grass Selector		
22	Irrigated Pasture Mix		
23	Dryland Pasture Mix		
24	Pasture Mix Chart		
25	COVER CROPS		
27	Benefits of Cover Crops		
28	Cover Crops		
29	ALFALFA		
31	Alfalfa Selector		
32	Alfalfa Chart		
33	Lander Alfalfa		
33	Powell Alfalfa		
34	CLOVERS & LEGUMES		
36	Clovers and Legumes Chart		
38	LAWN & TURF		
38	Lawn and Turf Chart		
39	Premium Lawn and Turf Blend		
39	Tall Fescue Turf Blend		
		40	SMALL GRAINS
		42	Grain Mixes
		43	TriCal® Motley Triticale
		43	TriCal® Gunner Triticale
		44	TriCal® Valor Barley
		44	Honeysuckle Sorghum Sudangrass
		45	Small Grains Chart
		46	GRASSES
		48	Warm Season Grass Chart
		50	Cool Season Grass Charts
		52	WILDFLOWERS & FORBS
		52	Regional Mix Chart
		54	Benefits of Pinnacle Coated Seed
		55	Featured Wildflower Mixes
		56	Wildflower Mix Charts
		58	Wildflowers and Forbs Charts
		62	SHRUBS & SUB-SHRUBS
		65	Shrubs and Sub-Shrub Charts
		68	Cover Crops Species Characteristics & Adaptation Charts
		68	Clovers and Legumes Species Characteristics & Adaptation Charts
		69	Small Grains Species Characteristics & Adaptation Charts
		70	Grasses and Grasslike Species Characteristics & Adaptation Charts
		72	Wildflowers and Forbs Species Characteristics & Adaptation Charts
		74	Shrubs and Sub-Shrubs Species Characteristics and Adaptation Charts
			Index 77-80

MEET THE TEAM



JASON STEVENS: Owner

Jason graduated from Utah State University with a BA in 1997. His responsibilities include government sales, corporate sales, production contracts, online ventures, advertising and marketing, and native seed collection efforts. When not at work, he enjoys floating rivers, hiking, rock climbing, camping, hunting, shooting sports, exploring, and world travel. His greatest joys in life are his wife, three children, and two grandchildren. Jason started Great Basin Seed in 2004 as an independent business venture. In 2015, siblings Jason, Eric and Heidi purchased Maple Leaf Seed Company and merged the efforts and resources of both companies.



ERIC "ZEKE" STEVENS: Owner

With a background in mechanics and construction, "Zeke" manages day-to-day operations, facilities and production lines, construction and expansion projects, and our fleet. He maintains grower relations and a network of dealers. He manages truckload freight and can be spotted in the combine cutting grain during harvest season. Hobbies include hunting, shed hunting, fishing, shooting and the outdoors. He and his wife Lydia have five daughters and a son who also loves the outdoors. Eric is a dedicated public servant. He has been an active member of the Ephraim Fire Dept. for twenty-five years and the Sanpete County Search and Rescue for fifteen years.



HEIDI STEVENS : Owner

As a part owner of Great Basin Seed, Heidi manages our receivables, payables, and other roles including LTL freight, payroll, and office functions. She started her career with Maple Leaf after graduating from Snow College with a degree in business management. Her knowledge and insight is invaluable to the operations of the company. She is a great asset and is such a joy to have in the office! Aside from the time she spends managing the company, Heidi is an avid animal lover and outdoor enthusiast. She spends her extra time loving and caring for her cherished cats, and even makes time to visit Utah's national parks, catch newly released movies, or craft new projects.



LLOYD STEVENS: Founder

Lloyd started the Maple Leaf Seed Company in 1974 with a few small bags of seed and a dream. He turned it into a thriving, influential and competitive business. Maple Leaf was highly influential during the CRP days of the early 80's (see page 16). Under the influence of his opportunistic eye, gregarious nature and entrepreneuring spirit Maple Leaf has been a major contributor to agriculture, disturbed land reclamation and fire rehabilitation in the USA for 50 years. He sold Maple Leaf to Jason, Eric and Heidi in 2015 and they combined Great Basin Seed and Maple Leaf. He enjoys partial retirement and still does business with his friends and shares his talents. He is truly one of the godfathers of the native seed industry.



KY BANTA: Operations, Sales Representative

Ky oversees daily operations including seed processing, packaging, mixing and personnel. He also serves a growing list of wholesale clients. Ky started as a part-time employee in high school. His 20 years of experience has been a great asset in maintaining a highly functional operation. He loves the outdoors and his hobbies include motorsports and guns.



MARY SIMMONS: Sales Representative

Mary is one of our head seed sales representatives. She handles an array of responsibilities including management of online, over-the-phone, and walk-in orders, coordinating LTL and full truckload freight, and handling most of our customer relations. Mary is a wealth of knowledge and has just celebrated her five year anniversary with Great Basin Seed. Aside from her career, Mary continues her involvement in agriculture by managing a small alfalfa operation and running a horse business with her husband. She is also an active student, planning to graduate with a Master's of Business Administration degree from Southern Utah University in the spring of 2024.



DAYSHA MAROZZO: Sales Representative, Logistics

Daysha graduated from Weber state in 2022 with a bachelors degree in sales and marketing. She is a part of the sales team along with coordinating logistics for the seed we sell. Her background in architectural drafting has been an asset for some upcoming projects. In her free time she enjoys reading, camping, winter sports and time with friends.

**DENVER ROSS: Crew Foreman, Seed Cleaning Facility**

Denver manages our “yard” crew to pick, mix, and ship your orders. He runs the machinery and makes it all come together. Great Basin Seed’s turnaround time is fast due to his efficiency. Denver is an avid outdoorsman and hunter, who spends most of his free time in the mountains with his wife and baby girl.

**BRITTON SMITH: Crew Foreman**

Britton is foreman of the team that picks and packs web orders, custom seed mixes, and private labeled products. He runs the native seed cleaning line. He is happily married and has six energetic children. He is an entrepreneur and loves family time, reading, working, basketball, mountain biking, snowboarding, watching movies and playing video games with his kids.

**PAYTON STEVENS: Receptionist, Web Order Fulfillment**

Payton is a receptionist, secretary and part of our order fulfillment team. She started at Great Basin Seed filing paperwork and cleaning the office at the age of twelve. She graduated from Snow College in December 2023 and hopes to learn the family business. She enjoys swing dancing, traveling, spending time at her fiancé’s farm and hanging out with her friends and dog.

**MEGAN TIMOTHY: Web Order Fulfillment**

Megan was born and raised in southern California and moved to Utah in 1995. She enjoys working at Great Basin Seed part time while balancing her time as a mother and wife. Megan is responsible for shipping all of the orders. She is valued as an employee because of her honesty, attention to detail, and ability to listen and help those in need. She loves spending her free time with her family, traveling, camping, riding, hiking and building fun projects.

**ALYSSA OLSEN: Social Media, Website**

Alyssa was born and raised on a ranch in northern Utah. She married a local farmer/rancher from Ephraim, and has loved raising her own children in agriculture. She enjoys riding horses, painting, working along side her husband, and spending time in the mountains with family and friends.

**KAYTLYNN RANSOM: Marketing, Website Developer**

Kaytlynn manages the company’s websites and digital marketing. She has been a full-time employee since 2017. Our e-commerce site and business websites were designed and developed by her. Kaytlynn works remotely from her home in Salt Lake City, UT. She likes to travel, paint, and spend time in nature. She is a new mom and is loving the mom life.

**NOAH STEVENS: Marketing, Social Media, YouTube Studio**

Noah works as a full time content creator specializing in graphic design, cinematography, filmmaking and photography. He oversees much of the visual aspects of Great Basin Seed, including advertising and product packaging. He loves western swing dancing, weightlifting, hunting and being outside. He is pursuing a Bachelors Degree in Chemistry & AG Science.

SEED INDUSTRY EXPERTS SINCE 1974:

We are one of the oldest and most experienced seed companies in the West. We have over 150 years of combined experience and some of the most knowledgeable plant scientists in the West. Our combined education and experience in site evaluation, species adaptability, site preparation, seeding techniques, site management, and seed technology is unmatched in the industry. We have worked hard to maintain a personal and professional relationship with our customers. We can provide consulting on any project and assist you in planning your complete project, including site evaluation, species selection, site preparation, application rates, post-planting care, and evaluation.

PHILOSOPHY:

Our most important asset is you. Our goal is to help meet your needs. We believe in providing the best customer service and the products you need to finish the job – all at a competitive price. We take our role as earth stewards seriously, and with your aid, God willing, we may improve the land and the lives of our children.

STANDARDS:

Our seed is tested at AOSCA approved seed laboratories and sold with current analysis tags. Tests are conducted in both state and private certified seed labs. See page 8 for more information.

COMPETITIVE PRICING:

We’ve created great alliances in our 50 years of business. Our buying power, warehouses, and cutting-edge production facilities reduce costs, resulting in competitive pricing. Many first-time customers are surprised by the savings we can offer over our competitors. We welcome the opportunity to bid on your next project.

FAMILY OWNED & OPERATED**MADE IN THE USA**

WHO IS GREAT BASIN SEED?

Great Basin Seed has a proud heritage in the Intermountain West seed industry. Our family lineage and business heritage are directly linked to the beginnings of reclamation, revegetation and wildlife habitat improvement. We have been a leader in the seed industry since 1974.



Company founder Lloyd and Paula Stevens in a wildflower seed production field - Central California in 1977



PIONEERS IN THE SEED INDUSTRY



Founder Lloyd Stevens (left) cleaning seed in a homemade blower/aspirator, late 1970's



Flying a seed mix over a wildfire burn area in the Henry Mountains, mid 1980's



Founder Lloyd Stevens taking a call, late 1970's



Unloading bulk seed from our bulk truck in the early 1980's

TRUSTED SEED SUPPLIER FOR 50 YEARS!



Founder Lloyd Stevens in his element in the late 1970's




Processing and bagging sagebrush in the mid 1980's.
Company founder Lloyd Stevens second from the right in brown coveralls.


1974 CELEBRATING 50 YEARS 2024

The Great Basin is our home. Our ancestors were among the first European settlers to set roots here. The Great Basin is where the majority of our native seeds are grown, harvested and produced. We purvey seed outside the boundaries of the Great Basin, but this is home.

It's the heart of it all, and it's where our name was born.



FOUNDED IN THE HEART OF THE GREAT BASIN



Eric Stevens (red shirt) harvesting Crested Wheatgrass in Nevada in the mid 1980's

MAPLE LEAF INDUSTRIES, INC.

Quality



Seed

(801) 283-4701
Ephraim, Utah 84627

NOTICE TO BUYER: SUBJECT TO LIMITATION OF LIABILITY HEREIN SET FORTH WE WARRANT THAT THE SEEDS HEREAS DESCRIBED ON THE CONTAINER WITHIN RECOGNIZED TOLERANCES. OUR LIABILITY OF THIS WARRANTY IS LIMITED IN AMOUNT TO THE PURCHASE PRICE OF THE SEEDS. IN NO EVENT SHALL WE BE LIABLE FOR THE CROP OR FOR ANY LOSS DUE TO NEGLIGENCE OR RESULTING FROM THE FAILURE, IMPAIRMENT OR QUALITY OF THE CROP OR VARIETAL VARIANCE THEREIN, WHETHER SUCH LOSS RESULTS FROM BREACH OF THE FOREGOING WARRANTY, FROM BREACH OF ANY OTHER PROVISION OF THE BUYERS CONTRACT FOR THE PURCHASE OF SAID SEEDS OR FROM ANY OTHER CAUSE. SEEDS NOT ACCEPTED ON THE BASIS OF THE FOREGOING CONDITIONS OF SALE MUST BE RETURNED WITHIN 18 DAYS IN ORIGINAL UNOPENED CONTAINERS AND THE PURCHASE PRICE WILL BE REFUNDED.



Founder Lloyd Stevens started The Maple Leaf Company in 1974. Maple Leaf and Great Basin Seed merged in 2004 and Lloyd has passed the business onto the next generation. Above is a Maple Leaf seed tag from the early 1980's



Harvesting Crested Wheatgrass
in Nevada in the mid 1980's



Preparing CRP seed mixes in the early 1980's

FAMILY OWNED * FAMILY OPERATED



Our state-of-the-art seed cleaning and conditioning facility utilizes new technology resulting in 7X cleaner results.

SEED CLEANING, QUALITY TESTING, AND LABELING

Great Basin Seed has been supplying the mining and exploration industries since 1974. We have supplied seed to all sectors of the industry in the lower 48 states, Alaska, and some regions of Canada and Mexico.

We are experts in seed and application solutions for all types of reclamation and disturbed land projects. More than 350 native and introduced species are inventoried by us for reclamation projects across the USA and Canada.



Reclamation seed mixes are typically recommended by the leasing agency that oversees the property. A bond can occasionally govern or regulate the ingredients. These reclamation mixes are our specialties, and we can provide you with a quote.



Site adapted seed is selected because the seed source matches the ecological conditions as your planting site. Some species transfer to different ecotypes better than others. By selecting site adapted seed you increase the chances for seeding success.



Certified Seed is guaranteed to be of specific genetic identity and varietal purity, assuring you that the seed came from a registered parent crop. Certified seed is obtained by growing registered seed, registered seed is grown from foundation seed. Both foundation and breeder seed are under the control of the Foundation Seed Program and every step of the production process is monitored and checked by certification agencies.



Source Identified Seed is certified as collected from a specific origin of geographical location.

GROWERS WANTED!

We welcome the opportunity to talk to prospective growers and encourage you to contact us. We are always looking for growers interested in producing items like:

- ▶ Native and Introduced Grasses
- ▶ Cool and Warm Season Grasses
- ▶ Wildflowers and Forbs
- ▶ Forage Triticale
- ▶ Forage Oats
- ▶ Forage Barley
- ▶ Forage Wheat
- ▶ Cereal Rye

Give us a call and we can discuss ways to help one another!

RECLAMATION

We strictly comply to state and federal quality and labeling regulations. In addition to legal requirements, we follow self-imposed high quality standards. To maintain high standards, we source our production crops from reputable growers with a proven track record.

We process and condition the native seed we harvest in our own (UCIA) Utah Crop Improvement Association-certified conditioning facility.

By conditioning our own seed and sampling each batch, we ensure that our products are consistent with their claims and labels. It also helps us in determining the optimal seed for your situation.

Every lot of seed we sell is verified for purity, germination (or TZ), crop, weed, inert, and other relevant information by a licensed seed testing laboratory. The results of the tests are attached to each bag or container of seed we sell. We use AOSCA-certified testing facilities to make sure our seed meets high quality standards.

WE SERVE THE FOLLOWING INDUSTRIES:

- Open-pit, strip mine and abandoned mine reclamation
- Exploratory mine and drill hole reclamation
- Gas, oil well and pipeline reclamation/restoration
- Road and highway reclamation
- Wildfire prevention and reclamation
- Habitat restoration and improvement, CRP mixes
- Solar farm reclamation and restoration
- Wind energy farm reclamation and restoration
- Precious metal mining reclamation



Below: Reclamation seed mix, Zion National Park. Jason Stevens



Top & Bottom: Reclamation seed mix, Zion National Park. Jason Stevens

Middle: Customer submitted photo, Okanogan Fire, WA

SALT AND ALKALI SOILS


Saline, sodic and alkali soils present challenges for farmers, ranchers and landowners. While these soil conditions will never be ideal or produce forage and biomass equal to more hospitable soils, there are solutions that will provide some satisfactory results. We offer a variety of seeds adapted to salty/sodic/alkaline conditions.

LINEAR PH SCALE: THE WAY WE USUALLY SEE IT

The pH scale below is the one we are accustomed to. It's probably what you read about in your chemistry books and in FFA. It helps to see pH on a scale from acidic (at the top) to basic (at the bottom). The scale is sometimes drawn horizontally. It helps us understand pH by using common household items and everyday things as examples. In terms of soils, we can quickly and roughly identify where our soils fall on the scale. The simplified pH scale isn't perfect and it can be misleading if you don't know how pH is accurately measured and how it affects plant life. Understanding that the pH scale is logarithmic can prevent false confidence and disappointing outcomes.

INTERESTING pH LEVELS:


Healthy Stomach: 2.0	Urine: 6.0
Beer and Wine: 4.0	Healthy Mouth: 6.7
Tomato Juice: 4.0	Healthy Blood: 7.4
Black Coffee: 5.0	Great Salt Lake: 10.00



LOGARITHMIC PH SCALE: THE WAY PH ACTUALLY LOOKS

The pH scale we normally see is an oversimplified representation of the way pH is accurately measured. pH is logarithmic, meaning a change in one numeric value equals a ten-fold change in acidity or alkalinity. In other words, a soil with an 8 pH is ten times more alkaline than a soil with a 7 pH. This has dramatic implications for plant selection, and demonstrates why a plant that tolerates a 7.2 pH won't even begin to establish in a 7.5 pH.

Note that in our chart we have not extended the logarithm past 5 acidic and 9 alkaline. Very few organics will survive in those conditions. We created this chart so you can visualize the dramatic increase in soil toxicity as pH moves farther from neutral and more effectively select species appropriate for your site.



SALT AND ALKALI SOILS

SOIL TESTS:

We strongly encourage soil samples. They are the first step in choosing species suited to your site. It is recommended to find a lab to analyze the makeup of your soil and provide a chemical and mineral analysis. This analysis will include information critical to the selection of appropriate plant species, soil preparation, condition methods, and chemical recommendations. Once you have the analysis you can select species that will survive within the parameters of your site. As you can see from the logarithmic pH scale on page 10, an analysis report down to a decimal point is crucial.

We recommend contacting Stukenholtz Laboratory for soil results and recommendations. They have great customer service, accurate tests and speedy results. They offer fertilizer recommendations with the analysis. The cost of a soil sample (about \$20-\$50) can save you hundreds if not thousands of dollars in seed, fertilizer, diesel fuel and development costs. Visit their website for instructions on how to pull and submit a sample. Once you have the results give us a call and we will walk you through the process of choosing seed based on the test results.

Stukenholtz Laboratory
2924 Addison Avenue, E
PO Box 353
Twin Falls, ID 83303-0353
(208) 734-3050
(800) 759-3050

You may already have a lab you like to use. There are many. We recommend Stukenholtz because we have come to know them as a reliable, quick, customer-oriented company with consistent results.



PLANTS ADAPTED TO SALT AND ALKALI:

Soils heavy in salt and alkali, known as “basic soils,” create difficult growing conditions. Basic soil conditions range from mildly alkaline (requiring little more than a variety selected for tolerance) to highly alkaline (nearing the point where very little will survive in the conditions). These difficult soil circumstances are frequently found in valley bottoms, “sump” places, marshy and/or moist edges, and desert valleys and lowlands.

While these conditions are difficult, there are solutions that will return an investment and transform a useless plot into a stand that will produce something of value. Several species are suitable for planting in salt and alkali conditions. The list to the right should get you started in your selecting process.



Top: “The Pots”, Monitor Valley, NV.
Jason Stevens

Bottom: River bottom pastures,
Burns, OR. Jason Stevens



DRYLAND SPECIES

SPECIES	PH TOLERANCE	MIN PRECIP.
AC Saltlander Green Wheatgrass	Very High	12"
Alkali Sacaton	Very High	10"
Tall Wheatgrass	Very High	8"
Yellow Sweet Clover	High	8"
Slender Wheatgrass	High	10"
Crested Wheatgrass	High	6"
Siberian Wheatgrass	High	5"
Russian Wildrye	High	7"
Perennial Ryegrass	Moderate	12"
Basin Wildrye	Moderate	10"
Western Wheatgrass	Moderate	7"
Thickspike Wheatgrass	Moderate	7"
Blue Grama	Moderate	8"
Bluebunch Wheatgrass	Moderate	8"
Dahurian Wildrye	Moderate	11"
Small Burnet	Moderate	11"
Annual Rye Grain	Moderate	11"

IRRIGATED SPECIES

SPECIES	PH TOLERANCE	MIN PRECIP.
Fixation Balansa Clover	High	16"
Frosty Berseem Clover	High	16"
Strawberry Clover	High	16"
Prairie Junegrass	Moderate	12"
Smooth Bromegrass	Moderate	12"
Cicer Milkvetch	Moderate	12"
Annual Ryegrass	Moderate	12"
Meadow Bromegrass	Moderate	14"
Ladino Clover	Moderate	16"
Red Clover	Moderate	16"
Garrison Creeping Foxtail	Moderate	20"





CUSTOM MIXES

Many applications require a custom approach. Since our beginnings in 1974 we have assisted customers in developing seed mixes tailored to their specific needs and conditions.

*Call 435.283.1411 for a **FREE** consultation.*

CUSTOM SEED MIXES (SEE PG. 14)

You may have learned through experience that some species and varieties work better for you than others. Custom mixes of any type, size, and quantity are possible. No job is too big or too small.

CRP CUSTOM SEED MIXES (SEE PG. 15)

Great Basin Seed has been supplying seed for the CRP program to farmers and ranchers since its beginnings. We have sold millions of pounds of seed for the CRP and carry all of the program's recommended species, including pollinators. Once you've enrolled in the program, give us a call to get a price on your seed mixture.

SAGE GROUSE SEED MIXES (SEE PG. 17)

Sage Grouse habitat is threatened all over the Intermountain West. We specialize in habitat improvement seed mixes recommended by the NRCS and Sage Grouse Initiative. We can easily custom blend the recipes you establish with them.





CUSTOM MIXES

Custom seed mixes are the heart and soul of Great Basin Seed. Because of the nature of our business, we must treat the majority of projects based on specific site conditions and the customer's desired outcomes. Standardized mixes work for a wide variety of situations, but the unique requirements of each customer generally require a custom approach.

Since upgrading our database in 2009, we have mixed an average of 600 custom seed mixes per year. We have worn out dozens of sewing machines, used enough string to go to the moon and back several times, printed truckloads of paper analysis tags, and used freight containers full of seed sacks and totes. Over the years, we have completely worn the mixing blades off two seed mixers. We have done all of this and more in an effort to provide each customer with the perfect custom seed mix for their specific needs.



 **Above:** One of our custom-built barrel mixers. This model holds 24,000 pounds per batch. Material is completely homogenized in 4 rotations.

 **Below:** Custom mountain cabin and flower mix near Moscow, ID.
Jason Stevens



DESIGN YOUR OWN MIX

Designing a seed mix can be a daunting task. The sheer amount of information available makes it hard to navigate and choose correctly. Sometimes you need help from experts with “boots on the ground” experience. We are here to help. Our advise is free - we don't charge a consulting fee.

Use the bullet points on the right to get started. The answers to these questions provide the guidelines to determine which species will flourish and produce the desired results. Once you have answered these basic questions, give us a call and we will help you select the species, determine seeding rates and create a price estimate.

Custom seed mixes are the standard for us! Don't be afraid to call to discuss your requirements or that “difficult location” on your land. We are happy to assist!



Questions to get you started:

- Where is the planting site?
- What is the elevation of your planting site?
- What are average high and low temperatures?
- What is your annual precipitation?
- How and when does the precipitation come?
- Can you flood or sprinkler irrigate?
- What kind of soil do you have: sandy, clay, rocky?
- How would you describe your water drainage?
- Do you have a soil test?
- Do you have a water test?
- What other species are currently on site?
- What are your desired outcomes? Is this seed mix for reclamation, range, forage, pasture, soil stabilization, ground cover, ornamental or beautification?



Below: *Landscape near Fish Lake, UT Jason Stevens*



CONSERVATION RESERVE PROGRAM

The Conservation Reserve Program (CRP) is a land program administered by the Farm Service Agency (FSA). It was signed into law in 1985 by President Ronald Regan and is the largest private land conservation program in the United States. Farmers and ranchers enrolled in the program agree to remove environmentally sensitive land from agricultural production and plant seed species that benefit and improve:

- Air and water quality
- Soil health, erosion prevention and stability
- Overall environmental conditions
- Wildlife habitat
- Pollinator and beneficial bugs conditions



In exchange for participation in the program, farmers may receive a variety of benefits including cost-sharing, rent assistance and other incentives.

HOW CAN YOU ENROLL IN THE PROGRAM?

Contracts for land enrolled in CRP are generally 10-15 years in length. To start the enrollment process visit your local FSA/ NRCS office (they are frequently the same office) or their website at: www.fsa.usda.gov/conservation

HOW CAN GREAT BASIN SEED HELP?

After you have enrolled in the program, the NRCS will recommend a seed mix recipe specific to your site. Once you have their recommendations, give us a call to price your seed mixture.

Great Basin Seed has been participating with farmers and rancher by providing seed for the CRP program from the very beginning. We have sold millions of pounds of CRP seed and carry every species recommended by the program, including pollinators.



Below: Application of a custom pasture mix near Zion National Park, UT.




SEED MIXES FOR SAGE GROUSE HABITAT

Sage Grouse (*Centrocercus urophasianus*) live in the sagebrush-steppe of the western United States and southern Canada. They are considered a “permanent resident”, meaning they only move short distances and do not migrate. They forage on the ground and eat mainly sagebrush, but also insects and other plants. They nest on the ground under sagebrush or grass patches. The sagebrush-steppe is a critical part of their habitat.

At risk: In the United States the sage grouse is a candidate under the Endangered Species Act. The leading factor in the decline of sage grouse populations is loss of habitat. Contributors to the population decline include: urban expansion, wildfires, invasive weeds and exotic grasses and removal of the sagebrush-steppe.

Sage Grouse Initiative: In 2010 the Natural Resources Conservation Service (NRCS) launched the Sage Grouse Initiative (SGI) in an effort to restore sage grouse habitat and revive the declining population. The effort is largely being carried out on private land. The program relies on voluntary landowner participation and partners who help them enhance and conserve the habitat. Some of the efforts in place to improve sagebrush habitat include:

- Conifer removal
- Conservation easements
- Grazing systems
- Marking fences
- Invasive weed control
- Seeding projects
- Exotic species control



How to participate:

If you own land in the areas indicated you may qualify for participation in the Sage Grouse Initiative. Contact your local NRCS service center or visit their website at:

www.sagegrouseinitiative.com

 **Current Range**


HOW CAN GBS HELP?

The NRCS, cooperating universities, state agencies and CRP partners have established seed recommendations for habitat improvement. A few of the more common species are listed to the right.

We specialize in the seeds recommended by the NRCS and CRP. We can easily custom blend the recipe they recommend. Visit your NRCS/CRP agent to determine which species are approved for your site and meet the project goals. If you are a landowner in the SGI or would like to be, we recommend you visit the SGI website, contact us for help with your seed needs.

Recommended Seed Species for Sage Grouse Habitat:

Shrubs & Sub-Shrubs	Grasses & Grass Likes	Forbs & Legumes
Wyoming Big Sagebrush Basin Big Sagebrush Low Sagebrush Black Sagebrush Rubber Rabbitbrush Winterfat Louisiana Sage Fringed Sage Skunkbush Sumac Snowberry Fourwing Saltbush Gardners Saltbush Shadscale Saltbush Spiny Hopsage	Western Wheatgrass Thickspike Wheatgrass Bluebunch Wheatgrass Snake River Wheatgrass Streambank Wheatgrass Indian Ricegrass Bottlebrush Squirreltail Slender Wheatgrass Sideoats Grama Green Needlegrass Blue Grama Idaho Fescue Galleta Grass Basin Wildrye Mountain Brome Prairie Junegrass Needle and Threadgrass Muttongrass Canby Bluegrass	Purple Prairie Clover White Prairie Clover Yellow Coneflower Perennial Gaillardia Arrowleaf Balsamroot Firecracker Penstemon Rocky Mtn. Penstemon Goosberryleaf Globemallow Scarlet Globemallow Rocky Mountain Beeplant Silky Lupine Silvery Lupine Sulfur Buckwheat Utah Sweetvetch Common Sunflower Blue Flax Yarrow Sainfoin Birdsfoot Trefoil





PASTURE MIXES

*Dryland, irrigated and custom pasture mixes
for a variety of situations.*

We've spent 50 years of formulating, mixing, and distributing quality pasture mixes! We provide premium pasture blends tailored to specific traits and outcomes. We chose varieties that match your needs with competitive pricing.

NEW!

WARM SEASON GRASS MIXES (SEE PG. 25)

We now offer four new warm season grass mixes for a variety of uses. These mixes are each designed for the prairies, plains and hill country of the West, Southwest, and Midwest.

BEST SELLER!

DRYLAND PASTURE MIX (SEE PG. 23)

Dryland pasture mix is our top-selling pasture mix. It is designed for areas with as little as 10" of annual precipitation.

BEST SELLER!

IRRIGATED PASTURE MIX (SEE PG. 22)

Our irrigated pasture mix comes in second in sales to our dryland mix. It is planted from coast-to-coast for a wide range of forage, pasture and hay uses.

HORSE PASTURE MIX (SEE PG. 24)

Our horse pasture mix requires the same amount of water as our irrigated pasture mix and is formulated specifically to the needs of horses. Specific feed requirements can be accommodated - give us a call!

CUSTOM MIXES (SEE PG. 14)

Custom seed mixes are the heart and soul of Great Basin Seed. A ready-made mix may not be the right fit for your soil, water, environment, and desired outcome. We can help you design a mix specific to your needs.

PASTURE MIX FAQ'S

How do I know if my planting site is dryland or irrigated? How do I choose species for my conditions?

We consider any precipitation zone of 12" or less to be a "dryland" zone. "Irrigated" areas have additional irrigation or receive more than 12-16" of annual precipitation. If you want to narrow your search even further you can use the chart to the right or look at the back of this catalog for each species' requirements.

What is the suggested planting rate? How many pounds of pasture seed should I plant per acre?

The answer to this question varies depending on species, annual precipitation, soil conditions and desired outcome. Seed size or number of seeds per pound is a large determining factor. However, pasture and grass mixes are generally *drilled* at 12-16 pounds per acre, and *broadcast* at 18-20 pounds per acre.

How do I prepare my planting site for the best possible outcome?

Weed control and some form of soil disturbance is recommended before planting. Disturbance can be as simple as scratching the surface with a hard-tooth rake on small plots, or running a tooth harrow over a large tract. Deep tilling, plowing, or discing is not always necessary. For additional information on this topic visit our website where you will find blog posts, photos, videos and additional information.

What is the best time of year to plant?

As a general rule, fall plantings (sometimes called *dormant planting*) are the most successful. However, successful plantings can be made any time of year assuming enough moisture is available to nurse the plants through the germination and establishment process. Spring offers good planting conditions assuming soil conditions allow you to work the ground and sow seed. In some areas, planting before summer monsoon season is best.



PASTURE GRASS SELECTOR

Is your planting site DRYLAND or IRRIGATED?

DRYLAND

LESS than 12" annual precipitation and no supplemental irrigation

MIN " PRECIP	SPECIES	PH/SALT TOLERANCE	COST
5	Siberian Wheatgrass	High	\$\$\$
6	Crested Wheatgrass	High	\$\$\$
6	Sandberg Bluegrass	Fair	\$\$\$\$
6	Streambank Wheatgrass	Moderate	\$\$\$\$
7	Russian Wildrye	Very High	\$\$\$\$
7	Indian Ricegrass	Fair	\$\$\$
7	Western Wheatgrass	High	\$\$\$
7	Thickspike Wheatgrass	Moderate	\$\$\$
8	Blue Grama	Moderate	\$\$\$\$\$
8	Tall Wheatgrass	Very High	\$
8	Bluebunch Wheatgrass	Moderate	\$\$\$\$
8	Yellow Sweet Clover	Moderate	\$
9	Sheep Fescue	Fair	\$
9	Sand Dropseed	Moderate	\$\$\$
10	Sideoats Grama	Fair	\$\$\$\$\$
10	Slender Wheatgrass	Very High	\$
10	Basin Wildrye	Moderate	\$\$\$\$
11	Intermediate Wheatgrass	Moderate	\$
11	Pubescent Wheatgrass	Moderate	\$
11	Dahurian Wildrye	Moderate	\$
11	Smooth Bromegrass**	Moderate	\$
11	Small Burnet	Moderate	\$
11	Annual Rye Grain	Moderate	\$
11	Ranger Alfalfa	Fair	\$
11	Ladak Alfalfa	Fair	\$
11	AC Saltlander	Very High	\$\$\$\$
11	Paiute Orchardgrass	Fair	\$

IRRIGATED

MORE than 12" annual precipitation and/or supplemental irrigation

MIN " PRECIP	SPECIES	PH/SALT TOLERANCE	COST
12	Arizona Fescue	Fair	\$\$\$\$
12	Idaho Fescue	Low	\$\$\$\$
12	Prairie Junegrass	Moderate	\$\$\$\$\$
12	Smooth Bromegrass**	Moderate	\$
12	Hard Fescue	Fair	\$
12	Cicer Milkvetch	Moderate	\$\$\$\$
12	Annual Ryegrass	Moderate	\$
12	Perennial Ryegrass**	Fair	\$
12	Small Burnet	Moderate	\$
12	Sainfoin	Fair	\$
14	Meadow Bromegrass	Moderate	\$
14	Orchardgrass**	Fair	\$
16	Fixation Balansa Clover	High	\$
16	Frosty Berseem Clover	High	\$
16	Strawberry Clover	High	\$\$\$
16	Ladino Clover	Moderate	\$
16	Red Clover	Moderate	\$
16	Reed Canarygrass	Fair	\$\$\$
16	Tall Fescue	High	\$
16	Alfalfa**	Variable	\$
16	Timothy	Fair	\$
18	Alsike Clover	Fair	\$
18	White Dutch Clover	Fair	\$
18	Kentucky Bluegrass	Fair	\$
20	Garrison Meadow Foxtail	Moderate	\$\$\$

** Multiple varieties available for a wide range of soil types, climates and desired outcomes.



IRRIGATED PASTURE MIX:

For zones with more than 16 inches annual precipitation or supplemental irrigation

- Mid-Maturing Forage Orchardgrass
- Late-Maturing Forage Orchardgrass
- Tall Fescue, Forage Type
- Forage Type Perennial Ryegrass
- Meadow Bromegrass

Common additional mix-ins include alfalfa and sainfoin. If rapid grazing results are desired consider adding annual ryegrass or Bandito II Intermediate Ryegrass.

Farmers and ranchers from all walks of life use our irrigated pasture mix. It is a best selling item at Great Basin Seed. Plant as a stand-alone crop for pasture and/or hay, or in pivot corners and isolated parts that require coverage and forage yield. It is very effective at driving out weeds.

Planting Rate:
16 lbs. per acre drilled
(drill no deeper than 1/4")
20 lbs. per acre broadcast

Refer to the analysis tag on the bag for actual mix ratios and percentages. Mix varieties are subject to change based on annual crop production and availability.





DRYLAND PASTURE MIX:

For zones with less than 12 inches annual precipitation

- Intermediate Wheatgrass
- Dryland Orchardgrass
- Slender Wheatgrass
- Crested Wheatgrass
- Smooth Bromegrass
- Dahurian Wildrye
- Dryland Alfalfa

For improved winter range and higher protein consider adding Immigrant Forage Kochia

Dryland pasture mix is designed for farm, ranch and range where no irrigation is present. It grows well on the annual precipitation available in most areas of the United States excluding areas with very arid climates like the Sonoran and Mojave desert. We have selected dryland pasture mix species that persist and perform well in droughts and provide good forage.

Planting Rate:
16 lbs. per acre drilled
(drill no deeper than 1/4")
20 lbs. per acre broadcast

Refer to the analysis tag on the bag for actual mix ratios and percentages. Mix varieties are subject to change based on annual crop production and availability.



PASTURE MIXES

MIX NAME	MIX COMPONENTS	FEATURES	MIN. PRECIP.	SEEDING DEPTH/RATE PER ACRE
All Purpose Pasture Mix	Tall Fescue Orchardgrass Forage Kentucky Bluegrass Climax Timothy White Clover Perennial Ryegrass	A cost-effective pasture mixture for all livestock and applications. Will perform well as a cut-and-bale crop, or for grazing and pasture.	16"	1/4" MAX** 16 lbs drilled 20 lbs broadcast
Alpaca and Llama Pasture Mix	Orchardgrass Meadow Brome Kentucky Bluegrass Timothy	Species selected for Alpacas & Llamas. Well suited to grazing. Dense, soft leaves. Adapted to a broad geographic range.	16"	1/4" MAX** 16 lbs drilled 20 lbs broadcast
Chicken Pasture Mix	Hairy Vetch White Dutch Clover Strawberry Clover Alfalfa Field Pea Crimson Clover Common Flax	Produces excellent chicken forage that is naturally low-growing and nutrient-dense. Contains species that are a source of omega-3 fatty acids. Ideal for large acreages or small backyard plots and can also be used as a cover crop.	16"	1/4" MAX** 1 lb per 1000 sqft 16 lbs drilled 20 lbs broadcast
Dryland Pasture Mix	Intermediate Wheatgrass Dryland Orchardgrass Slender Wheatgrass Hycrest Crested Wheatgrass Smooth Bromegrass Ladak Alfalfa Dahurian Wildrye	For zones with 9-12" annual precipitation. Designed for farm, ranch and range where no irrigation is present. A best seller for 45 years!	9"	1/4" MAX** 16 lbs drilled 20 lbs broadcast
Great Plains Pasture Mix	Intermediate Wheatgrass Cache Meadow Brome Rustler Tall Fescue Pubescent Wheatgrass Tetraploid Perennial Ryegrass Intermediate Ryegrass	Highly palatable. Top of the line forage grasses. Excellent for cattle. Produces high yields with limited moisture. Tolerant of heavy snow, cold winters and hot summers. Very hardy.	16"	1/4" MAX** 16 lbs drilled 20 lbs broadcast
Homesteader's Choice Warm Season Grass Mix	Smooth Bromegrass Crested Wheatgrass Slender Wheatgrass Intermediate Wheatgrass Russian Wildrye	Native grass mix suited to prairie lands of the USA from 3-6,000' in elevation. These native grass seeds were the Homesteader's Choice when it came to range species.	16"	1/4" MAX** 30-40 lbs broadcast
Honey Bee Pasture Mix	Crimson Clover (annual) White Dutch Clover (perennial) Yellow Sweet Clover (perennial) Alsike Clover (perennial) Sainfoin (perennial) Phacelia (annual) Blue Flax (perennial) & others!	A blend of clovers, legumes and flowers Inexpensive, rapid establishment. Can be grazed by livestock or used as green manure. 1 pound covers 2,500 square feet	18"	1/4" MAX** 4-8 lbs broadcast
Horse Pasture Mix	Timothy Oro Verde Tetraploid Perennial Rye Albion Tetraploid Perennial Rye Quickdraw Orchardgrass Kentucky Bluegrass (forage type)	Drought tolerant. Blended specifically for horse pasture and hay. Good for cattle. Performs best under sprinkler irrigation.	16"	1/4" MAX** 16 lbs drilled 20 lbs broadcast
Irrigated Pasture Mix	Mid-Maturing Forage Orchardgrass Late-Maturing Forage Orchardgrass Tall Fescue-Forage Type Perennial Ryegrass Meadow Bromegrass	A time-tested and proven recipe. Best seller to customers in the Northern hemisphere. Early, mid, and late maturing varieties are added to this mix, making it suitable for cutting AND grazing depending upon your needs.	16"	1/4" MAX** 16 lbs drilled 20 lbs broadcast

PASTURE MIXES

MIX NAME	MIX COMPONENTS	FEATURES	MIN. PRECIP.	SEEDING DEPTH/RATE PER ACRE
Mountain & Cabin Mix	<i>Winter Rye Grain</i> <i>Perennial Ryegrass</i> <i>Smooth Brome</i> <i>Orchardgrass</i> <i>Kentucky Bluegrass (forage type)</i> <i>Timothy</i> <i>Red Clover</i>	A blend of mountain grasses and wildflowers adapted to 4,000 to 8,000 feet in elevation. Very effective at erosion control, ground cover, and showy displays of red clover. Wildflower can be added to this mix.	16"	1/4" MAX** 16 lbs drilled 20 lbs broadcast
Mountain Pass Grass Mix	<i>Smooth Bromegrass</i> <i>Crested Wheatgrass</i> <i>Slender Wheatgrass</i> <i>Intermediate Wheatgrass</i> <i>Russian Wildrye</i>	Ideally suited to high elevation sites of the West above 8,000'. Provides deep green grasses suited to the mountain meadows, passes and valleys. Adapted to the Southwest and Midwest prairies, from Canada to the Mexico border states.	16"	1/4" MAX** 20 lbs drilled 30-40 lbs broadcast
Pig and Hog Pasture Mix	<i>Orchardgrass</i> <i>Kentucky Bluegrass</i> <i>Powell Alfalfa</i> <i>Triticale</i> <i>White Clover</i> <i>Red Clover</i> <i>Birdsfoot Trefoil</i>	A mix of clovers, alfalfa and grasses. Designed for the foraging characteristics of pigs. Great for full-season foraging.	16"	1/4" MAX** 16 lbs drilled 20 lbs broadcast
Pioneer Pride Warm Season Grass Mix	<i>Little Bluestem</i> <i>Galleta</i> <i>Sideoats Grama</i> <i>Sand Dropseed</i> <i>Indian Ricegrass</i> <i>Alkali Sacaton</i>	Our low elevation prairie mix. Intended for sites between 4,000 and 5'000' elevation. Mixture of native grasses. Adapted to the prairies of America Southwest and Midwest prairies, from Canada to the Mexico border states.	12"	1/4" MAX** 12 lbs
Rapid Establishment Irrigated Pasture Mix	<i>Cache Meadow Bromegrass</i> <i>Albion Perennial Ryegrass</i> <i>Elena Forage</i> <i>Tall Fescue</i> <i>Extend Orchardgrass</i> <i>Bonus Festulolium</i> <i>Annual Ryegrass</i> <i>Italian Ryegrass</i> <i>Teff Grass</i>	Fast establishing grasses for immediate results. Can be cut and/or grazed. Excellent forage production and quality. Perfect for early summer or fall planting.	14"	1/4" MAX** 16 lbs drilled 20 lbs broadcast
Salt & Alkali Soils Pasture Mix	<i>Tall Wheatgrass</i> <i>Hercules Tall Wheatgrass</i> <i>AC Saltlander Green Wheatgrass</i> <i>Garrison Creeping Foxtail</i> <i>Intermediate Wheatgrass</i> <i>FSG423ST Salt Tolerant Alfalfa</i> <i>Strawberry Clover</i>	Can be customized based on soil tests (see page 17). Does well in valley bottoms, sump area, and other challenging soil conditions. Turn a useless plot into a stand that will produce something of value!	12"	1/4" MAX** 16 lbs drilled 20 lbs broadcast
Santa Fe Trail Warm Season Grass Mix	<i>Blue Grama</i> <i>Indian Ricegrass</i> <i>Western Wheatgrass</i> <i>Sideoats Grama</i> <i>Galleta</i> <i>Buffalograss</i> <i>Alkali Sacaton</i> <i>Little Bluestem</i>	Native warm season grasses from the prairies. Excellent for forage and feed. Suited to Southwest and Midwest prairies, from Canada to the Mexico border states. Up to 8,000' in elevation.	12"	1/4" MAX** 16 lbs drilled 20-30 lbs broadcast

Drill seeding pasture mixes can produce the very best establishment results IF seeds are sown **no deeper than 1/4". Establishment will likely fail if seeds are buried or planted deeper than 1/4". Broadcast methods work well, especially if the site is harrowed or disturbed and some form of compaction is used after sowing.

NEW! SOIL BUILDER COVER CROP MIX

Our Soil Builder Cover Crop mix improves soil! It's a low-cost, eco-friendly approach to rapidly increase soil nutrients and break up compaction. Beneficial soil "bugs" flourish in the combination, promoting healthy soil biomes. The roots retain water and break up soil compaction. It quickly establishes and prepares for permanent crops.

Mix Contents:
Eco-Till Radish
Common Vetch
Flax
Crimson Clover
Oats
Sunn Hemp
Forage Peas





COVER CROPS

Soil health can be improved by planting and rotating with cover crops. Planting cover crops is also economical. The following principles, when combined with cover crop use, can dramatically improve soil health:

- Minimize soil disturbance.
- Maximize plant biodiversity with rotation & cover crop mixes.
- Keep living roots alive as much as possible. Practice no-till drilling.
- Keep the soil covered. Use cover crops in shoulder seasons.
- Incorporate livestock grazing practices.

PURPLE TOP TURNIP (SEE PG. 29)

Does well in colder climates, excellent fodder and feeding value. Excellent for breaking soil compaction.

DAIKON RADISH (SEE PG. 29)

Leafy cover crop, high forage value and superb at breaking soil compaction.

FIXATION BALANSA CLOVER (SEE PG. 29)

Fixation Balansa Clover is a nitrogen fixing beast! Produces incredible biomass and tolerates compacted, poor soils.



BENEFITS OF COVER CROPS

Planting “green manures” or cover crops is one of the simplest and most cost-effective ways to improve your soil. Most soils can be kept productive by employing sound soil management practices such as minimum soil tillage, crop rotation, and the addition of organic matter.

Nutrient Cycling. Cover crops add valuable nutrients to the soil, such as nitrogen. For plants to grow, they need food, air, and organic matter in the soil. Fungi and bacteria in the soil work to break down organic matter. When microorganisms eat organic matter, nutrients are released back into the soil in a form that plants can use. This process is called “nutrient cycling.” Nutrient cycling changes both the physical and chemical properties of the soil. When used as part of a long-term rotation plan, cover crops promote beneficial organic matter, insects and microorganisms for a stable habitat in your garden.

Organic Matter. Microorganisms that consume organic matter release nutrients into the soil. Organic matter improves soil structure, which increases water absorption and nutrient retention, buffers soil pH, and improves aeration. Cover crops add organic matter. The decaying process results in natural mulch or compost.

Improve Soil Structure. The roots of the cover crop will also help to improve the soil structure. Root passages and pore spaces aerate the soil and increase moisture percolation. The passages are also used by insects and other microorganisms.

Weed Suppression. Cover crops compete with weeds for space, water, nutrients, and sunlight. Weeds are deprived of nutrients by the roots, the leaves shade out weeds, and crop mulch covers weed seeds.



Moisture. Cover crops both conserve and increase soil moisture. The soil is sheltered from evaporation caused by the sun and wind, and deep roots draw moisture from the soil profile.


Prevent Erosion. Cover crops help avoid bare ground, especially during the shoulder seasons and winter. When soil is exposed it is more likely to be worn away by wind and water. Cover crops help stabilize the soil and minimize runoff by holding the soil together and strengthening its structure.

Reduced work load. Cover crops save time and energy. The nutrients they provide reduces the need for composting or mulching, making cover crops a good option when looking to improve the soil quality of a large area.

Biodiversity. Cover crops increase biodiversity. Every plant has its own distinct characteristics, including how it interacts with other plants and organisms. Cover crops can attract beneficial bugs and pollinators that add something special to the habitat.

Insects. Cover crops play a major role in attracting beneficial bugs and insects. Attracting insects increases the quantity of pollinators on your site, which aids in plant propagation. Increased organic matter and nutrients in the soil also nourish beneficial microbes that can keep fungal and bacterial infections at bay. Insects can reduce the amount of nematodes and microscopic organisms that feed on plant roots and stems and can carry viruses that they transmit to the plants.



 **Above:** Owner Eric “Zeke” Stevens in a field of cover crops, South Dakota. Jason Stevens

COVER CROPS

	SCIENTIFIC NAME	COMMON NAME	LIFESPAN	RECOMMENDED USES	SOW	SOW SEASON	NITROGEN FIXATION
Broadleaf	<i>Brassica campestris</i>	Purple Top Turnips	A	Break soil compaction, enhance forage, fix nitrogen.	.50"	Summer or Fall	Yes
	<i>Brassica napus</i>	Rapeseed	A	Enhance forage. Drought tolerant, heat tolerant.	.25-75"	Spring or Fall	No
	<i>Brassica oleracea var. sabellica</i>	Forage Kale	B/A	Enhanced forage. Useful for water management. Drought tolerant. Very winter hardy.	.25-.50"	Summer or Fall	No
	<i>Crotalaria juncea</i>	Sunn Hemp	A	Nitrogen fixing, weed suppression, heat tolerant.	.25-75"	Summer	Yes
	Many Varieties	Forage Cabbage	A	Forage enhancement, weed suppression.	.50"	Spring or Fall	No
	Many Varieties	Forage Collard	A	Break soil compaction, enhance forage, suppress weeds, drought tolerant.	.25-.50"	Spring or Fall	No
	<i>Phacelia tanacetifolia</i>	Phacelia	A	Beneficial insectary, weed suppression, low fertility soil.	.25"	Fall	Yes
	<i>Raphanus sativus</i>	Nematode Radish	A	Break soil compaction, nematode control, weed suppression.	.50"	Spring or Fall	No
	<i>Raphanus sativus var. niger</i>	Daikon Radish	A	Break soil compaction, manage water, suppress weeds, low fertility soil.	.50"	Summer or Fall	No
	<i>Sinapis alba</i>	White Mustard	A	Nematode control, suppress weeds, manage water, drought tolerant.	.25-75"	Summer or Fall	No
	<i>Brassica juncea Sinapis Alba</i>	Mighty Mustard Mix	A	Nematode control, suppress weeds, large biomass. 40% White Gold Mustard, 40% Kodiak Oriental Mustard, 20% Pacific Gold Oriental Mustard	.25-75"	Summer or Fall	No
	<i>Helianthus annuus</i>	Peredovic Sunflower	A	Commonly used for doves and as a cover crop. Widely adapted, establishes well.	1-1.5"	Spring or Summer	No
Grain/Legume	<i>Fagopyrum esculentum</i>	Buckwheat	A	Beneficial insectary, suppress weeds, drought tolerant, low fertility.	.50- 1"	Summer	No
	<i>Pennisetum glaucum</i>	Pearl Millet	A	Water management, weed suppression, drought tolerant, heat tolerant.	.25-75"	Spring or Summer	No
	<i>Setaria italica</i>	German Millet	A	Drought tolerant, rapid growth during summer months. Fast maturing single cut millet.	.25-75"	Summer	No
	<i>Echinochloa esculenta</i>	Japanese Millet	A	Tolerates flooding and wet soils. Higher level of salt tolerance. Good for multi-cut scenarios.	.25-75"	Summer	No
	<i>Secale cereale</i>	Cereal Rye	A	Weed suppression, drought tolerant, low fertility.	1-1.5"	Spring or Fall	No
	<i>Sorghum × drummondii</i>	Sorghum Sudangrass	A	Break soil compaction, enhance forage, heat tolerant, low fertility.	1"	Summer	No
Grass	<i>Eragrostis Tef</i>	Teff Grass	A	Enhance forage, drought and heat tolerant.	.12-.50"	Summer	No
	<i>Lolium perenne multiflorum</i>	Annual Ryegrass	A	Easily established, vigorous cool season grass cover crops, hay, pasture, erosion control.	.75- 1"	Spring or Fall	No
Legume	<i>Trifolium alexandrinum</i>	Berseem Clover	A	Beneficial insectary, enhance forage, low fertility soil, heat tolerant.	.25-75"	Spring or Fall	Yes
	<i>Trifolium incarnatum</i>	Crimson Clover	A	Break soil compaction, enhance forage, fix nitrogen, low fertility.	.50"	Spring or Fall	Yes
	<i>Trifolium michelianum</i>	Balansa Clover	A	Enhance low fertility soil, break soil compaction.	.25-75"	Spring or Fall	Yes
	<i>Pisum sativum arvense</i>	Winter Peas	A	Beneficial insectary, forage, fix nitrogen.	.50- 1"	Fall	Yes
	<i>Vigna unguiculata</i>	Cow Peas	A	Soil building, break compaction. Drought tolerant.	.25-1"	Spring or Fall	Yes
	<i>Vicia villosa</i>	Hairy Vetch	A	Beneficial insectary, nitrogen fixing.	.25-1"	Summer or Fall	Yes
	<i>Vicia sativa</i>	Common Vetch	A	Green chop, green manure, fodder.	.25-1"	Summer or Fall	Yes

*Lifespan Key: P = Perennial A = Annual B= Bi Annual

ALFALFA SELECTOR

Is your planting site DRYLAND or IRRIGATED?

DRYLAND

While these alfalfas are drought tolerant, they can be used in irrigated settings

MIN. PRECIP.	SPECIES	PH/SALT TOLERANCE	COST
9"	Falcata Alfalfa	High	\$\$\$\$\$
10"	Ladak II Alfalfa	Fair	\$\$\$
12"	Ranger II Alfalfa	Fair	\$\$\$
12"	Ranger	Fair	\$\$
13"	Vernal	Fair	\$\$

IRRIGATED

MORE than 12" annual precipitation and supplemental irrigation

MIN. PRECIP.	SPECIES	PH/SALT TOLERANCE	COST
15"	Lahontan Alfalfa	Moderate	\$\$
15"	Rancher Special	Fair	\$\$
15"	Lander Alfalfa	Moderate	\$\$\$
15"	Powell Alfalfa	Fair	\$\$
15"	FSG 408DP Alfalfa	Fair	\$\$\$
15"	438RR Roundup Ready Alfalfa	Fair	\$\$\$\$\$
15"	Salt Tolerant Alfalfa FSG 423ST	Moderate	\$\$\$



*We offer alfalfas for every climate zone,
soil type and end use.*

LANDER ALFALFA (SEE PG. 33)

- Our best-selling, flagship alfalfa
- Semi-dryland or irrigated
- First U.S. variety with resistance to brown root rot
- Resistant to broad temperature fluctuations and high winds

POWELL ALFALFA (SEE PG. 33)

- Our workhorse alfalfa
- Perfect 30/30 Wisconsin DR Index
- High forage yield potential
- Persistent

RANGER II ALFALFA (SEE PG. 32)

- The “old standby” improved
- Winter hardy
- Drought tolerant and persistent
- Superior forage yields
- Wide range of soil adaptations

LADAK II ALFALFA (SEE PG. 32)

- Venerable dryland alfalfa
- Bred from the original Ladak
- Improved drought tolerance
- Improved disease and nematode resistance
- More persistent

ALFALFA

NAME	FALL DORMANCY	WINTER SURVIVAL	COATED	INOCULATED	FEATURES
Falcata Alfalfa	4.0	Excellent	Yes	No	<ul style="list-style-type: none"> - Superior drought resistance over other alfalfa - Tolerates pH up to 8.5 - Nitrogen fixing - Persistent in harsh, competitive grazing applications - Should not be grazed until the second year
FSG 408DP Alfalfa	4.0	Superior 1.9	Yes	Yes	<ul style="list-style-type: none"> - Deep set crowns insulate against sever winter weather and foot traffic - Excellent for intensive livestock grazing - True "dual-purpose" alfalfa that can be intensively cut and grazed - Superior recovery after cutting
Ladak II Alfalfa	2.0	Superior 2.0	Yes	Yes	<ul style="list-style-type: none"> - Excellent drought tolerance - Adapted to variable soil conditions - Superior forage yield when compared to Ladak - Certified seed
Lahontan Alfalfa	4.0	Very Good	No	No	<ul style="list-style-type: none"> - Recovers quickly after cutting - Generally produces lower yields than other varieties - Yields are roughly equal to the Ranger
Lander Alfalfa	3.5	Excellent	Yes	Yes	<ul style="list-style-type: none"> - Resists brown root rot - Stem nematodes and verticillium wilt - Excels in dryland or irrigated - Persists in challenging soil conditions - Certified, coated, treated and inoculated
Powell Alfalfa	3.0	Very Good 2.0	Yes	Yes	<ul style="list-style-type: none"> - Excellent forage yield potential and quality - High resistance to stem nematode - High resistance to northern root knot nematode - Perfect 30/30 Wisconsin DRI rating - Widely adapted, tried, trusted - Certified, coated, treated and inoculated
Rancher Special Alfalfa	4.0	Very Good	Yes	No	<ul style="list-style-type: none"> - An economic alternative to high-end alfalfas - Same quality, coating and treatment standards - Suited to a variety of situations
Ranger II Alfalfa	3.0	Very Good 2.0	Yes	Yes	<ul style="list-style-type: none"> - Developed directly from Ranger - Excellent drought tolerance - Excellent winter hardiness and persistence - Superior forage yield when compared to Ranger - Certified seed production
438RR Roundup Ready Alfalfa	4.0	Excellent 1.0	Yes	Yes	<ul style="list-style-type: none"> - Unsurpassed weed control - Great forage yield potential, superior forage quality - Germination salt tolerance - Perfect 30/30 Wisconsin DRI rating
Salt Tolerant Alfalfa FSG 423ST	4.0	Excellent 2.0	Yes	Yes	<ul style="list-style-type: none"> - Higher forage production under saline soil conditions - High resistance to stem nematode - High resistance to northern root knot nematode - Fine stemmed with superior forage quality
Vernal Alfalfa	2.0	Very Good	No	No	<ul style="list-style-type: none"> - Deep rooted and drought tolerant - Adapts to well drained, deep soils - pH range of 5.5-6.5 - One of the older alfalfa varieties available
FSG 229CR Alfalfa	2.0	Very Good 2.0	Yes	Yes	<ul style="list-style-type: none"> - Rhizomatous alfalfa - Specialized for use in dryland pastures - Highly persistent, tough alfalfa - Also tolerates wet soils - Can be used for hay or pasture

LANDER ALFALFA

- Excellent choice for the Intermountain West
- Excels in semi-dryland or irrigated
- Persists in challenging soil conditions
- Well adapted to harsh weather
- Excellent winter survival
- Resistant to stem nematodes and verticillium wilt

FALL DORMANCY: 3.0
WINTER SURVIVAL: EXCELLENT

CERTIFIED, COATED, TREATED AND INOCULATED




POWELL ALFALFA

- High multi-foliate leaf expression
- Excellent forage yield potential and quality
- High resistance to stem and northern root knot nematodes
- Persistent
- Widely adapted, tried, trusted

PERFECT 30/30 WISCONSIN DRI RATING
FALL DORMANCY: 3.0
WINTER SURVIVAL: 2.0 (VERY GOOD)
ROOT TYPE: TAP
RECOVERY AFTER CUTTING: FAST

CERTIFIED, COATED, TREATED AND INOCULATED







CLOVERS & LEGUMES

*Clovers and legumes for a wide range of applications.
Use as a stand alone item or in a mix.*

BEST SELLER!

SAINFOIN (SEE PG. 36)

- Drought tolerant, winter hardy
- Relished by wildlife, deer, and elk
- Can be cut for hay, exceeds alfalfa yields on first cutting
- Non-bloating
- Very palatable for livestock

FIXATION BALANSA CLOVER (SEE PG. 36)

- Cool-season annual legume
- High forage performance over an extremely wide range of soils
- Often used as a cover crop for nitrogen production and weed control

FROSTY BERSEEM CLOVER (SEE PG. 36)

- Good salt tolerance
- High nitrogen fixation
- Synergistic relationship to alfalfa
- Bred for later maturity, cold tolerance, productivity, and nutritional value
- Capable of delivering multiple harvests in a single season

RED CLOVER (SEE PG. 36)

- Short-lived introduced perennial
- Good shade tolerance
- Primarily used for hay, silage, and soil improvement
- Quick growing crop, easily established, and produces high quality forage

CLOVERS & LEGUMES

SCIENTIFIC NAME	COMMON NAME	LIFESPAN*	USES	MIN. PRECIP.	SOW	SOWING SEASON
<i>Astragalus cicer</i>	Cicer Milkvetch	P	Spreading legume with strong alkali tolerance. Very palatable forage producer, good for reclamation.	10"	1/4- 3/4"	Spring or Fall
<i>Coronilla varia</i>	Crownvetch	P	Winter hardy forage producer, excellent for watershed stabilization and erosion control.	20"	1/4"	Fall
<i>Dalea purpureum purpurea</i>	Purple Prairie Clover	P	A low water nitrogen fixing legume. Commonly used for wildflower mixes and habitat improvement.	12"	1/4"	Spring or Fall
<i>Fagopyrum esculentum</i>	Buckwheat	A	Grain forage crop, bee pasture, and soil improving cover crop.	15"	1/2- 1"	Summer
<i>Lotus corniculatus</i>	Birdsfoot Trefoil	P	Spreading legume with fair acid and salt tolerance. Performs well on wet and poorly drained sites.	20"	1/4- 1/2"	Spring
<i>Medicago sativa</i>	Alfalfa	P	Widely adapted heavy forage and hay producer. Also useful in range and pasture mixes.	9"	1/4- 3/4"	Spring or Fall
<i>Medicago sativa falcata</i>	Yellow Alfalfa	P	Long lived nitrogen fixing forage legume, yellow flowers. More persistent and drought tolerant than alfalfa.	10"	1/4- 3/4"	Spring or Fall
<i>Melilotus albus</i>	White Sweet Clover	B	One of the most widely distributed legumes in the world. Highly palatable, nutritious forage for all classes of livestock.	18"	1/4-1/2"	Spring
<i>Melilotus officinalis</i>	Yellow Sweetclover	B	Widely used, beneficial clover for reclamation and disturbed sites, but low in forage value.	8"	1/2- 3/4"	Spring
<i>Onobrychis viciifolia</i>	Sainfoin	P	Easily established winter hardy nitrogen fixing legume. Short lived. Used for dryland, pasture and hay.	8"	1/4- 3/4"	Spring or Fall
<i>Trifolium alexandrinum</i>	Frosty Berseem Clover	A	Good salt tolerance. High nitrogen fixation. Synergistic relationship to alfalfa. Bred for later maturity, cold tolerance, productivity, and nutritional value.	12"	1/4"	Spring or Fall
<i>Trifolium fragiferum</i>	Strawberry Clover	P	Nitrogen fixing legume tolerant of salt and alkali. Useful in poor soils and for erosion control.	15"	1/4- 1/2"	Spring or Fall
<i>Trifolium hybridum</i>	Alsike Clover	P/B	Acid, alkali and salt tolerant. Short lived. Excellent forage producer used in pasture and range mixes.	18"	1/4- 1/2"	Fall
<i>Trifolium incarnatum</i>	Crimson Clover	A	Top choice for short-rotation, weed suppressing green manure. Used for roadside vegetation, pastures, and erosion control sites.	32"	1/4"	Spring, Summer or Fall
<i>Trifolium michelianum</i>	Fixation Balansa Clover	A	Often used as a cover crop for nitrogen production and weed control. Cool-season annual legume.	17"	1/8- 1/4"	Spring or Fall
<i>Trifolium pratense</i>	Red Clover	P/B	Cold hardy and easy to establish. Useful for bees, hay, pasture mixes and reclamation with sufficient water.	25"	1/4- 1/2"	Spring or Fall
<i>Trifolium repens</i>	White Dutch Clover	P	Long lived, very important legume, frequently planted with pasture grasses. Handles heavy grazing. Commonly used in lawns.	18"	1/4- 1/2"	Fall
<i>Trifolium repens latum</i>	Ladino Clover	P	A taller version of White Dutch Clover with less grazing tolerance.	18"	1/4- 1/2"	Fall
<i>Vicia americana</i>	American Vetch	P	Widely occurring legume. Drought tolerant. Useful for livestock, wildlife and range improvement.	18"	1/2"	Spring or Fall
<i>Vicia sativa</i>	Common Vetch	A	Adapts to full or partial sun. Common winter fodder for cattle. Cover crop. Weedy.	25"	1/4 - 1"	Spring or Fall

*Lifespan Key: P = Perennial A = Annual B= Bi Annual





ITEM NAME	FEATURES	SEEDING DEPTH/RATE PER ACRE
Premium Lawn & Turf Mix	Well suited for yards and landscapes. Our #1 selling turf mix for 30 years. 70% Kentucky Bluegrass, 30% Perennial Ryegrass	5 lbs. per 1,000 sq. ft. or 250 pounds per acre
Turf Type Tall Fescue Blend	Cool season grass. Three variety blend. Good for high traffic areas. Water efficient. Fast growing and drought tolerant.	5-9 pounds per 1,000 sq. ft.
Turf Type Perennial Ryegrass Blend	Our turf type 3-way Perennial Ryegrass Blend is adapted to most zones in the USA. Great for use in home lawns, parks, reclamation areas, golf courses, sport fields, stadiums and more!	4-5 pounds per 1,000 sq. ft.
Sundancer Buffalograss	Turf-type buffalograss. Very drought tolerant. Premium turf for dry southern states. Not tolerant of competition or traffic.	3 pounds per 1,000 sq. ft.

HOW OFTEN SHOULD I WATER NEW GRASS?

The simplest explanation is to simply keep the seed damp. Soil surfaces that are allowed to dry out, even if wet below, can crack and break the tender roots of new grass.

During establishment, your watering cycle should follow a low duration-high frequency pattern. As your grass establishes, slowly change to a high duration-low frequency schedule. Adapt as local conditions require.



Premium blends and turf-type species for yards, landscaping, sports complexes and erosion control.

BEST SELLER!

PREMIUM LAWN AND TURF BLEND

Our premium Lawn and Turf Blend is blended for a broad range of climates throughout the United States. It is a top choice of local landscape architects and hydroseeders.

- #1 selling turf mix for over 30 years
- 70% Kentucky Bluegrass (3 varieties)
- 30% Perennial Ryegrass (2 varieties)
- Sold in 5, 10, and 25 lb. bags

NEW!

XERISCAPE GRASS MIX


Alternative lawn and ground cover for the Western USA. Conserves water and replaces lawns with drought tolerant native grasses.

TALL FESCUE TURF BLEND

- Three varieties of turf tall fescue
- Highly water efficient
- Preferred in high traffic areas
- Dense, green, fast growing

TURF TYPE PERENNIAL RYEGRASS BLEND

- Good cold tolerance
- More drought tolerant than Kentucky Bluegrass
- Widely adapted to most zones in US
- Great for use in home lawns, parks, reclamation areas, golf courses, sport fields, stadiums and more



**GREAT BASIN SEED IS PROUD TO BE A
LICENSED TRICAL® GROWER, PRODUCER,
AND DISTRIBUTOR!**

TriCal® is the leading source of triticale varieties for forage, grain, and cover crop use in the U.S.

TriCal® conducts intensive screening and performance tests in target markets throughout the U.S. to develop and select superior products adapted to those markets. Through its own research efforts and acquisition of other triticale breeding programs, they have attained the world's most diverse and commercially important collection of winter, spring, and facultative triticale germplasm.

**Check out our ever growing line of
TriCal® products.**



Fast growing small grains for every need, a variety of options for every season and purpose.



TRICAL® MOTLEY TRITICALE (SEE PG. 43)

A beardless triticale that can be sown in spring or fall. Stands approximately six inches shorter than other comparable varieties, which reduces the risk of lodging. Motley has one or two more leaves per stem resulting in high tonnage and quality forage.



BEST SELLER!

PROSPER™ 3-GRAIN FORAGE MIX (SEE PG. 42)

The perennial favorite. Our premium “3-way” forage mixture for hay or silage with a blend of beardless wheat, beardless barley and oats.

FALL FORAGE BLEND (SEE PG. 45)

Our fall forage blend is made up of “fall” or “winter” varieties that can be planted late summer or fall. The mix usually includes fall wheat, triticale and barley.

TRICAL® GUNNER TRITICALE (SEE PG. 43)

Gunner is a promising facultative variety that can be planted spring or fall. It is completely beardless/awnless.

TRICAL® VALOR BARLEY (SEE PG. 44)

Valor barley is a beardless winter barley bred for forage. It is winter hardy enough to survive south of NE/IA and southern Idaho and does very well in the Intermountain West. Valor is a component of our fall forage mixtures.

SORGHUM SUDANGRASS (SEE PG. 44)

Our Honeysuckle Sorghum Sudangrass line features standard, BMR, delayed maturity and grain sorghums. Sorghum Sudangrasses have gained popularity, especially in areas where water is short and corn cannot be grown.

GRAIN MIXES

PROSPER 3 GRAIN AND PROSPER PLUS FORAGE MIXTURES

Prosper and Prosper Plus are premium forage mixtures for hay or silage. They are a blend of spring beardless wheat, beardless barley, and oats. Beardless varieties mean no eye and respiratory problems in livestock. It also means you don't have to thrash before feeding, resulting in less work and lower costs. Prosper Plus is our Prosper 3 Grain Forage Mixture with the addition of forage peas.


With Prosper or Prosper Plus you can expect above average yields and heavy cuttings over single grains. The varieties stand straight and tall, resist lodging and produce heavy grain. Your cattle should show a strong feeding preference for Prosper over single-grain hay. You should see noticeable weight gain.


A mixture of grains also means you need not concern yourself with nitrate poisoning, a worrisome problem with single-grain planting like straight oats or straight triticale. The broad spectrum nutrition balance and variety have made this product a household name in the Intermountain West.


PREMIUM GRAIN SEED

We offer grains for spring, fall, and winter applications. Try one of our grain mixes with tried and true varieties and over 50 years of development. We even offer custom mixes specific to your needs and goals.



 **Above:** Our cleaning facility during construction of tanks 11 & 12, Nov 2020.





Gunner brand triticale is a facultative variety that can be planted spring or fall in most northern climates. It is completely beardless.

- Dual planting window
- Completely awnless (beardless)
- High leaf to stem ratio
- Later maturing
- Excellent straw strength
- Tolerant of rust
- Very good fall seedling vigor
- Good winter hardiness
- Excellent for grazing
- Adapted to a large area



Motley brand triticale is a new forage triticale that is beardless, facultative and high in yield potential. It's shorter stems resist lodging and have large, deep green leaves.

- Dual planting window
- Completely awnless (beardless)
- High leaf to stem ratio
- Shorter, stronger stems
- Reduced risk of lodging
- Adapted to a large area
- Excellent for grazing
- Abundant leaves
- More tillers than other varieties

*Gunner & Motley are PVP protected varieties.
Unauthorized propagation is prohibited.*

TRICAL® VALOR FALL BARLEY

Valor barley is a beardless winter barley bred for forage. It is winter hardy enough to survive south of Nebraska/Iowa and southern Idaho and does very well in the Intermountain West. Valor is a component of our fall forage mixtures.

Our forage and seed production fields have been outstanding performers with forage heights over 4ft tall and seed yields in excess of 150 BU per acre. It can be planted as a stand alone item or used in a forage mixture with other fall forage crops like wheat, triticale, peas or winter rye. Valor Barley is a foundational component of our fall forage mixtures.

- Fall sowing
- Winter forage barley
- Beardless
- Winter hardy in the Intermountain West
- Component of our fall forage mixtures.

HONEYSUCKLE SORGHUM SUDANGRASS

Honeysuckle:

Our standard high-production sorghum sudangrass excels in a wide variety of soils, climates and situations.

Honeysuckle DM:


Honeysuckle with delayed maturity trait, resulting in 25-30 more growing days. Heads out late, resulting in higher yield, higher protein and less lignin.

Honeysuckle BMR:

Honeysuckle with the BMR (brown mid-rib) trait. 30-35% less lignin.

Honeysuckle Silage:

Bred specifically for silage.



Above: Valor fall barley field near Burly, ID. Jason Stevens

Below: Honeysuckle test plots, TX. Jason Stevens



SMALL GRAINS

	NAME	DESCRIPTION	ADDITIONAL INFO	SOW
Spring Small Grains	Merlin Max Triticale	Superior forage and yield. Beardless.	PVP Variety	100-140 lbs acre
	TriCal® 141 Triticale	Awnletted, high production spring triticale.	PVP Variety	100-140 lbs acre
	Tyndall Triticale	Awnletted spring triticale.	Awnletted	100-140 lbs acre
	Goldeneye Barley	6-row grain barley. High test weight, minimal lodging.	PVP Variety	100 lbs acre
	Lavina Beardless Barley	Critical grain species in the world food market. Many adaptations and applications.	Widely used in forage mixes	100 lbs acre
	Stockford Barley	Excellent beardless forage barley.	PVP Variety	100 lbs acre
	Oats	Common small grain species used as a stand alone item or in forage mixes.	Derby, Monaco, Monida, Morgan, Otana, Mustang	100 lbs acre
	Giant Forage Oats	Tall, high production oats frequently reaching 5-6 feet tall.	Everleaf, Magnum, Walken	100 lbs acre
	Annual Rye Grain	Early maturing, drought tolerant spring small grain. Fair forage value.	Rymin	100 lbs acre
	Sorghum Sudangrass	First cutting 50-55 days, second cutting 25-30 days.	Honeysuckle	40-50 lbs acre
	Sorghum Sudangrass	First cutting 60-75 days, second cutting 35-40 days.	Honeysuckle DM	50-65 lbs acre
	Sorghum Sudangrass	First cutting 60-75 days, second cutting 30-35 days.	Honeysuckle Silage	40-50 lbs acre
	Jefferson Wheat	Excellent grain wheat. Popular for fodder.	Bearded Hard Red	100 lbs acre
	Twin Wheat	Beardless soft white spring wheat.	Component of our forage mixes	100 lbs acre
Facultative Grains	TriCal® Gunner	A completely beardless winter variety. Can be planted spring or fall. A highly anticipated variety.	PVP Variety	100-140 lbs acre
	TriCal® Motley	A completely beardless shorter stemmed variety. On average higher tillers and a reduced risk of lodging.	PVP Variety	100-140 lbs acre
	TriCal® Surge	A flexible variety, high yield. Popular for dairy.	Beardless	100-140 lbs acre
	TriCal® Flex 719	Can be planted spring or fall, does not require vernalization. Excellent winter hardiness.	Awnletted	100-140 lbs acre
	Forerunner Triticale	Awnletted variety popular in forage mixes.	Awnletted	100-140 lbs acre
Fall or "Winter" Small Grains	TriCal® Valor Barley	Beardless fall barley well suited to forage mixes.	PVP Variety	100 lbs acre
	Brundage Wheat	Beardless fall wheat. High yield, widely used.	Component of our forage mix	100 lbs acre
	Utah 100 Wheat	Excellent grain wheat for milling.	Bearded	100 lbs acre
	FX 1001 Triticale	Nearly beardless winter variety. High forage production.	PVP Variety	100-140 lbs acre
	TriCal® Gainer 154	An early maturing winter variety. Very popular for silage.	PVP Variety	100-140 lbs acre
	TriCal® 131	Beardless winter variety for southern climates.	PVP Variety	100-140 lbs acre
	TriCal® 813	Popular variety in southern and central plains. Excellent for grazing and silage. Vigorous, top-shelf triticale.	PVP Variety	100-140 lbs acre
	Ray Wheat	A new high production beardless forage wheat. Excellent for grain production.	PVP Variety	100-140 lbs acre
	Willow Creek Wheat	Popular, tall fall beardless wheat. High forage production.	Component of our forage mixes	100-140 lbs acre
Grain Mixes	Prosper™ 3 Grain Forage Mix	#1 selling grain product. Ideal for hay or silage. Beardless barley, beardless wheat, oats.		100-140 lbs acre
	Prosper™ Plus with Peas	Prosper 3-Grain Forage Mixture with the addition of forage peas.		100-140 lbs acre
	Prosper™ with Giant Oats	Prosper 3-Grain Forage Mixture with the addition of giant forage oats.		100-140 lbs acre
	Fall Forage Blend	Top seller. High production, quality feed. Beardless barley, beardless wheat, triticale.		100-140 lbs acre

The terms awnlette, dwarf beard or spikelet are interchangeable and generally mean a beard shorter than a conventional beard.



SCAN ME



GRASSES

We offer over 150 different grasses and grass varieties that span every state and climate zone in the contiguous USA. Use this section in conjunction with our website to help you select species adapted to your site and needs.

NEW!

WARM SEASON GRASS MIXES (SEE PG. 25)

We now offer four new warm season grass mixes for a variety of uses. These mixes are each designed for the prairies, plains and hill country of the West, Southwest, and Midwest states.

NEW!

XERISCAPE GRASS MIX

Alternative lawn and ground cover for the Western USA. Conserves water and replaces lawns with drought tolerant native grasses.

BEST SELLER!

CRESTED WHEATGRASS (SEE PG. 49)

Crested wheatgrass is one of the most frequently used, widely adapted dryland range grasses available. Several varieties are available, each adapted to specific climates and outcomes.

BEST SELLER!

ORCHARDGRASS (SEE PG. 49)

Orchardgrass is a well known and widely used pasture grass. It can be cut for hay or grazed. Many options are available, including early, mid or late maturing varieties. This will allow you to tailor your pasture to your cutting and grazing schedule.

TEFF GRASS (SEE PG. 48)

If you need a fast establishing, high production annual then this is the grass for you. It is not tolerant of cold. Plant after frost season then watch it grow!

WARM SEASON GRASSES

SCIENTIFIC NAME	COMMON NAME	LIFESPAN	USES	MIN. PRECIP.	SOW	SOWING SEASON
<i>Andropogon gerardi</i>	Big Bluestem	P	Dominant grass species of Midwestern tall grass prairie. Used for erosion control and reclamation. High quality forage for all livestock.	14"	1/4- 1/2"	Spring or Summer
<i>Bouteloua Curtipendula</i>	Sideoats Grama	P	Largest and most coarse grama grass. Superb dryland grass. Produces more forage than blue grama. Common component of range lands.	15"	1/4"	Spring or Summer
<i>Bouteloua gracilis</i>	Blue Grama	P	Long lived and drought tolerant. Important forage species, the most wide-spread and prolific of the gramas.	8"	1/4- 1/2"	Spring or Summer
<i>Buchloe dactyloides</i>	Buffalograss	P	Short sod forming grass, very important species on the Midwest prairies. Excellent forage grass.	12"	1/2- 3/4"	Spring
<i>Eragrostis Tef</i>	Teff Grass	A	High yielding annual forage grass. Excellent palatability and forage quality. Ideal for horses and livestock. Excellent rotational crop.	18"	1/8- 1/2"	Summer
<i>Distichlis spicata</i>	Inland Saltgrass	P	Very useful in high alkali, high salt soils. Strong sod forming species. Warm season, drought tolerant grass.	8"	1/4- 1/2"	Spring or Summer
<i>Pleuraphis jamesii</i>	Galleta Grass	P	Very drought tolerant warm season, bunch/sod former. Commonly used for dryland improvement.	5"	1/2- 3/4"	Spring or Summer
<i>Psathyrostachys juncea</i>	Russian Wildrye	P	Very important range and pasture species. Greens early and remains palatable late. Drought tolerant.	7"	1/2- 3/4"	Spring or Summer
<i>Schizachyrium scoparium</i>	Little Bluestem	P	Warm season bunchgrass, widely distributed. Drought tolerant, useful for wildlife - especially birds.	12"	1/2"	Spring or Early Summer
<i>Schoenoplectus maritimus</i>	Alkali Bulrush	P	Wetland species, forms dense stands. Strong tolerance for salt and alkali. Generally requires standing water.	30"	1/2"	Spring or Early Summer
<i>Sporobolus airoides</i>	Alkali Sacaton	P	Used for erosion control, range and habitat improvement. Tolerates occasional flooding. Salt and alkali tolerant.	7"	1/4"	Summer
<i>Sporobolus cryptandrus</i>	Sand Dropseed	P	Used for soil stabilization and wildlife habitat improvement. Drought tolerant warm season grass.	8"	1/4"	Late Summer



COOL SEASON GRASSES

SCIENTIFIC NAME	COMMON NAME	LIFESPAN	USES	MIN. PRECIP.	SOW	SOWING SEASON
<i>Achnatherum hymenoides</i>	Indian Ricegrass	P	Important range species for arid climates and well drained soils. Excellent food source for birds.	6"	1 - 3"	Spring or Fall
<i>Achnatherum lettermanii</i>	Letterman Needlegrass	P	High elevation needlegrass in the Intermountain West. Grows in mountain meadows and on slopes.	14"	1/4- 1/2"	Spring or Fall
<i>A. cristatum x desertorum</i>	Hycrest Crested Wheatgrass	P	Hybrid released for its vigor, cold and drought tolerance. Adapted from 2,500 to 9,000 feet.	7"	1/4- 1/2"	Spring or Fall
<i>Agropyron cristatum</i>	Crested Wheatgrass	P	Very important range grass for reclamation and pasture. Establishes well, long lived, aggressive.	9"	1/4- 1/2"	Spring or Fall
<i>Agropyron desertorum</i>	Standard Crested Wheatgrass	P	Drought tolerant, larger and more robust than <i>Agropyron cristatum</i> .	7"	1/4- 1/2"	Spring or Fall
<i>Agropyron fragile sibiricum</i>	Siberian Wheatgrass	P	Very drought tolerant bunchgrass. Similar to <i>Agropyron desertorum</i> . Late maturing and good palatability.	5"	1/4- 1/2"	Spring or Fall
<i>Alopecurus arundinaceus</i>	Creeping Foxtail	P	Sod forming cool season grass, adapted to waterways and inundation. Also drought tolerant.	20"	1/4- 1/2"	Spring or Fall
<i>Bromus biebersteinii</i>	Meadow Brome	P	Excellent pasture grass, recovers quickly. Suitable for pasture or hay. Good for erosion control.	14"	1/4- 1/2"	Spring or Fall
<i>Bromus inermis</i>	Smooth Brome	P	Strong and aggressive rhizomatous grass. Abundant forage producer, used in pastures. Can be invasive.	11"	1/4-1/2"	Spring or Fall
<i>Bromus marginatus</i>	Mountain Brome	P	Short lived bunchgrass. A good choice for high elevation pasture, soil stabilization and reclamation.	16"	1/4-1/2"	Fall
<i>Dactylis glomerata</i>	Orchardgrass	P	Frequently used and abundant forage/pasture grass. Many varieties adapted to many purposes, climates and water needs.	10-16"	1/4- 1/2"	Spring or Fall
<i>Elymus dahuricus</i>	Dahurian Wildrye	P	Fast establishing native cool season bunchgrass. Is not long lived. Recovers quickly after grazing and cutting.	12"	1/2- 3/4"	Spring or Fall
<i>Elymus elymoides</i>	Bottlebrush Squirreltail	P	Widely distributed throughout the West from low foothills to sub-alpine. Very drought tolerant. Bunchgrass.	5"	1/4- 1/2"	Spring or Fall
<i>Elymus lanceolatus</i>	Thickspike Wheatgrass	P	Widely distributed, very drought tolerant cool season sod former. Excellent species for reclamation.	5"	1/4- 1/2"	Spring or Fall
<i>Elymus lanceolatus psammophilus</i>	Streambank Wheatgrass	P	Excellent for erosion control, reclamation, habitat restoration. Moderate pH tolerance.	7"	1/4- 1/2"	Spring or Fall
<i>Elymus trachycaulus trachycaulus</i>	Slender Wheatgrass	P	Widely adapted cool season bunchgrass, performs at high elevation. Useful for disturbed area improvement.	10"	1/2- 3/4"	Spring or Fall
<i>Elymus wawawaiensis</i>	Snake River Wheatgrass	P	Long lived cool season bunchgrass. Cold, drought and fire tolerant. Highly valued for reclamation, improvement.	8"	1/4- 1/2"	Spring or Fall
<i>Festuca arundinacea</i>	Tall Fescue	P	High value pasture and forage cool season bunchgrass. Moderate alkali and salt tolerance. Soil stabilization.	16"	1/4- 1/2"	Spring or Fall
<i>Festuca idahoensis</i>	Idaho Fescue	P	Cool season densely tufted bunchgrass. Excellent for disturbed areas and erosion control. Deep root system.	12"	1/4- 1/2"	Spring or Fall

LIFESPAN KEY: P=PERENNIAL A=ANNUAL B=BIANNUAL

COOL SEASON GRASSES

SCIENTIFIC NAME	COMMON NAME	LIFESPAN	USES	MIN. PRECIP.	SOW	SOWING SEASON
<i>Festuca ovina</i>	Sheep Fescue	P	Densely tufted, drought tolerant, cool season bunchgrass. Good forage, valued for mining & disturbed areas.	8"	1/4- 1/2"	Spring or Fall
<i>Festuca rubra</i>	Creeping Red Fescue	P	Sod forming bunchgrass. Shade and acid tolerant. Used for turf, soil stabilization, steep slopes.	15"	1/4- 1/2"	Spring or Fall
<i>Festuca trachyphylla</i>	Hard Fescue	P	Turf and revegetation species. Similar to <i>Festuca ovina</i> but taller, less drought tolerant and more aggressive.	14"	1/4- 1/2"	Spring or Fall
<i>Hesperostipa comata comata</i>	Needle & Thread Grass	P	Important species after fire or disturbance. Needles with long awns. Valuable native grass, widely distributed.	8"	1/2"	Fall
<i>Juncus balticus</i>	Baltic Rush	P	Grass-like with rhizomatous rootstock. Common and widely occurring. Good for wetland restoration.	7"	1/8- 1/4"	Spring or Fall
<i>Koeleria macrantha</i>	Prairie Junegrass	P	Widely distributed cool season bunchgrass. 4,000 - 12,000 feet elevation. Used for reclamation, site improvement.	12"	1/4- 1/2"	Spring or Fall
<i>Leymus cinereus</i>	Basin Wildrye	P	Long lived, tall, sturdy bunchgrass. Important range, wildlife and reclamation species. Abundant and hardy.	10"	1/2- 3/4"	Spring or Fall
<i>Lolium perenne multiflorum</i>	Annual Ryegrass	A	An easily established, vigorous cool season grass used for cover crops, hay, pasture, erosion control.	11"	3/4- 1"	Spring or Fall
<i>Lolium perenne multiflorum</i>	Italian Ryegrass	B or A	Widely adaptable. May become weedy or invasive. Used for quick cover in erosion control plantings or for forage.	N/A	N/A	Spring or Fall
<i>Lolium perenne perenne</i>	Perennial Ryegrass	P	A widely used pasture, hay and range grass. Tetraploid varieties are best for pasture, diploid for turf.	12"	1/2- 3/4"	Spring or Fall
<i>Nassella viridula</i>	Green Needlegrass	P	Well adapted to clay soils. Fair alkali and salt tolerance. Winter hardy. Valuable for disturbed site reclamation.	12"	1/4- 1/2"	Fall
<i>Pascopyrum smithii</i>	Western Wheatgrass	P	Strong rhizomes, sod forming. Long lived, cool season, drought tolerant variety. Late maturing and palatable.	8"	1/4- 1/2"	Spring or Fall
<i>Phalaris arundinacea</i>	Reed Canarygrass	P	Thrives in wetlands and poor drained soils. Fair a salt tolerance. Can be aggressive.	16"	1/4- 1/2"	Spring or Fall
<i>Phleum pratense</i>	Timothy	P	Sought after for hay, pasture and stabilization. Establishes well, not drought tolerant. Fair salt tolerance.	16"	1/4- 1/2"	Spring or Fall
<i>Poa fendleriana</i>	Muttongrass	P	Drought tolerant, cool season grass. Very useful for wildlife and livestock. Valuable restoration species.	10"	1/4"	Spring or Fall
<i>Poa pratensis</i>	Kentucky Bluegrass	P	Widely distributed and adapted. Grows from sea level to alpine zones. Most frequently used as a lawn variety.	18"	1/4- 1/2"	Spring or Fall
<i>Poa secunda ampla</i>	Big Bluegrass	P	A tough & robust drought tolerant, cool season grass. Widely used for pasture, range, habitat improvement.	9"	1/4- 1/2"	Spring or Fall
<i>Poa secunda sandbergii</i>	Sandberg Bluegrass	P	Excellent harsh-site species for reclamation, erosion control, habitat improvement. Commonly occurring.	7"	1/4"	Spring or Fall
<i>Pseudorogneria spicata x Elytrigia repens</i>	Hybrid Wheatgrass	P	Hybrid of Bluebunch Wheatgrass and Quack-Grass. Cool season, rhizomatous. High salt tolerance.	10"	1/4- 1/2"	Spring or Fall

NEED HELP? GIVE US A CALL AT 435.283.1411 | GREATBASINSEED.COM

COOL SEASON GRASSES

SCIENTIFIC NAME	COMMON NAME	LIFESPAN	USES	MIN. PRECIP.	SOW	SOWING SEASON
<i>Pseudoroegneria spicata spicata</i>	Bluebunch Wheatgrass	P	Widely adapted, long lived, drought tolerant bunchgrass. Valuable for watershed, range, and disturbed sites.	7"	1/4- 1/2"	Spring or Fall
<i>Thinopyrum intermedium intermedia</i>	Intermediate Wheatgrass	P	Long lived cool season sod former. Cold, drought and fire tolerant. Excellent forage producer.	11"	1/4- 1/2"	Spring or Fall
<i>Thinopyrum intermedium trichophorum</i>	Pubescent Wheatgrass	P	Widely distributed, drought tolerant, cool season sod forming variety. Excellent species for reclamation.	11"	1/4- 1/2"	Spring or Fall
<i>Thinopyrum ponticum</i>	Tall Wheatgrass	P	Long lived cool season bunchgrass. Very adaptable to saline and alkaline soils.	8"	1/4-1/2"	Spring or Fall

LIFESPAN KEY: P = PERENNIAL A = ANNUAL B= BI ANNUAL





REGIONAL WILDFLOWER MIXES



MOST LOCATIONS:

Beneficial Bug Wildflower Seed Mix
Butterfly Wildflower Seed Mix
Honey Bee Wildflower Seed Mix
Red, White & Blue Wildflower Seed Mix
Xeriscape Wildflower Seed Mix
All-Native Western Wildflower Seed Mix

HIGHER ELEVATION LOCATIONS:

Mountain Wildflower Seed Mix
Great Basin Wildflower Seed Mix

NW: Northwest Wildflower Seed Mix

WS: Western Wildflower Seed Mix

MW: Midwest Wildflower Seed Mix

NE: Northeast Wildflower Seed Mix

SE: Southeast Wildflower Seed Mix

TX/OK: TX/OK Wildflower Seed Mix

SW: Southwest Wildflower Seed Mix



WILDFLOWERS & FORBS

Flowers from desert lowlands to alpine highlands, and regional wildflower mixes specific to your needs.

NEW!

ALL NATIVE WESTERN WILDFLOWER MIX (SEE PG. 56)

A mix of all native, mostly perennial varieties for states west of the Mississippi River between 4,000 - 9,000 ft in elevation. Perennial wildflowers will grow back from the root-clump each year.

NEW!

XERISCAPE WILDFLOWER MIX (SEE PG. 57)

A mix of proven annuals and perennials. Perfect for Xeriscape beds and ground cover. This mix provides beautiful native and non-native wildflowers year-after-year. Adapted to most area of the Intermountain West.

BEST SELLER!

HONEY BEE WILDFLOWER MIX (SEE PG. 55)

Honey Bee Flower Mix is a blend of 50% annual and 50% perennial flowers that provide nectar and pollen to honey bees.

GREAT BASIN WILDFLOWER MIX (SEE PG. 56)

Combination of annual and perennial wildflowers formulated for the Great Basin and Intermountain West.

MOUNTAIN WILDFLOWER MIX (SEE PG. 55)

An annual and perennial mix for ornamental landscaping in the mountainous regions of the western USA above 7,000 feet in elevation.

WESTERN WILDFLOWER MIX (SEE PG. 57)

An annual and perennial mix widely adapted for ornamental landscaping in the western U.S. and Canada. For elevations below 7,000 feet.

ALL NEW!

COATED WILDFLOWER MIXES!

Our wildflower seed mixes are coated with Pinnacle seed coating from Summit Seed Coating. Pinnacle is a highly respected product in the seed industry. It is proven to increase germination and establishment rates up to 50%. In our trial plots, coated seed outperformed raw seed by a landslide, resulting in faster establishment, higher plant density and healthier plants. Because germination rates are increased, you can plant fewer pounds of seed per square foot. All of this adds up to you saving money!

Pinnacle seed coating is applied in an assortment of colors, so don't be surprised if your seed arrives pink, green, or yellow! Each regional mix has a different color coating. It is natural for a small amount of the seed coating to "sluff off" during transport, so you may discover some at the bottom of the container. The coating is not harmful.



WATCH
OUR VIDEO

BENEFITS OF COATED WILDFLOWER SEEDS



Seeds Won't Blow Away

Many wildflower seeds are designed by nature to be carried by the wind. Coated seed stays put.



Deters Birds and Rodents

Seed coating makes seed unrecognizable to rodents and birds, deterring them from eating it.



You Can See Where You've Sown

Wildflower seeds are earth-toned and difficult to see. Brightly colored seed coating helps you see where seed is sown.



Germination & Establishment

During germination, coating retains water and shields vulnerable seedlings, promoting stand density and establishment.



Improved Seed Distribution

Brightly colored coated seeds aid in seed distribution and allows you to sow heavier in certain areas and lighter in others.



Reduced Seeding Rate = Larger Savings!

With higher germination rates, less seed can be sown. Coated seed results in greater plant density.





ELEVATIONS ABOVE 7,000ft

MOUNTAIN WILDFLOWER MIX

Mountain Wildflower Mix is an annual and perennial mix for ornamental landscaping in the mountainous regions of the western U.S. Use it for elevations above 7,000 feet. Flowers will provide color throughout the growing season.

We use clay coating rather than fillers and carriers. This means our wildflower mixes are of tremendous value when compared to flower mixes from other vendors!

- Annual Baby's Breath
- Black-Eyed Susan
- Blanketflower
- Blue Columbine
- Blue Flax
- California Poppy
- Catchfly
- Cornflower
- Dwarf Godetia
- Fleabane Daisy
- Palmer Penstemon
- Rocket Larkspur
- Rocky Mountain Penstemon
- Shasta Daisy
- Showy Goldeneye
- Siberian Wallflower
- Tussock Bellflower


WIDELY ADAPTED TO ALL USA ZONES

HONEY BEE WILDFLOWER MIX

Honey Bee Flower Mix is a mixture of annual and perennial flowers that provide nectar and pollen to honey bees. These flowers are proven favorites of honey bees in our gardens and will provide bee forage all season long. It is ideal for honey beekeepers and others interested in honey bee health.

This mix can be used in garden beds, borders, and other maintained areas. It is widely adapted to all areas of the United States and southern Canada.

- Siberian Wallflower
- California Poppy
- Calendula
- Lance-Leaved Coreopsis
- Sulphur Cosmos Mix
- Blanketflower
- Blue Flax
- Sweet Alyssum
- Corn Poppy
- Rocky Mountain Beeplant
- Purple Prairie Clover
- Cosmos
- Rocky Mountain Penstemon
- Lacy Phacelia
- Prairie Coneflower
- Scarlet Cinquefoil



WILDFLOWER MIXES

(ALL MIXES ARE PINNACLE-COATED FOR IMPROVED GERMINATION)
















NAME	MIX COMPONENTS			ZONES	FEATURES
All-Native Western Wildflower Mix	Arrowleaf Balsamroot Aspen Fleabane Blue Flax California Poppy Firecracker Penstemon Mules Ear Munros Globemallow	Palmer's Penstemon Perennial Gaillardia Rocky Mountain Beeplant Rocky Mountain Penstemon Scarlet Globemallow	Showy Goldeneye Silky Lupine Silvery Lupine Sulphur Flower Buckwheat Western Sweetroot Yellow Beeplant	Suitable for states west of Mississippi River at 4,000 - 9,000 ft. elevation	Comprised of mostly perennials and all native species. No introduced species in this mix. Natives take longer to establish, but pay off in longevity year-after-year once established.
Beneficial Bug Flower	Baby Blue Eyes Bergamot Bishop's Flower Black-Eyed Susan California Poppy	Candytuft Cilantro Dill Dwarf Cosmos Fennel Gayfeather	Globe Gilia Indian Blanket Lance-Leaved Coreopsis Purple Prairie Clover Rockcress Shasta Daisy	Suitable for all US zones except Florida	Attracts beneficial insects to your yard and garden. These beneficial insects help to destroy harmful garden pests such as aphids, thrips and mites.
Great Basin Wildflower Mix	Annual Candytuft Arrowleaf Balsamroot Blanketflower Blue Flax California Poppy Dwarf Blue Coneflower Dwarf Evening Primrose Deerhorn Clarkia Globe Gilia	Greenthread Godetia Indian Blanket Munros Globemallow Palmer's Penstemon Plains Coreopsis Perennial Lupine Prairie Aster	Red Corn Poppy Rocky Mountain Beeplant Rocky Mountain Penstemon Silvery Lupine Showy Goldeneye	Used for beautification of valleys and foothills in the Intermountain West and Great Basin.	Contains many of the same species found in our Western Wildflower mix with a high percentage of flowers native to the Great Basin Province. It is made up of proven annuals and perennials.
Honey Bee Flower Mix	Blanketflower Blue Flax California Poppy Calendula Corn Poppy Lacy Phacelia	Lance-Leaved Coreopsis Prairie Coneflower Purple Prairie Clover Rock Mountain Beeplant Rock Mountain Penstemon	Scarlet Cinqufoil Siberian Wildflower Sulphur Cosmos Mix Sweet Alyssum	Widely adapted to all areas of the United States and southern Canada.	A blend of 50% annual and 50% perennial flowers that provide nectar and pollen to honey bees. 365,000 seeds per pound! No fillers or inert matter. Best deal on the internet.
Midwest Wildflower Mix	Black-Eyed Susan Cornflower Corn Poppy Dwarf Evening Primrose Grey-Headed Coneflower Indian Blanket	Lance-Leaved Coreopsis Lavender Hyssop Mexican Hat New England Aster Ox-Eye Sunflower Plains Coreopsis Prairie Aster	Prairie Coneflower Purple Coneflower Purple Prairie Clover Scarlet Flax Shasta Daisy Thickspike Gayfeather	Midwestern U.S. and south central Canada.	Annual and perennial mix. Designed for ornamental landscaping in: Illinois, Indiana, Iowa, eastern Kansas, Kentucky, Missouri, Minnesota, Michigan, eastern Nebraska, Ohio and Wisconsin, southern half of Manitoba and Ontario.
Monarch Butterfly Flower Mix	Annual Candytuft Butterfly Milkweed Cosmos Gayfeather Indian Blanket	Mexican Sunflower Purple Coneflower Rocket Larkspur Smooth Aster Siberian Wallflower	Single Marigold Sulphur Cosmos Sweet Alyssum Zinnia	Suitable for all US zones except Florida.	Composed of nectar producing native wildflowers, garden flowers and milkweeds. For home gardeners, commercial landscaping, and golf courses across the US. Contains milkweed provides egg laying sites and food for monarch caterpillars.
Mountain Wildflower Mix	Annual Baby's Breath Black-Eyed Susan Blanketflower Blue Columbine Blue Flax	California Poppy Catchfly Cornflower Dwarf Godetia Fleabane Daisy Palmer Penstemon Rocket Larkspur	Rocky Mountain Penstemon Shasta Daisy Showy Goldeneye Siberian Wallflower Tussock Bellflower	Adapted to mountain regions of the western US. Use for elevations above 7,000 feet.	Annual and perennial mix. Use in ornamental landscaping. Use in: Arizona, California, Colorado, Idaho, Montana, Nevada, New Mexico, Oregon, Utah, Washington, and Wyoming. Suitable for all elevations in southern Alaska.
Northeast Wildflower Mix	Annual Baby's Breath Black-Eyed Susan Catchfly Corn Poppy Cornflower Evening Primrose	Gayfeather Hairy Beardtongue Indian Blanket Lance-Leaved Coreopsis New England Aster Perennial Lupine	Purple Coneflower Scarlet Flax Shasta Daisy Siberian Wallflower Smooth Penstemon Spurred Snapdragon Sweet William Pinks	Adapted to New England and the Northeastern states of the US.	Annual and perennial mix of native and non-native species. Adapted to hot humid summers and very cold winters of the Northeast. Annuals in the mix will re-seed themselves each year, and perennials bloom all summer long and return every year.

*Mix recipes may vary slightly depending upon crop & availability


(ALL MIXES ARE PINNACLE-COATED FOR IMPROVED GERMINATION) **WILDFLOWER MIXES**

NAME	MIX COMPONENTS			ZONES	FEATURES
Northwest Wildflower Mix	Baby Blue-Eyes Bird's Eyes Black-Eyed Susan Blue Flax California Poppy Chinese Houses Clarkia	Dwarf Godetia Corn Poppy Five-Spot Globe Gilia Lance-Leaved Coreopsis Mountain Phlox	Russell Lupine Scarlet Flax Shasta Daisy Siberian Wallflower Sweet Alyssum Tidy Tips Yellow Lupine	For elevations below 7,000 feet.	Annual and perennial mix. 100% seed! Use for ornamental landscaping in the northwestern U.S. and extreme western Canada. Use for elevations below 7,000 feet in: northern California, western Oregon, western Washington, and coastal British Columbia. Pinnacle-coated for improved germination.
Red, White and Blue Wildflower Mix	Annual Baby's Breath Baby Blue Eyes Bishop's Flower Blue Cornflower Blue Flax Blue Sage	Carmine Baby's Breath Chinese Forget-Me-Not Dwarf Red Coneflower Gaura Maltese Cross Perennial Lupine	Red Corn Poppy Rockcress Scarlet Flax Scarlet Sage Shasta Daisy Sweet Alyssum	Widely adapted to all areas of the United States.	Show your patriotism with our special mix of red, white and blue annual and perennial wildflowers. Suitable for most zones. Pinnacle-coated for improved germination.
Southeast Wildflower Mix	Annual Baby's Breath Black-Eyed Susan Clasping Coneflower Corn Poppy Gaura Gayfeather Gilia	Golden Wave Tickseed Indian Blanket Lance-Leaved Coreopsis Leavenworth's Tickseed Lemon Mint Moss Verbena New England Aster	Plains Coreopsis Purple Coneflower Red Phlox Scarlet Flax Scarlet Sage Sulphur Cosmos Tree Mallow	Adapted to the Southeast U.S. Adapted to hot, humid climates. Not adapted to the tropical climate of south Florida.	Combination of annuals and perennials that grow back year-over-year. Formulated for: Alabama, Arkansas, northern Florida, Georgia, Louisiana, Mississippi, North Carolina, South Carolina, Tennessee, and parts of eastern Texas. Pinnacle-coated for improved germination.
Southwest Wildflower Mix	African Daisy Arroyo Lupine Bird's Eyes Blazing Star Blue Flax California Bluebell Clarkia Corn Poppy	Desert Marigold Five-Spot Indian Blanket Mountain Phlox Pale Evening Primrose Palmer's Penstemon Prairie Coneflower Showy Penstemon	Showy Penstemon Sweet Alyssum Tidy Tips Small Leaf Globemallow Rocky Mountain Penstemon Firecracker Penstemon	Adapted to areas below 7,000ft. in the Midwest U.S.	A combination of annuals and perennials that keep on giving. Formulated for these areas: Arizona, New Mexico & west Texas, southern California, southern Nevada & low elevation Great Basin Province, southern Utah & low elevation Great Basin Province. Pinnacle-coated for improved germination.
Texas/Oklahoma Wildflower Mix	Annual Baby's Breath Annual Candytuft Black-Eyed Susan Clasping Coneflower Corn Poppy Cornflower Crown Tickseed	Dwarf Evening Primrose Dwarf Helenium Golden Wave Tickseed Greenthread Indian Blanket Lance-Leaved Coreopsis Lemon Mint Prairie Coneflower	Purple Coneflower Purple Prairie Clover Red Phlox Scarlet Sage Showy Evening Primrose Sulphur Cosmos Texas Bluebonnet	Adapted to Texas, Oklahoma and the southern plains.	A blend of annuals and perennials adapted to Oklahoma, Texas. Pinnacle-coated for improved germination.
Western Wildflower Mix	Annual Candytuft Blanketflower Blue Flax California Poppy Clarkia, Cornflower Corn Poppy Deerhorn Clarkia	Dwarf Evening Primrose Globe Gilia Greenthread Indian Blanket Pale Evening Primrose Palmer Penstemon Perennial Lupine	Plains Coreopsis Prairie Aster Prairie Coneflower Rocky Mountain Penstemon Showy Goldeneye	Formulated for elevations below 7,000ft elevation in the Midwest and western U.S.	Combination of annuals and perennials that keep on giving. Mixture is for ornamental landscaping. Contains native and non-native species. Pinnacle-coated for improved germination.
Xeriscape Wildflower Mix	Annual Candytuft Arrowleaf Balsamroot Blanketflower Blue Flax California Poppy Deerhorn Clarkia Dwarf Blue Coneflower Dwarf Evening Primrose	Globe Gilia Greenthread Godetia Indian Blanket Munros Globemallow Palmer's Penstemon Perennial Lupine Prairie Aster	Prairie Coneflower Plains Coreopsis Red Corn Poppy Rocky Mountain Beeplant Rocky Mountain Penstemon Silvery Lupine Showy Goldeneye	Formulated for the Great Basin & Intermountain West regions.	Mixture for xeriscape landscaping and ground cover. Conserves water. Combination of annuals and perennials that grow back year-over-year. Formulated for the Great Basin & Intermountain West regions. Pinnacle-coated for improved germination.









WILDFLOWERS & FORBS

SCIENTIFIC NAME	COMMON NAME	LIFESPAN	USES	MOISTURE	COLOR	HEIGHT (IN.)	SUN	BLOOM PERIOD
<i>Achillea millefolium</i>	White Yarrow	P	Valuable reclamation and wildlife habitat restoration forb. Rhizomatous.	Dry		12-36"	Full Sun	MAY-JUL
<i>Achillea millefolium occidentalis</i>	Western Yarrow	P	Short lived, drought tolerant. Reclamation and wildlife habitat restoration forb. Rhizomatous.	Dry		6-24"	Full Sun	MAY-OCT
<i>Aquilegia coerulea</i>	Colorado Blue Columbine	P	High elevation, ornamental native variety. Colorado state flower.	Dry, Moderate		24-36"	Shade	JUN-AUG
<i>Balsamorhiza sagittata</i>	Arrowleaf Balsamroot	P	Widely distributed native forb. Reclamation and wildlife habitat species. Drought tolerant.	Dry, Moderate		16-36"	Full Sun	MAY-JUL
<i>Cleome lutea</i>	Yellow Beeplant	A	Excellent disturbed site species, roadsides and valley bottoms. Very drought tolerant.	Dry		12-36"	Full Sun	MAY-AUG
<i>Cleome serrulata</i>	Rocky Mountain Beeplant	A	Valuable reclamation and wildlife habitat restoration forb. Very drought tolerant. Widely adapted.	Dry		24-36"	Full Sun	JUL-SEP
<i>Dracopis amplexicaulis</i>	Clasping Coneflower	A	Widely distributed in west and midwest. Drought tolerant.	Moderate		12-36"	Full Sun	MAY-AUG
<i>Echinacea purpurea</i>	Purple Prairie Coneflower	P	Widely adapted throughout the US. Plant in full sun. Moderate drought tolerance.	Dry		24-48"	Full/Partial	APR-SEP
<i>Erigeron speciosus</i>	Aspen Daisy	P	Mid to sub-alpine flower, adapted to intermountain and northwest regions.	Moderate		12-24"	Full/Partial	JUN-SEP
<i>Eriogonum umbellatum</i>	Sulfur Buckwheat	P	Widely distributed, drought tolerant forb. Excellent for wildlife habitat and insect populations.	Dry		6-18"	Full/Partial	JUN-SEP
<i>Eschscholzia californica</i>	California Poppy	P	Easy to establish, spreading forb. Drought tolerant, prolific seed producer. Widely adapted to Western US.	Dry		12-36"	Full Sun	FEB-OCT
<i>Gaillardia aristata</i>	Blanketflower	P	Adapted to most of US states, widely used in disturbed site mixes. Establishes well, persistent.	Dry		12-48"	Full Sun	JUL-SEP
<i>Gaillardia pulchella</i>	Firewheel or Indian Blanket	A	Easily established, grows in most soils and ecotypes. Commonly used for wildflower mixes, reclamation.	Dry		12-36"	Full/Partial	MAY-AUG
<i>Geranium viscosissimum</i>	Sticky Purple Geranium	P	Predominantly found at sub-alpine elevations. Blooms late summer, leaves and stems produce sticky resin.	Moist		12-36"	Any	MAY-AUG
<i>Hedysarum boreale utahensis</i>	Utah Sweetvetch	P	Very valuable nitrogen fixing forb for habitat improvement, disturbed sites and reclamation.	Dry, Moderate		12-24"	Full/Partial	APR-AUG

WILDFLOWERS & FORBS

SCIENTIFIC NAME	COMMON NAME	LIFESPAN	USES	MOISTURE	COLOR	HEIGHT (IN.)	SUN	BLOOM PERIOD
<i>Helianthus annuus</i>	Annual Sunflower	A	Excellent pollinator. Valuable for wildlife habitat, especially birds. Widely adapted, establishes well.	Dry		36-84"	Full Sun	JUL-OCT
<i>Heliomeris multiflora</i>	Showy Goldeneye	P	Mid to high elevation forb, will grow in dense stands. Establishes well, very showy. Good for reclamation.	Dry, Moderate		12-48"	Full Sun, Partial	JUL-OCT
<i>Ipomopsis aggregata</i>	Scarlet Gilia	P	Common in the high plateau areas of the Intermountain West. Very showy trumpet-like flowers.	Dry		12-36"	Full Sun, Partial	AUG-OCT
<i>Liatis pycnostachya</i>	Prairie Blazing Star	P	Native to the tallgrass prairies of the central United States	Moderate, Moist		3' - 5'	Full Sun	JUL-AUG
<i>Ligusticum porteri</i>	Licorice Root	P	Common to the mountains of the West. Likes loamy, moist areas.	Moist	 	24-60"	Full Sun, Shade	JUL-SEPT
<i>Linum grandiflorum rubrum</i>	Scarlet Flax	A	Drought tolerant, showy forb adapted throughout US. Not as commonly used as Lewis Blue Flax.	Dry, Moderate		12-36"	Full Sun, Partial	MAY-AUG
<i>Linum lewisii</i>	Lewis Blue Flax	P	Drought tolerant showy forb adapted throughout US. Very palatable, valuable for reclamation and wildlife.	Dry	 	12-20"	Full Sun, Partial	MAR-SEP
<i>Linum perenne</i>	Perennial Blue Flax	P	Drought tolerant but short lived. Used in beautification, reclamation and wildlife habitat mixes.	Dry	 	18-30"	Full Sun	MAR-SEP
<i>Lupinus alpestris</i>	Mountain Lupine	P	Occurs in most sub-alpine mountainous regions of the West. Poisonous to livestock if eaten exclusively.	Dry, Moderate	 	18-24"	Any	JUN-SEP
<i>Lupinus argenteus</i>	Silvery Lupine	P	Occurs at lower elevations than <i>Lupinus alpestris</i> . Important in reclamation and wildflower mixes.	Dry, Moderate	 	36-60"	Full Sun, Partial	MAY-OCT
<i>Lupinus arizonicus</i>	Arizona Lupine	P	Small purple/pink flowers. Adapted to the desert Southwest.	Dry	 	12-24"	Full Sun, Partial	APR-MAY
<i>Lupinus caudatus</i>	Tailcup Lupine	P	Yellow to blue flowers. Adapted to mountain and foothills of the West.	Dry, Moderate	 	36-60"	Full Sun	JUL-OCT
<i>Penstemon cyananthus</i>	Wasatch Penstemon	P	Deep purple flower, grows from foothills to sub-alpine. Used in wildflower and reclamation mixes.	Dry		18-30"	Full Sun, Partial	APR-MAY
<i>Penstemon eatonii</i>	Firecracker Penstemon	P	Occurs in sandy/poor soils in most western states. Short lived, prolific seed producer.	Dry		24-36"	Full Sun, Partial	MAY-AUG

WILDFLOWERS & FORBS

SCIENTIFIC NAME	COMMON NAME	LIFESPAN	USES	MOISTURE	COLOR	HEIGHT (IN.)	SUN	BLOOM PERIOD
<i>Penstemon palmeri</i>	Palmer's Penstemon	P	Common in the Intermountain and Southwest. Low to mid elevations. Does well on disturbed and fire sites.	Dry		36-60"	Full Sun	MAY-JUN
<i>Penstemon rydbergii</i>	Rydberg's Penstemon	P	High elevation penstemon occurring in meadows and open slopes. Ornamental.	Dry		12-24"	Full Sun	JUN-JUL
<i>Penstemon strictus</i>	Rocky Mountain Penstemon	P	Thrives in foothills and mid elevation mountains. Ornamental, widely used in wildlife and reclamation mixes.	Dry		12-36"	Full/Partial	MAY-JUN
<i>Ratibida columnifera</i>	Prairie Coneflower, Mexican Hat	P	Common in the Intermountain and Southwest. Low to mid elevations, does well on disturbed and fire sites.	Dry, Moist		12-36"	Full Sun	MAY-SEP
<i>Rudbeckia occidentalis</i>	Western Coneflower	P	Good for stabilization and wildflower mixes. No petals.	Dry		24-48"	Full Sun	JUN-NOV
<i>Rudbeckia hirta</i>	Black Eyed Susan	P	Prolific seed producer adapted to most of the US. Blooms all summer. Common in wildflower mixes.	Dry, Moist		12-36"	Full Sun	JUN-OCT
<i>Sanguisorba minor</i>	Small Burnet	P	Good forage producer, establishes easy. Used in pasture and reclamation mixes. Good pollinator.	Dry		6-24"	Full Sun	JUN-AUG
<i>Sphaeralcea ambigua</i>	Desert Globemallow	P	Blooms spring and occurs predominantly in the desert Southwest. Drought tolerant.	Dry		24-60"	Full Sun	FEB-NOV
<i>Sphaeralcea coccinea</i>	Scarlet Globemallow	P	Common in poor soils of the Intermountain West. Very short, rhizomatous. Valuable for reclamation.	Dry		6-12"	Full Sun	APR-SEP
<i>Sphaeralcea grossularifolia</i>	Gooseberryleaf Globemallow	P	Deeply lobed leaves. Drought tolerant and cold-hardy. Common in the low elevation, arid deserts.	Dry		18-40"	Full Sun	MAY-JUL
<i>Sphaeralcea munroana</i>	Munro's Globemallow	P	Widely distributed in the arid, poor soils of the desert Intermountain and Southwest. Similar to small-leaf.	Dry		12-36"	Full Sun, Partial	MAY-JUL
<i>Sphaeralcea parvifolia</i>	Small-leaf Globemallow	P	Widely distributed in the arid, poor soils of the desert Intermountain and Southwest. Similar to Munro's.	Dry		24-36"	Full Sun	MAY-JUL
<i>Wyethia mollis</i>	Mules Ear	P	Occurs in mid to sub-alpine elevations. Useful for cover and stabilization but low in palatability.	Dry, Moderate		18-42"	Full Sun	MAY-JUL

LIFESPAN KEY: P=PERENNIAL A=ANNUAL B=BIANNUAL







SHRUBS & SUB-SHRUBS

Shrub seeds hand-collected in the wide open spaces of the American West. We are one of the largest purveyors of native shrub seeds in the USA.

Our shrub seed expertise is one of the specialties that set us apart. Our knowledge of ecotypes, subspecies, collection sites, harvest methods and processing are specialized. We drive tens of thousands of miles annually to locate suitable collection sites. The vast majority of our shrub seeds are still collected by hand.

Our work in shrubs began in the early 1970's when the study of seed species for range improvement was in its infancy. We have grown steadily and expanded our capabilities to meet the rising demand for native shrub seed. We designed and fabricated much of our own collection and cleaning machinery as we learned the nuances specific to each species. As the decades and demands evolved a specialized industry materialized. We are proud to be a pioneering company in this important industry.

We offer source identified and source origin shrub seeds from most Western states in the Intermountain West. Give us a call if you require seed for specific locations or require a custom collection effort.





SHRUBS & SUB-SHRUBS

SCIENTIFIC NAME	COMMON NAME	LIFESPAN	USES	MIN. PRECIP.	SOW	SOWING SEASON
<i>Amelanchier alnifolia</i>	Saskatoon Serviceberry	P	Valuable shrub for wildlife habitat and disturbed site restoration. Fruits used by birds and mammals.	12"	1/4-1/2"	Fall
<i>Amelanchier utahensis</i>	Utah Serviceberry	P	Similar to Saskatoon, provides excellent cover and food for wildlife and birds.	10"	1/4-1/2"	Fall
<i>Artemisia arbuscula</i>	Low Sagebrush	P	Excels in poor soils and unproductive sites from 2,000-10,000 ft. Valued for wildlife habitat & disturbed sites.	6"	1/8"	Fall
<i>Artemisia cana</i>	Silver Sagebrush	P	Frequently occurs in meadows, near streams and moist soil at high elevations. Important for sage grouse.	9"	1/8"	Fall
<i>Artemisia filifolia</i>	Sand Sagebrush	P	Occurs in the desert Southwest in sand soils, dunes, and well drained soil from 2,000-7,000 feet.	7"	1/8"	Fall
<i>Artemisia frigida</i>	Fringed Sagebrush	P	Widely distributed in the West. Mat-forming, cold-tolerant sub-shrub. Tolerant of poor soils.	7"	1/16"	Spring or Fall
<i>Artemisia ludoviciana</i>	Prairie Sage (Louisiana Sage)	P	Widely distributed in the Western US, mostly in alpine meadows. Rhizomatous, herbaceous sub-shrub.	10"	1/16"	Spring or Fall
<i>Artemisia nova</i>	Black Sagebrush	P	Evergreen shrub that occurs in rocky soils on exposed ridges and slopes. Good for deer, antelope, and sage grouse.	6"	1/4"	Spring or Fall
<i>Artemisia tridentata tridentata</i>	Basin Big Sagebrush	P	Critical and widely distributed N. American shrub. Occurs mainly in drainage bottoms, low foothills and more fertile sites. Tallest A. tridentata species. Highly valued for restoration and habitat improvement.	9"	1/8"	Fall or Winter
<i>Artemisia tridentata vaseyana</i>	Mountain Big Sagebrush	P	Occurs on Western US mountain slopes, high benches and parks from 3,000-9,500 ft. Valuable shrub for habitat improvement, disturbed area restoration, and sage grouse. Tolerates poor soils.	12"	1/4"	Fall or Winter
<i>Artemisia tridentata wyomingensis</i>	Wyoming Big Sagebrush	P	Widely distributed in Western US, critical to many forms of wildlife. Most drought tolerant A. tridentata. Extremely important wildlife species, especially sage grouse. Very valuable for reclamation of disturbed sites.	7"	1/4"	Fall or Winter
<i>Atriplex canescens</i>	Fourwing Saltbush	P	Thrives in washes, foothills, dunes and mesas. Excellent alkali and salt tolerance. Abundant forage, key species for habitat improvement. Used for mine and disturbed site reclamation.	6"	1/4-1/2"	Fall
<i>Atriplex confertifolia</i>	Shadscale Saltbush	P	Excellent alkali and salt tolerance. Thrives on well drained dry slopes, lowlands and ridges. Abundant, palatable forage for wildlife and livestock. Excellent winter feed. Important reclamation species.	5"	1/2"	Fall
<i>Atriplex corrugata</i>	Mat Saltbush	P	Short alkali and salt tolerant sub-shrub. Common to the Colorado Plateau and northeastern Utah where it is used for mine reclamation. Naturally occurs in badlands, clay and poor soils.	5"	1/4"	Fall
<i>Atriplex gardneri</i>	Gardners Saltbush	P	Found in abundance on WY clay badlands. Very salt and alkali tolerant. Important for mine reclamation.	6"	1/2"	Fall
<i>Bassia prostrata</i>	Forage Kochia	P	Recommended as a component in seed mixes for saline badlands or challenging soil conditions.	6"	≤1/16"	Fall
<i>Cercocarpus ledifolius</i>	Curl-leaf Mountain Mahogany	P	Evergreen shrub, grows tree-like, and often in stands/forests. Nutritious browse. Valuable for reclamation.	12"	1/4-1/2"	Fall

LIFESPAN KEY: P=PERENNIAL A=ANNUAL B=BI ANNUAL

SHRUBS & SUB-SHRUBS

SCIENTIFIC NAME	COMMON NAME	LIFESPAN	USES	MIN. PRECIP.	SOW	SOWING SEASON
<i>Cercocarpus montanus</i> var. <i>glaber</i>	Birchleaf Mahogany	P	More shrub-like, shorter and drought tolerant than <i>C. ledifolius</i> . Palatable for wildlife and valuable for reclamation.	9"	1/4-1/2"	Fall
<i>Chrysothamnus viscidiflorus</i>	Yellow or Douglas Rabbitbrush	P	Valuable for reclamation and habitat improvement. Deciduous and winter hardy.	6"	1/8"	Fall
<i>Ericameria nauseosa</i>	Rubber Rabbitbrush	P	Widely distributed in Western US. Establishes well and spreads aggressively. Excellent for soil stabilization.	9"	1/2"	Fall
<i>Ephedra nevadensis</i>	Nevada Ephedra	P	Evergreen shrub, good alkali and salt tolerance. Good for winter browse and wildlife habitat improvement.	5"	1/2"	Fall
<i>Ephedra viridis</i>	Green Ephedra	P	Evergreen shrub. Good for winter cover/browse, wildlife habitat improvement, and reclamation.	7"	1/2"	Fall
<i>Kraschen-innikovia lanata</i>	Winterfat	P	Highly nutritious for livestock and wildlife. Sub-shrub moderately tolerant of salt and alkali.	5"	1/16-1/4"	Fall
<i>Larrea tridentata</i>	Creosote Bush	P	A dominant evergreen species in the Mojave and Sonora ecosystems. Very heat and drought tolerant, very long lived (up to 1500 years). Good cover for wildlife. Occurs in alluvial fans, plains and badlands.	4"	1/4"	Spring or Fall
<i>Prunus virginiana</i>	Chokecherry	P	Large shrub/tree (thicket forming) common from 1,000-9,000'. Grows in most soils and on northern slopes.	12"	1/2-1"	Spring or Fall
<i>Purshia glandulosa</i>	Desert Bitterbrush	P	Found in the desert intersection of UT, NV, CA, AZ. Establishes and persists in harsh sites. Excellent food and cover for wildlife. Used for disturbed areas, reclamation and habitat improvement.	6"	1/2-1"	Fall
<i>Purshia mexicana stansburiana</i>	Cliffrose	P	Long lived shrub/tree found on harsh Intermountain sites and rocky shallow soils. Very good wildlife cover.	7"	1/4-1/2"	Fall
<i>Purshia tridentata</i>	Antelope Bitterbrush	P	Valuable shrub in mountain West, occurs from sea level to 10,000'. Excellent winter feed for livestock and wildlife. Important for range and habitat improvement.	8"	1/2-1"	Fall
<i>Rhus glabra</i>	Smooth Sumac	P	Used for revegetation and landscaping. Forms thickets and spreads via aggressive roots. Widely distributed.	10"	1/4-1/2"	Fall
<i>Rhus trilobata</i>	Skunkbrush Sumac	P	Drought tolerant but commonly found along gullies and seasonal stream beds. Used for restoration.	10"	1/4-1/2"	Fall
<i>Rosa woodsii</i>	Woods Rose	P	Aggressive, early establishing in stream bottoms, ditch banks, fence lines. Valuable for birds.	12"	1/2-3/4"	Fall
<i>Sambucus nigra cerulea</i>	Blue Elderberry	P	Found from sea level to 9,000'. Grows along streams, roadsides, moist areas. Berries valuable for wildlife.	12"	1/4"	Fall
<i>Sambucus racemosa</i>	Red Elderberry	P	Similar to <i>Sambucus nigra</i> but occurs at high elevation mountainous terrain. Used for revegetation.	18"	1/4"	Fall
<i>Symphoricarpos oreophilus</i>	Mountain Snowberry	P	Very similar to <i>S. albus</i> . Root spreading with moderate salt and alkali tolerance. Persists on harsh sites. Good cover.	12"	1/4-1/2"	Fall

LIFESPAN KEY: P=PERENNIAL A=ANNUAL B=BIANNUAL



Facing page: Rubber Rabbitbrush at the foot of Window Blind Butte, San Rafael Swell, UT. Jason Stevens

NEED HELP? GIVE US A CALL AT 435.283.1411 | GREATBASINSEED.COM



COVER CROPS - SPECIES CHARACTERISTICS AND ADAPTATION CHARTS

SCIENTIFIC NAME COMMON NAME	PLANT TYPE	USES	LIFESPAN	PLANTING TIME	HEIGHT (IN.)	SEEDING RATE: PLS POUNDS PER ACRE	NITROGEN FIXING?	ADAPTATION, SOIL TEXTURE
<i>Brassica campestris</i> Purple Top Turnips	Broadleaf	Breaks soil compaction, nitrogen scavenger, forage, grazing	A	Fall or Summer	12-24"	2-8 lbs.	YES	Grows best in pH 5.5-6.8
<i>Brassica napus</i> Rapeseed	Broadleaf	Breaks soil compaction, disease and pest control, biomass, grazing	A	Spring, Summer, or Fall	12-18"	4-8 lbs.	NO	Prefers soils with a pH 5.8-8.0 and moderate soil textures
<i>Brassica oleracea</i> var. <i>sabelllica</i> Forage Kale	Broadleaf	Forage, biomass, pest control, grazing, nitrogen scavenger	B/A	Summer or Fall	12-36"	8-15 lbs.	NO	Prefers moist warm soil and fine to medium soil textures
<i>Crotalaria juncea</i> Sunn Hemp	Broadleaf	Forage, cover crop, green manure, wildlife	A	Summer	36-108"	30-60 lbs.	YES	Adapted to a wide range of soils, and is well suited for sandy soils
Forage Cabbage	Broadleaf	Nitrogen scavenger, forage, breaks soils compaction, nutrient recycling	A	Spring or Fall	24-40"	2-4 lbs.	NO	Widely adapted
Forage Collard	Broadleaf	Winter grazing, forage, breaks soils compaction, nutrient recycling	A	Spring, Summer or Fall	12-30"	5-12 lbs.	NO	Widely adapted
<i>Phacelia tanacetifolia</i> Phacelia	Broadleaf	Nitrogen scavenger, grazing, hay, breaks soils compaction, pollinator	A	Fall	24-48"	5-8 lbs.	YES	Grows in soils with pH 4.5 - 9.0
<i>Raphanus sativus</i> Nematode Radish	Broadleaf	Soil compaction breaking, nitrogen fixing, forage, pest and weed management	A	Spring or Fall	24-36"	6-10 lbs.	NO	Cool, moist seed beds with higher nitrogen content
<i>Raphanus sativus</i> var. <i>niger</i> Daikon Radish	Broadleaf	Breaks soil compaction, weed suppression, nitrogen fixation	A	Summer or Fall	12-48"	3-8 lbs.	NO	Widely adapted, moist soils
<i>Sinapis alba</i> White Mustard	Broadleaf	Green manure, grazing	A	Summer or Fall	36-60"	6-10 lbs.	NO	Sandy loamy soils
<i>Brassica juncea</i> (AKA: <i>Sinapis Alba</i>) Mighty Mustard Mix	Broadleaf	Biomass, suppresses disease and pests, erosion control	A	Summer or Fall	36-72"	6-15 lbs.	NO	Widely adapted
<i>Fagopyrum esculentum</i> Buckwheat	Grain	Quick soil cover, weed suppressor, nectar for pollinators and beneficial insects, topsoil loosener, rejuvenator for low-fertility soils	A	Summer	12-24"	50-100 lbs.	NO	Low-fertility, well drained, light to medium soils
<i>Pennisetum glaucum</i> Pearl Millet	Grain	Disease resistance, weed suppression, biomass production	A	Spring or Summer	12-24"	20-30 lbs.	NO	Medium to coarse marginal soil types
<i>Secale cereale</i> Cereal Rye	Grain	Grain crop, milled for flour, cover crop, green manure system	A	Spring or Fall	36-72"	50-200 lbs.	NO	Light loams or sandy soils, can do well in clay soils
<i>Sorghum × drummondii</i> Sorghum Sudangrass	Grain	Rotational crop, cover crop, soil builder, weed and nematode suppressor, sub-soil loosener	A	Summer	60-144"	35-50 lbs.	NO	Warm and moist fertile soils, will tolerate moderate acidity and high alkalinity
<i>Eragrostis Tef</i> Teff Grass	Grass	Erosion control, nitrogen scavenger, weed suppression, green chop	A	Summer	24-48"	8-12 lbs.	NO	Warm, firm seedbed, widely adapted
<i>Lolium perenne multiflorum</i> Annual Ryegrass	Grass	Prevent erosion, improve soil structure and drainage, add organic matter, suppress weeds, scavenge nutrients	A	Spring or Fall	12-48"	15-20 lbs.	NO	Well-drained loam or sandy loam soils
<i>Trifolium alexandrinum</i> Frosty Berseem Clover	Legume	Weed suppression, winter cover, forage, nitrogen fixation, multiple harvest	A	Spring or Fall	12-36"	8-16 lbs.	YES	Salt tolerance,
<i>Trifolium incarnatum</i> Crimson Clover	Legume	Green manure, forage, silage, hay, livestock and wildlife, erosion control, nitrogen fixation	A	Spring or Fall	12-36"	15-30 lbs.	YES	Fertile, loamy soils, adapted to sandy & clayey soils of moderate acidity
<i>Trifolium michelianum</i> Fixation Balansa Clover	Legume	Nitrogen fixation, pastures, green manure	A	Spring or Fall	36-84"	5-8 lbs.	YES	Cool, moist sandy soils, tolerates poorly drained soils with moderate salinity
<i>Pisum sativum</i> subsp. <i>arvense</i> Winter Peas	Legume	Green manures, nitrogen fixation, forage	A	Fall	24-48"	44-130 lbs.	YES	Cool, moist sandy soils
<i>Vicia villosa</i> Hairy Vetch	Legume	Nitrogen fixation, vegetation, green manures	A	Summer or Fall	12-24"	30-80 lbs.	YES	Winter hardy, sandy soils

LEGUMES AND CLOVERS - SPECIES CHARACTERISTICS AND ADAPTATION CHARTS

SCIENTIFIC NAME COMMON NAME	OTHER KNOWN NAMES (CULTIVARS/VARIETIES)	SEASON (WARM OR COOL)	BLOAT OR NON-BLOAT	NATIVE OR INTRODUCED	LIFESPAN	MIN. PRECIP.	HEIGHT (IN.)	SEEDING RATE: PLS POUNDS PER ACRE	SEEDS PER LB.	PLANTING TIME	SUN & SHADE TOLERANCE	ADAPTATION, SOIL TEXTURE
<i>Astragalus cicer</i> Cicer Milkvetch	(<i>Lutana</i> , <i>Oxley II</i> , <i>Monarch</i>)	C	NB	I	P	10"	12-36"	20-25 lbs.	145,000	S/F	Full Sun, Partial	Strong alkali tolerance, widely adapted
<i>Coronilla varia</i> Crownvetch	Purple Crownvetch, <i>Coronilla</i> Crown Vetch (<i>Chemung</i> , <i>Emerald</i>)	C	B	I	P	20"	24-48"	15-20 lbs.	110,000	F	Full Sun, Partial	Winter hardy, watershed stabilization, tolerates acidic soils

LEGUMES AND CLOVERS - SPECIES CHARACTERISTICS AND ADAPTATION CHARTS

SCIENTIFIC NAME COMMON NAME	OTHER KNOWN NAMES (CULTIVARS/VARIETIES)	SEASON (WARM OR COOL)	BLOAT OR NON-BLOAT	NATIVE OR INTRODUCED	LIFESPAN	MIN. PRECIP.	HEIGHT (IN.)	SEEDING RATE: PLS POUNDS PER ACRE	SEEDS PER LB.	PLANTING TIME	SUN & SHADE TOLERANCE	ADAPTATION. SOIL TEXTURE
<i>Dalea purpureum purpurea</i> Purple Prairie Clover	Thimbleweed	W	B	N	P	12"	12-36"	4-8 lbs.	210,000	S/F	Full Sun, Partial	Nitrogen fixing, widely adapted to a range of soil
<i>Lotus corniculatus</i> Birdsfoot Trefoil	Viking, Empire	W	NB	I	P	20"	24-36"	4-6 lbs.	418,000	S	Full Sun, Shade	Can be grown on low pH 5.5 soils with low fertility
<i>Medicago sativa</i> Alfalfa	Over 30 varieties available	C	B	I	P	9"-18"	24-36"	8-15 lbs.	210,000	S/F	Full Sun, Partial	Widely adapted
<i>Medicago sativa falcata</i> Yellow Alfalfa	Sickle Medick, Falcata	C	B	I	P	10"	24-36"	6-8 lbs.	215,000	S/F	Full Sun	Nitrogen fixing, drought tolerant, widely adapted
<i>Melilotus officinalis</i> Yellow Sweetclover	Madrid	C	B	I	B	8"	24-36"	10-15 lbs.	190,000	S	Full Sun	Widely used, all soil textures
<i>Onobrychis viciifolia</i> Sainfoin	Eski, Melrose, Remont, Shoshone	C	NB	I	P	8"	24-36"	35-45 lbs.	260,000	S/F	Full Sun	Winter hardy, nitrogen fixing, dryland legume, moderately fine to moderately coarse soil
<i>Trifolium alexandrinum</i> Frosty Berseem Clover		C	NB	I	A	12"	24-36"	25-30 lbs.	275,000	S/F	Full Sun	Prefers slightly alkaline loam and silty soils with a pH of 6+
<i>Trifolium fragiferum</i> Strawberry Clover	O'Connors, Palenstine	C	B	I	P	15"	6-12"	5-15 lbs.	300,000	S/F	Full Sun, Partial	Tolerant of salt and alkali soils, nitrogen fixing, adapted to poor soils
<i>Trifolium hybridum</i> Alsike Clover		C	B	N	B/P	18"	24-48"	6-8 lbs.	680,000	F	Full Sun	Acid, alkali and salt tolerant, short lived
<i>Trifolium incarnatum</i> Crimson Clover		C	B	I	A	25"	18-30"	8-10 lbs.	275,000	S/F	Full Sun	Cold hardy, widely adapted
<i>Trifolium michelianum</i> Fixation Balansa Clover		C	B	I	A	25"	24-48"			S/F	Full Sun	Nitrogen fixing, tolerant of waterlogged soils
<i>Trifolium pratense</i> Red Clover		C	B	I	B/P	25"	18-30"	8-10 lbs.	275,000	S/F	Full Sun, Shade	Cold hardy, moderately fine to moderately coarse soils
<i>Trifolium repens</i> White Dutch Clover		C	B	I	P	18"	24-36"	2 lbs.	850,000	F	Full Sun, Partial	Long lived, widely adapted
<i>Trifolium repens latum</i> Ladino Clover		C	B	I	P	18"	24-48"	2-6 lbs.	850,000	F	Full Sun, Shade	Widely adapted
<i>Vicia americana</i> American Vetch		C	NB	N	P	12"	12-24"	25-35 lbs.	33,000	S/F	Full Sun, Partial	Widely adapted, drought tolerant
<i>Vicia sativ</i> Common Vetch		C	NB	I	A	12"	12-40"	25-35 lbs.	39,600	S/F	Full Sun	Moist to dry mesic conditions, in loam and clay-loam soils
<i>Vicia villosa</i> Hairy Vetch	Winter Vetch, Fodder Vetch	C	NB	I	P	18"	24-60"	25-35 lbs.	20,000	S/F	Full Sun	Nitrogen fixing, widely adapted to many soils

SMALL GRAINS - SPECIES CHARACTERISTICS AND ADAPTATION CHARTS

SCIENTIFIC NAME COMMON NAME	OTHER KNOWN NAMES (CULTIVARS/VARIETIES)	GRAIN	HAY	GRAZING	HEIGHT (IN.)	SEEDING RATE: PLS POUNDS PER ACRE	SEEDS PER LB.	PLANTING TIME	SUN & SHADE TOLERANCE	ADAPTATION. SOIL TEXTURE
<i>Avena sativa</i> Oats	Derby, Monaco, Monida, Otana	X	X	X		100 lbs.	16,200	S	Full Sun	Cool, moist soils
<i>Avena sativa</i> Giant Oats	Tree Oats Intimidator, Walken, Magnum	X	X	X		100 lbs.	16,000	S	Full Sun	Cool, moist soils
<i>Fagopyrum esculentum</i> Buckwheat		X		X	12-36"	100 lbs.	16,000	Sum	Full Sun, Partial	Fair acid and salt tolerance, wet poorly drained soils
<i>Hordeum vulgare</i> Spring Barley	Lavina Beardless, Goldeneye, Claymore, Haymaker, Sunstar Double	X	X		48-60"	100 lbs.	18,000	S	Full Sun	Adapted to high altitudes with cold & short growing seasons
<i>Hordeum vulgare</i> Fall Barley	Valor, Sunstar Pride	X	X		48-60"	100 lbs.	18,000	F	Full Sun	Adapted to high altitudes with cold & short growing seasons
Annual Rye Grain	Rymin	X			60-72"	100 lbs.	18,200	S	Full Sun	Widely adapted, nitrogen fixing, cold hardy
<i>Sorghum bicolor</i> x <i>Sorghum sudanese</i> Sorghum Sudangrass	Honeysuckle, Honeysuckle DM		X	X	<12ft	40-65 lbs.	22,000	S/ Sum	Full Sun	Warm, well drained moderately fine to moderately coarse soils
<i>Triticum aestivum</i> Spring Wheat	Twin, Jefferson	X			36-48"	100 lbs.	18,500	S	Full Sun	Warm, well drained moderately fine to moderately coarse soils

SMALL GRAINS - SPECIES CHARACTERISTICS AND ADAPTATION CHARTS

SCIENTIFIC NAME COMMON NAME	OTHER KNOWN NAMES (CULTIVARS/VARIETIES)	GRAIN	HAY	GRAZING	HEIGHT (IN.)	SEEDING RATE: PLS POUNDS PER ACRE	SEEDS PER LB.	PLANTING TIME	SUN & SHADE TOLERANCE	ADAPTATION, SOIL TEXTURE
<i>Triticum aestivum</i> Fall Wheat	Brundage, Willow Creek, Ray	X			36-48"	100 lbs.	18,500	F	Full Sun	Moderately fine to moderately coarse soils
<i>Triticum aestivum</i> x <i>Secale cereale</i> Spring Triticale	Tyndall, Forerunner, 131, TriCal Surge, Merlin Max™, TriCal 141		X	X	50-60"	100 lbs.	18,000	S	Full Sun	Short term, moist soils
<i>Triticum aestivum</i> x <i>Secale cereale</i> , X tritosecale Fall Triticale	Forerunner, FX 1001, Luoma, TriCal Motley, TriCal Gunner, TriCal Flex 719™, TriCal 141		X	X	48-60"	100 lbs.	18,000	F	Full Sun	Short term, moist soils

GRASSES AND GRASSLIKE SPECIES - CHARACTERISTICS AND ADAPTATION CHARTS

SCIENTIFIC NAME COMMON NAME	CULTIVARS/VARIETIES	SEASON (WARM OR COOL)	NATIVE OR INTRODUCED	LIFESPAN	MIN. PRECIP.	HEIGHT (IN.)	SEEDING RATE: PLS POUNDS PER ACRE	SEEDS PER LB.	PLANTING TIME	SUN & SHADE TOLERANCE	ADAPTATION, SOIL TEXTURE	HARDINESS ZONES
<i>Achnatherum hymenoides</i> (AKA: <i>Oryzopsis hymenoides</i>) Indian Ricegrass	Nezpar, Paloma, Rimrock, Star Lake, White River	C	N	P	6"	8-30"	6-12 lbs.	162,000	S/F	Full Sun	Medium to coarse soils	3 - 9
<i>Achnatherum lettermanii</i> (AKA: <i>Stipa lettermanii</i>) Letterman Needlegrass		C	N	P	14"	6-18"	8-12 lbs.	175,000	S/F	Full Sun, Shade	Moderately fine to moderately coarse	3 - 9
<i>A. cristatum</i> x <i>desertorum</i> Hycrest Crested Wheatgrass		C	I	P	7"	18-36"	5-10 lbs.	194,000	S/F	Full Sun, Partial	Medium to coarse soils	3 - 9
<i>Andropogon gerardii</i> Big Bluestem	Bison, Champ, Pawnee, Roundtree	W	N	P	14"	25- 48"	6-11 lbs.	130,000	Sum	Full Sun, Partial	Fertile, well drained prairie soils. fine to medium soil textures	3 - 8
<i>Agropyron cristatum</i> Crested Wheatgrass	Fairway, Douglas, Ephraim, Roadcrest, Kirk, Ruff	C	I	P	9"	24-48"	3-7 lbs.	250,000	S/F	Full Sun, Shade	Deep, well drained loamy soils	2 - 8
<i>Agropyron desertorum</i> Standard Crested Wheatgrass	Nordan, CD-II	C	I	P	7"	18-36"	5-10 lbs.	194,000	S/F	Full Sun, Partial	Medium to coarse soils	3 - 9
<i>Agropyron fragile sibiricum</i> (AKA: <i>Agropyron sibiricum</i>) Siberian Wheatgrass	P-27, Vavilov, Vavilov II	C	I	P	5"	12-24"	6-11 lbs.	206,000	S/F	Full Sun, Partial	Well drained, loamy soils, moderately fine to coarse.	3 - 9
<i>Alopecurus arundinaceus</i> Creeping Foxtail	Garrison	C	I	P	20"	36-48"	1-3 lbs.	900,000	S/F	Full Sun, Partial	Wetlands, wide range of soils	3 - 10
<i>Bouteloua curtipendula</i> Sideoats Grama	Butte, El Reno, Pierre	W	N	P	15"	12-24"	5-9 lbs.	191,000	Sum	Full Sun, Partial	Shallow well drained rocky sites	5 - 9
<i>Bouteloua gracilis</i> Blue Grama	Lovington, Hachita, Bad River, Alma	W	N	P	8"	6-18"	2-3 lbs.	724,000	Sum	Full Sun	Loams and sandy loams. Fine to coarse soils.	5 - 9
<i>Bromus biebersteinii</i> (AKA: <i>Bromopsis biebersteinii</i>) Meadow Brome	Cache, Paddock, Regar, Fleet	C	I	P	14"	24-72"	11-17 lbs.	40,000	S/F	Full Sun, Partial	Moderately deep, well drained soils. Moderately coarse to fine.	3 - 7
<i>Bromus inermis</i> Smooth Brome	Lincoln, Manchar, Carlton	C	I	P	11"	24-48"	6-8 lbs.	145,000	S/F	Full Sun, Partial	Fine to moderately coarse well drained soils.	3 - 7
<i>Bromus marginatus</i> Mountain Brome	Bromar, Garnet	C	N	P	16"	18-36"	12-19 lbs.	90,000	F/ late S	Full Sun, Shade	Deep, well drained, fertile soils. Moderately fine to medium.	4 - 7
<i>Buchloe dactyloides</i> Buffalograss	Texoka, Comanche, Sharps Improved	W	N	P	12"	4-10"	4-8 lbs.	56,000	Late S	Full Sun	Medium to clayey textured soils	5 - 10
<i>Dactylis glomerata</i> Orchardgrass	Latar, Paiute, Potomac, Quickdraw, Crown Royal, Extend, Hallmark, Blizzard, Haymaster	C	N	P	10-16"	24-48"	2-4 lbs.	540,000	S/F	Full Sun, Shade	Well drained, medium textured, fertile soils	2 - 9
<i>Distichlis spicata</i> (AKA: <i>Distichlis stricta</i>) Inland Saltgrass	Alkali Saltgrass	W	N	P	8"	6-12"	4-10 lbs.	518,000	S/ Sum	Full Sun, Partial	Highly saline/alkaline soils with poor drainage or high water table	7 - 10
<i>Elymus dahuricus</i> Dahurian Wildrye	Arthur	C	N	P	12"	36-72"	10-15 lbs.	80,000	S/F	Full Sun, Partial	Widely adapted	3 - 9

GRASSES AND GRASSLIKE SPECIES - CHARACTERISTICS AND ADAPTATION CHARTS

SCIENTIFIC NAME COMMON NAME	CULTIVARS/VARIETIES	SEASON (WARM OR COOL)	NATIVE OR INTRODUCED	LIFESPAN	MIN. PRECIP.	HEIGHT (IN.)	SEEDING RATE: PLS POUNDS PER ACRE	SEEDS PER LB.	PLANTING TIME	SUN & SHADE TOLERANCE	ADAPTATION, SOIL TEXTURE	HARDINESS ZONES
<i>Elymus elymoides</i> (AKA: <i>Sitanion hystrix</i>) Bottlebrush Squirreltail	Fish Creek, Toe Jam Creek, Tulsa, Pueblo, Sand Hollow	C	N	P	5"	6-24"	7-12 lbs.	192,000	S/F	Full Sun	Widely adapted, well drained soils	3 - 7
<i>Elymus lanceolatus lanceolatus</i> (AKA: <i>Agropyron dasystachyum</i>) Thickspike Wheatgrass	Bannock, Critana, Schwendimar	C	N	P	5"	24-48"	6-11 lbs.	156,000	S/F	Full Sun, Partial	Moderate shallow to deep, moderately coarse to fine	4 - 7
<i>Elymus lanceolatus psammophilus</i> (AKA: <i>Agropyron riparium</i>) Streambank Wheatgrass	Sodar	C	N	P	7"	18-36"	6-11 lbs.	170,000	S/F	Full Sun, Partial	Moderately coarse to fine, shallow to deep soils	4 - 7
<i>Elymus trachycaulus trachycaulus</i> (AKA: <i>Agropyron trachycaulum</i>) Slender Wheatgrass	Pryor, Revenue, San Luis, First Strike, Highlander	C	N	P	10"	24-36"	6-10 lbs.	159,000	S/F	Full Sun, Partial	Best on medium to clayey soils	3 - 7
<i>Elymus wawawaiensis</i> Snake River Wheatgrass	Secar, Discovery	C	N	P	8"	18-48"	12-15 lbs.	120,000	S/F	Full Sun, Partial	Moderately fine to coarse soils	5 - 7
<i>Eragrostis Tef</i> Teff Grass	Dessie	W	I	A	30"	24-36"	8-10 lbs.	1,300,000	Sum	Full Sun	Well drained soils with balanced fertility	6 - 10
<i>Festuca arundinacea</i> (AKA: <i>Schedonorus Phoneix</i>) Tall Fescue	Alta, Fawn	C	N	P	16"	12-48"	15 lbs.	500,000	S/F	Full Sun, Partial	Sub-humid climates, poorly drained soils	3 - 6
<i>Festuca idahoensis</i> Idaho Fescue	Joseph, Nezpurs, Winchester	C	N	P	16"	12-36"	3-6 lbs.	450,000	S/F	Full Sun, Partial	Well drained soils to 12,000 ft. Moderately fine to moderately coarse soils.	4 - 8
<i>Festuca ovina</i> Sheep Fescue	Covar, Bighorn, Elk Brand, Azay	C	N	P	8"	6-12"	2-4 lbs.	600,000	S/F	Full Sun, Partial	Well drained, medium textured soils, drought tolerant	4 - 8
<i>Festuca rubra</i> Creeping Red Fescue	Many varieties	C	I	P	15"	6-12"	2-4 lbs.	590,000	S/F	Partial, Shade	Used in turf blends, shade and acid tolerance	2 - 7
<i>Festuca trachyphylla</i> (AKA: <i>Festuca duriuscula</i>) Hard Fescue	Durar, Serra, Slalom	C	N	P	14"	12-14"	3-6 lbs.	600,000	S/F	Full Sun, Partial	Well adapted, acid tolerance.	4 - 9
<i>Hesperostipa comata comata</i> (AKA: <i>Stipa comata</i>) Needle & Thread Grass		C	N	P	8"	24-48"	10-14 lbs.	115,000	F	Full Sun	Moderately fine to coarse well drained soils	4 - 8
<i>Juncus balticus</i> Baltic Rush		C	N	P	7"	12-36"	1-2 lbs.	6,000,000	S/F	Full Sun, Shade	Wetland plant, likes fine to medium textures	3 - 7
<i>Koeleria macrantha</i> Prairie Junegrass		C	N	P	12"	6-24"	1-2 lbs.	2,300,000	S/F	Full Sun	Medium textured soils, fairly drought tolerant	3 - 8
<i>Leymus cinereus</i> (AKA: <i>Elymus cinereus</i>) Basin Wildrye	Magnar, Trailhead, Continental	C	N	P	10"	36-108"	6-11 lbs.	130,000	S/F	Full Sun, Partial	Well adapted to wide range of soils	4 - 8
<i>Lolium perenne multiflorum</i> (AKA: <i>Lolium multiflorum</i>) Annual Ryegrass		C	I	A	11"	24-36"	8-16 lbs.	200,000	S/F	Full Sun, Shade	Acidic soils, medium textures	4 - 7
<i>Lolium perenne multiflorum</i> Italian Ryegrass		C	I	A	11"	24-36"	8-16 lbs.	200,000	S/F	Full Sun, Shade	Acidic soils, medium textures	6 - 10
<i>Lolium perenne perenne</i> Perennial Ryegrass	Oro Verde, Albion, Elena, and many others	C	I	P	12"	24-36"	4-8 lbs.	227,000	S/F	Full Sun	Medium to clayey soils in cool, moist regions	5 - 7
<i>Nassella viridula</i> (AKA: <i>Stipa viridula</i>) Green Needlegrass	Lodorm, Cucharas	C	N	P	12"	18-36"	5-10 lbs.	180,000	F	Full Sun, Partial	Fine to medium, clayey soils, salt tolerance	5 - 9
<i>Pascopyrum smithii</i> (AKA: <i>Agropyron smithii</i>) Western Wheatgrass	Rosana, Arriba, Barton, Recover, Rodan	C	N	P	8"	12-36"	8-16 lbs.	114,000	S/F	Full Sun, Partial	Fine to medium soil textures, drought tolerant	2 - 6
<i>Phalaris arundinacea</i> Reed Canarygrass	Palaton, Rise, Rival, Vantage	C	N	P	16"	60-84"	2-4 lbs.	538,000	S/F	Full Sun	Wetlands, tolerates alkali and salt	4 - 9
<i>Phleum pratense</i> Timothy	Clair, Climax, Mohawk	C	N	P	16"	18-36"	1-2 lbs.	1,300,000	S/F	Full Sun, Shade	Cool moist climates, all soils	5 - 9
<i>Pleuraphis jamesii</i> Galleta Grass	Viva	W	N	P	5"	6-12"	6-12 lbs.	160,000	S/ Sum	Full Sun	Dryland, fine to moderately coarse textures	4 - 7
<i>Poa fendleriana</i> Muttongrass		C	N	P	10"	6-24"	2-3 lbs.	890,000	S/F	Full Sun, Partial	Fine to moderately coarse soils, drought tolerant	4 - 8
<i>Poa pratensis</i> Kentucky Bluegrass	Many varieties	C	N/I	P	18"	12-24"	2-3 lbs.	2,175,000	S/F	Full Sun, Partial	Well drained, neutral soils, even fertility	3 - 7

GRASSES AND GRASSLIKES – SPECIES CHARACTERISTICS AND ADAPTATION CHARTS

SCIENTIFIC NAME COMMON NAME	CULTIVARS/VARIETIES	SEASON (WARM OR COOL)	NATIVE OR INTRODUCED	LIFESPAN	MIN. PRECIP.	HEIGHT (IN.)	SEEDING RATE: PLS POUNDS PER ACRE	SEEDS PER LB.	PLANTING TIME	SUN & SHADE TOLERANCE	ADAPTATION, SOIL TEXTURE	HARDINESS ZONES
<i>Poa secunda ampla</i> (AKA: <i>Poa ampla</i>) Big Bluegrass	Sherman	C	N	P	9"	24-48"	2-4 lbs.	880,000	S/F	Full Sun, Partial	Moderately fine to moderately coarse soils	3 - 8
<i>Poa secunda sandbergii</i> Sandberg Bluegrass	High Plains, Mt. Home, Hanford, Reliable	C	N	P	7"	8-14"	2-4 lbs.	925,000	S/F	Full Sun, Partial	Wide range; drought, saline and alkaline tolerant	4 - 7
<i>Psathyrostachys juncea</i> (AKA: <i>Elymus junceus</i>) Russian Wildrye	Bozoisky, Bozoisky II, Bozoisky Select, Swift, Vinall	W	I	P	7"	30- 40"	5-10 lbs.	162,000	S/ Sum	Full Sun	Drought tolerant, medium soil textures	2 - 5
<i>Pseudoroegneria spicata</i> <i>x Elytrigia repens</i> Hybrid Wheatgrass	AC Saltlander, Newwhy, RS-H	C	I	P	10"	24-36'	4-8 lbs.	120,000	S/F	Full Sun	High salt tolerance	3 - 7
<i>Pseudoroegneria spicata spicata</i> (AKA: <i>Agropyron spicatum</i>) Bluebunch Wheatgrass	Goldar, P-7, Anatone	C	N	P	7"	18-48"	10-14 lbs.	139,000	S/F	Full Sun, Partial	Drought tolerant; moderately fine to moderately coarse	3 - 7
<i>Schizachyrium scoparium</i> Little Bluestem	Aldous, Badlands, Cimarron, Pastura, Blaze, Camper, Itsaca	W	N	P	12"	18-36"	4-7 lbs.	260,000	S/ Sum	Full Sun, Partial	Medium textured soils of foothills and Great Plains	3 - 9
<i>Schoenoplectus maritimus</i> (AKA: <i>Bolboschoenus maritimus</i>) Alkali Bulrush		W	N	P	30"	24-48"	8 lbs.	170,000	S/ Sum	Full Sun, Shade	Wetlands, tolerant of salt and alkali soils	5 - 9
<i>Sporobolus airoides</i> Alkali Sacaton	Salado, Vegas, Saltalk	W	N	P	7"	18-36"	2-3 lbs.	1,750,000	Sum	Full Sun, Partial	Salty, clayey, bottom land sites	4 - 9
<i>Sporobolus cryptandrus</i> Sand Dropseed		W	N	P	8"	24-36"	1-2 lbs.	5,300,000	Sum	Full Sun, Partial	Shallow, calcareous and sandy sites, drought tolerant	5 - 9
<i>Thinopyrum intermedium intermedia</i> (AKA: <i>Agropyron intermedium</i>) Intermediate Wheatgrass	Chief, Greenar, Oahe, Reliant, Rush, Tegmar, Amur	C	I	P	11"	36-48"	10-15 lbs.	85,000	S/F	Full Sun, Partial	Fire, cold, drought tolerant; fine to medium soils	3 - 7
<i>Thinopyrum intermedium trichophorum</i> Pubescent Wheatgrass	Luna, Mandan, Manska, Greenleaf, Topar	C	I	P	11"	36-48"	9-14 lbs.	85,000	S/F	Full Sun, Partial	Drought tolerant, widely adapted	2 - 7
<i>Thinopyrum ponticum</i> Tall Wheatgrass	Alkar, Jose, Orbit, Largo	C	I	P	8"	36-108"	11-17 lbs.	120,000	S/F	Full Sun	Fine to moderately coarse, saline and alkaline soils	3 - 9

WILDFLOWERS AND FORBS – SPECIES CHARACTERISTICS AND ADAPTATION CHARTS

SCIENTIFIC NAME COMMON NAME	OTHER KNOWN NAMES (CULTIVARS/ VARIETIES)	BLOOM COLOR	NATIVE OR INTRODUCED	LIFESPAN	MIN. PRECIP.	HEIGHT (IN.)	BLOOMING SEASON	SUN & SHADE TOLERANCE	SEEDS PER LB.	SEEDING RATE: PLS POUNDS PER ACRE	PLANTING TIME	ADAPTATION, SOIL TEXTURE	HARDINESS ZONES
<i>Achillea millefolium</i> White Yarrow		White	N	P	8"	12-36"	MAY-JUL	Full Sun	2,800,000	1 lb	S/F	Medium to coarse soil textures	3 - 9
<i>Achillea millefolium occidentalis</i> Western Yarrow	(Yakima, Eagle, Great Northern)	White	N	P	8"	6-24"	MAY-OCT	Full Sun	2,800,000	1 lb	S/F	Medium to coarse soil textures	4 - 9
<i>Aquilegia coerulea</i> Colorado Blue Columbine	Rocky Mountain Columbine	Blue and White	N	P	12"	24-36"	JUN-AUG	Partial	365,000	3-6 lbs.	F	Moderately fine to moderately coarse	3 - 10
<i>Balsamorhiza sagittata</i> Arrowleaf Balsamroot		Yellow	N	P	10"	18-30"	MAY-JUL	Full Sun	55,000	7-15 lbs.	F	Great Basin, Rocky Mtns, foothills to aspen zones	4 - 7
<i>Castilleja applegatei</i> Wavyleaf Indian Paintbrush	Pine Indian Paintbrush	Red	N	P	12"	12-24"	MAY-JUL	Full Sun	4,500,000	1 lb	F	High elevations	4 - 8
<i>Cleome lutea</i> Yellow Beeplant	Yellow Spiderflower	Yellow	N	A	10"	12-36"	MAY-AUG	Full Sun	75,000	8-15 lbs.	S/F	Drought tolerant, valley bottoms, roadsides	4 - 8
<i>Cleome serrulata</i> Rocky Mountain Beeplant	Bee Spiderflower	Pink and White	N	A	6"	12-48"	JUL-SEP	Full Sun	65,000	10-16 lbs.	S/F	Drought tolerant, fine to medium soils	3 - 8
<i>Echinacea purpurea</i> Purple Prairie Coneflower		Purple-Pink	N	P	10"	24-48"	APR-SEP	Full Sun, Partial	117,000	7-12 lbs.	S/F	Medium textured soils, dry soil moisture	4-9
<i>Erigeron speciosus</i> Aspen Daisy	Fleabane	Lavender/ White	N	P	14"	12-24"	JUN-SEP	Full Sun, Partial	1,600,000	1 lb	S/F	Moderate soil moisture, medium textured soil	2 - 8

WILDFLOWERS AND FORBS - SPECIES CHARACTERISTICS AND ADAPTATION CHARTS

SCIENTIFIC NAME COMMON NAME	OTHER KNOWN NAMES (CULTIVARS/ VARIETIES)	BLOOM COLOR	NATIVE OR INTRODUCED	LIFESPAN	MIN. PRECIP.	HEIGHT (IN.)	BLOOMING SEASON	SUN & SHADE TOLERANCE	SEEDS PER LB.	SEEDING RATE: PLS POUNDS PER ACRE	PLANTING TIME	ADAPTATION, SOIL TEXTURE	HARDINESS ZONES
<i>Eriogonum umbellatum</i> Sulfur Buckwheat	Sulfur Flower	Yellow and White	N	P	8"	6-18"	JUN-SEP	Full Sun, Partial	210,000	4-7 lbs.	F	Drought tolerant, dry soil moisture, medium to coarse	4 - 8
<i>Eschscholzia californica</i> California Poppy		Yellow-Orange	N	A	10"	6-18"	FEB-OCT	Full Sun	293,000	5-10 lbs.	S/F	Widely adapted	3 - 9
<i>Gaillardia aristata</i> Blanketflower		Yellow and Red	N	P	10"	12-24"	JUL-SEP	Full Sun	132,000	7-10 lbs.	S	Widely adapted	3 - 8
<i>Gaillardia pulchella</i> Firewheel	Indian Blanket	Yellow and Red	N	A	10"	12-36"	MAY-AUG	Full Sun, Partial	238,000	6-10 lbs.	S/F	Widely adapted, medium to coarse soil textures	2 - 11
<i>Geranium viscosissimum</i> Sticky Purple Geranium	Wild Sticky Geranium	Pink-Purple	N	P	18"	12-36"	MAY-AUG	Any	50,000	6-12 lbs.	S/F	Sub-alpine elevations, medium soil textures	2 - 9
<i>Hedysarum boreale utahensis</i> Utah Sweetvetch	Northern Sweetvetch, (Timp)	Pink-Purple	N	P	14"	12-24"	APR-AUG	Full Sun, Partial	33,500	15-25 lbs.	F	Moderately fine to coarse soils	2 - 9
<i>Helianthus annuus</i> Annual Sunflower	Common Sunflower	Yellow	N	A	10"	36-84"	JUL-OCT	Full Sun	58,000	10-20 lbs.	S/F	Widely adapted	4 - 9
<i>Heliomeris multiflora</i> (AKA: <i>Viguiera multiflora</i>) Showy Goldeneye		Yellow	N	P	12"	12-48"	JUL-OCT	Full Sun, Partial	1,050,000	1-2 lbs.	S/F	Mid to high elevations, medium soil textures	4 - 10
<i>Ipomopsis aggregata</i> (AKA: <i>Gilia aggregata</i>) Scarlet Gilia	Scarlet Trumpetflower, Skyrocket	Red	N	P	12"	12-36"	AUG-OCT	Full Sun, Partial	200,000	6-8 lbs.	F	High plateaus of Intermountain West, widely adapted to many soil types	6 - 9
<i>Liatris pycnostachya</i> Prairie Blazing Star		Purple	N	P		12-36"	AUG-OCT	Full Sun	120,000	3-6 lbs.	S/F	Clay, loam, sand, can tolerate a wide range of soil pH	3 - 9
<i>Ligusticum porteri</i> Porter Ligusticum	Licorice Root, Osha	Green, White, Pink	N	P	16"	24-60"	JUL-SEP	Full Sun, Shade	70,000	10-15 lbs.	F	Loamy moist soils	4 - 9
<i>Linum grandiflorum rubrum</i> Scarlet Flax	Red Flax	Red	I	P	12"	12-36"	MAY-AUG	Full Sun, Partial	122,000	7-14 lbs.	S	Drought tolerant, widely adapted	2 - 10
<i>Linum lewisii</i> Lewis Blue Flax	(Maple Grove)	Blue-Purple	N	P	9"	12-20"	MAR-SEP	Full Sun, Partial	250,000	3-6 lbs.	S	Widely adapted	3 - 9
<i>Linum perenne</i> Perennial Blue Flax	(Appar)	Blue-Purple	I	P	9"	18-30"	MAR-SEP	Full Sun	285,000	3-6 lbs.	S	Drought tolerant, short lived, widely adapted	5 - 9
<i>Lupinus alpestris</i> (AKA: <i>Lupinus argenteus rubricaulis</i>) Mountain Lupine	Alpine Lupine, Great Basin Lupine	Blue-Purple	N	P	16"	12-24"	MAR-JUN	Full Sun, Shade, Partial	12,000	20-30 lbs.	F	Lupines are poisonous to livestock, sub- alpine mountainous regions	4 - 9
<i>Lupinus argenteus</i> Silvery Lupine		Blue-Purple	N	P	10"	12-38"	JUN-JUL	Full Sun, Shade, Partial	15,000	20-30 lbs.	F	Lower elevations than Mountain Lupine, widely adapted	4 - 10
<i>Lupinus arizonicus</i> Arizona Lupine		Pink-Purple	N	A	10"	12-36"	MAR-MAY	Full Sun	135,000	6-12 lbs.	F	Adapted to Southwest desert, medium to coarse soil types, drought tolerant	6 - 10
<i>Lupinus caudatus</i> Tailcup Lupine		Blue-Purple	N	P	12"	12-24"	MAY-SEP	Full Sun	18,000	20-30 lbs.	F	Mountains and foothills, medium to coarse well drained soil types	3 - 7
<i>Lupinus sericeus</i> Silky Lupine		Blue-Purple	N	P	10"	18-36"	MAY-AUG	Full Sun, Partial	25,000	20-30 lbs.	F	Mountains, foothills, moderately coarse soils	4 - 8
<i>Osmorhiza occidentalis</i> Sweet Anise	Western Sweetroot	Yellow and Purple	N	P	12"	24-48"	MAR-SEP	Full Sun	30,000	20-30 lbs.	F	Mountain regions of western US	3 - 9
<i>Penstemon cyananthus</i> Wasatch Penstemon		Blue-Purple	N	P	12"	18-30"	APR-MAY	Full Sun, Partial	290,000	2-4 lbs.	F	Well drained, sandy loams, foothills to sub-alpine	3 - 8
<i>Penstemon eatonii</i> Firecracker Penstemon	Scarlet Penstemon, Eatons Penstemon,	Red	N	P	8"	24-36"	MAY-AUG	Full Sun, Partial	325,000	1-3 lbs.	F	Great Basin, Rocky Mtns., Southwest deserts; medium to coarse soils	4 - 8

WILDFLOWERS AND FORBS - SPECIES CHARACTERISTICS AND ADAPTATION CHARTS

SCIENTIFIC NAME COMMON NAME	OTHER KNOWN NAMES (CULTIVARS/ VARIETIES)	BLOOM COLOR	NATIVE OR INTRODUCED	LIFESPAN	MIN. PRECIP.	HEIGHT (IN.)	BLOOMING SEASON	SUN & SHADE TOLERANCE	SEEDS PER LB.	SEEDING RATE: PLS POUNDS PER ACRE	PLANTING TIME	ADAPTATION, SOIL TEXTURE	HARDINESS ZONES
<i>Penstemon palmeri</i> Palmer's Penstemon	<i>Scented Penstemon</i>	Pink-White	N	P	9"	36-60"	MAY-JUN	Full Sun	600,000	2-3 lbs.	F	Low to mid elevations, well adapted	4 - 9
<i>Penstemon rydbergii</i> Rydbergs Penstemon	Blue Mountain Penstemon	Blue-Purple	N	P	12"	12-24"	JUN-JUL	Full Sun	600,000	1-2 lbs.	S/F	High elevations, meadows and open slopes, well drained	4 - 9
<i>Penstemon strictus</i> Rocky Mountain Penstemon	(<i>Bandera</i>)	Blue-Purple	N	P	11"	12-36"	MAY-JUN	Full Sun, Partial	285,000	1-3 lbs.	F	Foothills and mid-elevation mountains	3 - 8
<i>Ratibida columnifera</i> (AKA: <i>Ratibida columnaris</i>) Prairie Coneflower	Mexican Hat	Yellow-Orange	N	P	10"	12-36"	MAY-SEP	Full Sun	1,230,000	1 lb	S/F	Intermountain and Southwest, widely adapted to soils	4 - 9
<i>Rudbeckia occidentalis</i> Western Coneflower	Green Wizard	Yellow-Green	N	P	12"	24-48"	JUN-NOV	Full Sun	350,000	4-5 lbs.	S/F	Fine to medium soils, well drained	3 - 9
<i>Rudbeckia hirta</i> Black Eyed Susan		Yellow	N	P	12"	12-36"	JUN-OCT	Full Sun	1,700,000	1 lb	S/F	Widely adapted, established easily	3 - 9
<i>Sanguisorba minor</i> Small Burnet	Little Burnet, Salad Burnet	Pink	I	P	12"	6-24"	JUN-AUG	Full Sun	55,000	15-20 lbs	S/F	Moderately fine to moderately coarse soil textures	4 - 8
<i>Sphaeralcea ambigua</i> Desert Globemallow		Orange	N	P	6"	24-60"	FEB-NOV	Full Sun	500,000	2-4 lbs.	F	Desert Southwest, medium to coarse soil textures	6 - 9
<i>Sphaeralcea coccinea</i> Scarlet Globemallow		Red-Orange	N	P	6"	6-12"	APR-SEP	Full Sun	400,000	2-4 lbs.	F	Poor soils, western plains and Southwest US	6 - 8
<i>Sphaeralcea grossulariifolia</i> Gooseberry Globemallow		Red-Orange	N	P	6"	18-40"	MAY-JUL	Full Sun	500,000	2-4 lbs.	F	Drought tolerant, deserts and low elevations	4 - 10
<i>Sphaeralcea munroana</i> Munro's Globemallow		Red-Orange	N	P	6"	12-36"	MAY-JUL	Full Sun, Partial	500,000	2-4 lbs.	F	Arid, poor soils in desert Intermountain and Southwest US	4 - 9
<i>Sphaeralcea parvifolia</i> Small-leaf Globemallow	Nelson Globemallow	Red-Orange	N	P	6"	24-36"	MAY-JUL	Full Sun	500,000	2-4 lbs.	F	Arid, poor soils in desert Intermountain and Southwest US	6 - 8
<i>Wyethia mollis</i> Mules Ear		Yellow	N	P	12"	18-42"	MAY-JUL	Full Sun	28,000	20-25 lbs.	S/F	Mid to sub-alpine elevations, widely adapted	3 - 8

SHRUBS AND SUB-SHRUBS - SPECIES CHARACTERISTICS AND ADAPTATION CHARTS

SCIENTIFIC NAME COMMON NAME	OTHER KNOWN NAMES (CULTIVARS/VARIETIES)	NATIVE OR INTRODUCED	LIFESPAN	MIN. PRECIP.	HEIGHT (IN.)	SEEDING RATE: PLS POUNDS PER ACRE	SEEDS PER LB.	PLANTING TIME	SUN & SHADE TOLERANCE	SOIL PH	ADAPTATION, SOIL TEXTURE	HARDINESS ZONES
<i>Amelanchier alnifolia</i> Saskatoon Serviceberry		N	P	12"	36"	1 lb.	61,000	F	Full Sun, Partial	4.8-8.4	North central region and Rocky Mtn, widely adapted	2 - 7
<i>Amelanchier utahensis</i> Utah Serviceberry		N	P	10"	3-15 ft	4-5 lbs.	65,000	F	Full Sun, Partial	5.6-8.4	Intermountain West, all soil textures, cold hardy	5 - 8
<i>Artemisia arbuscula</i> Low Sagebrush		N	P	6"	6-12"	1 lb.	1,000,000	F	Full Sun	5.5-8.6	Excels in poor soils, 2,000-10,000 ft in elevation	3 - 8
<i>Artemisia cana</i> Silver Sagebrush		N	P	9"	24-48"	1-3 lbs.	850,000	F	Full Sun	5.2-9.0	Fine to coarse soils, moist alkaline soils at high elevations	3 - 7
<i>Artemisia filifolia</i> Sand Sagebrush		N	P	7"	36-60"	1-3 lbs.	1,750,000	F	Full Sun, Partial	7.0-9.0	Sandy well drained desert soils	4 - 9
<i>Artemisia frigida</i> Fringed Sagebrush	Prairie Sagewort	N	P	7"	6-18"	1-3 lbs.	4,500,000	S/F	Full Sun, Partial	6.0-9.0	Sandy or loamy soils, well-drained, adapted to poor soils	3 - 10
<i>Artemisia ludoviciana</i> Prairie Sage	Louisiana Sage, Wormwood, Cudweed Sageware	N	P	10"	12-24"	1-3 lbs.	4,000,000	S/F	Full Sun	6.0-9.0	Medium to coarse soil textures, cold desert area up to alpine zones	4 - 9

SHRUBS AND SUB-SHRUBS - SPECIES CHARACTERISTICS AND ADAPTATION CHARTS

SCIENTIFIC NAME COMMON NAME	OTHER KNOWN NAMES (CULTIVARS/VARIETIES)	NATIVE OR INTRODUCED	LIFESPAN	MIN. PRECIP.	HEIGHT (IN.)	SEEDING RATE: PLS POUNDS PER ACRE	SEEDS PER LB.	PLANTING TIME	SUN & SHADE TOLERANCE	SOIL PH	ADAPTATION, SOIL TEXTURE	HARDINESS ZONES
<i>Artemisia nova</i> Black Sagebrush		N	P	6"	6-24"	1-3 lbs.	900,000	S/F	Full Sun	7.0-8.5	Foothills, cold desert areas, shallow soils	3 - 8
<i>Artemisia tridentata</i> Basin Big Sagebrush		N	P	9"	3-12 ft.	1-3 lbs.	900,000	S/F	Full Sun	6.5-8.5	Western areas, river bottoms, deep soils	4 - 9
<i>Artemisia tridentata vaseyana</i> Mountain Big Sagebrush		N	P	12"	30-60"	1-3 lbs.	1,750,000	F	Full Sun	6.0-8.5	Upper foothills, aspen zones	3 - 8
<i>Artemisia tridentata wyomingensis</i> Wyoming Big Sagebrush		N	P	7"	12-48"	1-3 lbs.	1,750,000	F	Full Sun	6.0-8.5	Western areas, cold hardy	3 - 10
<i>Atriplex canescens</i> Fourwing Saltbush		N	P	6"	24-72"	1-3 lbs.	55,000	F	Full Sun	6.5-9.5	Southwest, most soils	5 - 9
<i>Atriplex confertifolia</i> Shadscale Saltbush		N	P	5"	12-30"	5-7 lbs.	65,000	F	Full Sun	7.5-9.0	Intermountain West, well drained slopes, lowlands and ridges, alkali and salt tolerance	6 - 9
<i>Atriplex corrugata</i> Mat Saltbush		N	P	5"	24-60"	3-4 lbs.	65,000	F	Full Sun	7.0-9.5	Alkali and salt tolerance, badlands, clay and poor soils	5 - 9
<i>Atriplex gardneri</i> Gardners Saltbush		N	P	6"	6-12"	7 lbs.	110,000	F	Full Sun	7.0-10.0	Very salt and alkali tolerant, Intermountain West	5 - 9
<i>Bassia prostrata</i> Forage Kochia	(Immigrant, Snowstorm)	N	P	6"	12 - 15"	0.25 - 4 lbs.	400,000	W	Full Sun	6.0 - 9.0	Well adapted to US rangelands. Salt and alkali tolerant.	3 - 9
<i>Cercocarpus ledifolius</i> Curl-leaf Mountain Mahogany	Tree Mahogany	N	P	12"	8-25 ft.	10 lbs.	52,000	F	Full Sun	5.5-8.7	Tree like, medium to coarse soils textures	4 - 9
<i>Cercocarpus montanus</i> Birchleaf Mahogany	True Mountain Mahogany, Bush Mahogany	N	P	9"	36-120"	10 lbs.	59,000	F	Full Sun	5.5-8.5	Drought tolerant, dry coarse soil textures	5 - 10
<i>Chrysothamnus viscidiflorus</i> Yellow or Douglas Rabbitbrush		N	P	6"	12-30"	1-3 lbs.	600,000	F	Full Sun	7.0-8.5	Medium to coarse soils, winter hardy	3 - 8
<i>Ephedra nevadensis</i> Nevada Ephedra		N	P	5"	30-60"	10 lbs.	20,000	F	Full Sun	7.0-8.5	Cold desert, dry rocky foothills	5 - 9
<i>Ephedra viridis</i> Green Ephedra	Brigham Tea, Mormon Tea	N	P	7"	24-55"	10 lbs.	25,000	F	Full Sun	7.0-8.5	Sandy slopes, cold deserts	5 - 9
<i>Ericameria nauseosa</i> Rubber Rabbitbrush		N	P	9"	24-72"	1 lb.	400,000	F	Full Sun	7.0-8.5	North central to Southwest, cold deserts	4 - 9
<i>Krascheninnikovia lanata</i> Winterfat	White Sage	N	P	5"	12-36"	2-4 lbs.	113,000	F	Full Sun	6.6-8.5	Western states, silty saline flats	3 - 8
<i>Larrea tridentata</i> Creosote Bush		N	P	4"	3-12 ft.	5 lbs.	75,000	S/F	Full Sun	6.8-8.5	Southwest arid deserts	7 - 11
<i>Prunus virginiana</i> Chokecherry	Black Chokecherry	N	P	12"	2-30 ft.	10-15 lbs.	4,800	S/F	Full Sun	5.2-8.4	Rich moist soils, foothills and on borders of woods, landscaping	2 - 7
<i>Purshia glandulosa</i> Desert Bitterbrush		N	P	6"	2-84"	1-3 lbs.	21,000	F	Full Sun	6.8-8.0	Cool deserts in Intermountain West, persists on harsh sites	3 - 8
<i>Purshia mexicana stansburiana</i> Cliffrose		N	P	7"	3-20 ft.	1 lb.	65,000	F	Full Sun	7.0-8.5	Medium to coarse soils, low fertility requirements	4 - 9
<i>Purshia tridentata</i> Antelope Bitterbrush		N	P	8"	2-15 ft.	1-3 lbs.	15,000	F	Full Sun	5.6-8.4	Mountain West, medium to coarse soils	3 - 6
<i>Rhus glabra</i> Smooth Sumac		N	P	10"	3-15 ft.	1-3 lbs.	49,000	F	Full Sun	5.3-7.5	Landscaping, widely distributed	3 - 8
<i>Rhus trilobata</i> Skunkbrush Sumac	Oakbrush Sumac, Squawbush	N	P	10"	36-90"	1-3 lbs.	20,000	F	Full Sun, Partial	6.5-8.2	Along gullies and seasonal streambeds, medium textured soils	4 - 8
<i>Rosa woodsii</i> Woods Rose		N	P	12"	24-72"	1-3 lbs.	45,000	F	Full Sun, Partial	5.0-8.0	Aggressive, stream bottoms, ditch banks, fence lines	3 - 8
<i>Sambucus nigra cerulea</i> Blue Elderberry		N	P	12"	6-20 ft.	1 lb.	217,000	F	Full Sun, Partial	4.9-7.5	Grows along streams, roadsides, moist soils	4 - 9
<i>Sambucus racemosa</i> Red Elderberry		N	P	18"	36-72"	1 lb.	217,000	F	Full Sun, Partial	5.2-7.2	High elevation mountainous terrain, fine to medium soils	3 - 7
<i>Symphoricarpos oreophilus</i> Mountain Snowberry		N	P	12"	24-60"	1-3 lbs.	75,000	F	Full Sun, Partial	5.2-7.5	Cold hardy, fine to medium soil textures	3 - 10



INDEX

A

<i>Achillea millefolium</i>	58, 72
See also <i>White Yarrow</i>	
<i>Achillea millefolium occidentalis</i>	58, 72
See also <i>Western Yarrow</i>	
<i>Achnatherum hymenoides</i>	49, 70
See also <i>Indian Ricegrass</i>	
<i>Achnatherum lettermanii</i>	49, 70
See also <i>Letterman Needlegrass</i>	
<i>A. cristatum</i> x <i>desertorum</i>	49, 70
See also <i>Hycrest Crested Wheatgrass</i>	
<i>AC Saltlander</i>	11, 21, 72
<i>Agropyron cristatum</i>	49, 70
See also <i>Crested Wheatgrass</i>	
<i>Agropyron desertorum</i>	49, 70
See also <i>Standard Crested Wheatgrass</i>	
<i>Agropyron fragile sibiricum</i>	49, 70
See also <i>Siberian Wheatgrass</i>	
<i>Agropyron intermedium</i>	72
<i>Alfalfa</i>1, 21, 23, 24, 25, 30, 31, 32, 33, 36, 69	
See also <i>Medicago sativa</i>	
428RR Roundup Ready Alfalfa	32
Falcata Alfalfa	32
FSG 408DP Alfalfa	32
Ladak II Alfalfa	32
Lahontan Alfalfa	32
Lander Alfalfa	32, 33
Powell Alfalfa	32, 33
Rancher Special Alfalfa	32
Ranger II Alfalfa	32
Salt Tolerant Alfalfa FSG 423ST	32
Vernal Alfalfa	32
<i>Alkali Bulrush</i>	48, 72
See also <i>Schoenoplectus nimitis</i>	
<i>Alkali Sacaton</i>	11, 48, 72
See also <i>Sporobolus airoides</i>	
<i>Alopecurus arundinaceus</i>	49, 70
See also <i>Creeping Foxtail</i>	
<i>Alsike Clover</i>	21, 24, 36, 69
See also <i>Trifolium hybridum</i>	
<i>Amelanchier alnifolia</i>	65, 74
See also <i>Saskatoon Serviceberry</i>	
<i>Amelanchier utahensis</i>	65, 74
See also <i>Utah Serviceberry</i>	
<i>American Vetch</i>	36, 69
See also <i>Vicia americana</i>	
<i>Andropogon gerardii</i>	48, 70
See also <i>Big Bluestem</i>	
<i>Annual Rye Grain</i>	11, 21, 45, 69
<i>Annual Ryegrass</i>	11, 21, 29, 50, 68, 71
See also <i>Lolium perenne multiflorum</i>	
<i>Annual Sunflower</i>	59, 73
See also <i>Helianthus annuus</i>	
<i>Antelope Bitterbrush</i>	66, 75
See also <i>Purshia tridentata</i>	
<i>Aquilegia coerulea</i>	58, 72
See also <i>Colorado Blue Columbine</i>	
<i>Arizona Fescue</i>	21
<i>Arizona Lupine</i>	59, 73
See also <i>Lupinus arizonicus</i>	
<i>Arrowleaf Balsamroot</i>	17, 56, 57, 58, 72
See also <i>Balsamorhiza sagittata</i>	
<i>Artemisia arbuscula</i>	65, 74
See also <i>Low Sagebrush</i>	
<i>Artemisia cana</i>	65, 74
See also <i>Silver Sagebrush</i>	
<i>Artemisia filifolia</i>	65, 74
See also <i>Sand Sagebrush</i>	

<i>Artemisia frigida</i>	65, 74
See also <i>Fringed Sagebrush</i>	
<i>Artemisia ludoviciana</i>	65, 74
See also <i>Prairie Sage (Louisiana Sage)</i>	
<i>Artemisia nova</i>	65, 75
See also <i>Black Sagebrush</i>	
<i>Artemisia tridentata tridentata</i>	65, 75
See also <i>Basin Big Sagebrush</i>	
<i>Artemisia tridentata vaseyana</i>	65, 75
See also <i>Mountain Big Sagebrush</i>	
<i>Artemisia tridentata wyomingensis</i>	65, 75
See also <i>Wyoming Big Sagebrush</i>	
<i>Aspen Daisy</i>	58, 72
See also <i>Erigeron speciosus</i>	
<i>Astragalus cicer</i>	36, 68
See also <i>Cicer Milkvetch</i>	
<i>Atriplex canescens</i>	65, 75
See also <i>Fourwing Saltbush</i>	
<i>Atriplex confertifolia</i>	65, 75
See also <i>Shadscale Saltbush</i>	
<i>Atriplex corrugata</i>	65, 75
See also <i>Mat Saltbush</i>	
<i>Atriplex gardneri</i>	65, 75
See also <i>Gardners Saltbush</i>	
<i>Avena sativa</i>	69

B

<i>Balsamorhiza sagittata</i>	58, 72
See also <i>Arrowleaf Balsamroot</i>	
<i>Baltic Rush</i>	50, 71
See also <i>Juncus balticus</i>	
<i>Basin Big Sagebrush</i>	17, 65, 75
See also <i>Artemisia tridentata tridentata</i>	
<i>Basin Wildrye</i>	11, 17, 21, 50, 71
See also <i>Leymus cinereus</i>	
<i>Bassia prostrata</i>	65, 75
See also <i>Forage Kochia</i>	
<i>Big Bluegrass</i>	50, 72
See also <i>Poa secunda ampla</i>	
<i>Big Bluestem</i>	48, 70
See also <i>Andropogon gerardi</i>	
<i>Birchleaf Mahogany</i>	66, 75
See also <i>Cercocarpus montanus var. glaber</i>	
<i>Birdsfoot Trefoil</i>	17, 36, 69
See also <i>Lotus corniculatus</i>	
<i>Black Eyed Susan</i>	60, 74
See also <i>Rudbeckia hirta</i>	
<i>Black Sagebrush</i>	17, 65, 75
See also <i>Artemisia nova</i>	
<i>Blanketflower</i>	55, 56, 57, 58, 73
See also <i>Gaillardia aristata</i>	
<i>Bluebunch Wheatgrass</i>	11, 17, 21, 50, 51, 72
See also <i>Pseudoroegneria spicata spicata</i>	
<i>Blue Elderberry</i>	66, 75
See also <i>Sambucus nigra cerulea</i>	
<i>Blue Grama</i>	11, 17, 21, 48, 70
See also <i>Bouteloua gracilis</i>	
<i>Bottlebrush Squirreltail</i>	17, 49, 71
See also <i>Elymus elymoides</i>	
<i>Bouteloua curtipendula</i>	48, 70
See also <i>Sideoats Grama</i>	
<i>Bouteloua gracilis</i>	48, 70
See also <i>Blue Grama</i>	
<i>Brassica campestris</i>	29, 68
See also <i>Purple Top Turnips</i>	
<i>Brassica juncea, Sinapis alba</i>	29, 68
<i>Brassica napus</i>	29, 68
See also <i>Rapeseed</i>	
<i>Brassica oleracea var. sabellica</i>	29, 68
See also <i>Forage Kale</i>	

<i>Bromus biebersteinii</i>	49, 70
See also <i>Meadow Brome</i>	
<i>Bromus inermis</i>	49, 70
See also <i>Smooth Brome</i>	
<i>Bromus marginatus</i>	49, 70
See also <i>Mountain Brome</i>	
<i>Brundage Wheat</i>	45
<i>Buchloe dactyloides</i>	48, 70
See also <i>Buffalograss</i>	
<i>Buckwheat</i>	17, 29, 36, 58, 68, 69, 73
See also <i>Fagopyrum esculentum</i>	
<i>Buffalograss</i>	48, 70
See also <i>Buchloe dactyloides</i>	

C

<i>California Poppy</i>	55, 56, 57, 58, 73
See also <i>Eschscholzia californica</i>	
<i>Cercocarpus ledifolius</i>	65, 75
See also <i>Curl-leaf Mountain Mahogany</i>	
<i>Cercocarpus montanus var. glaber</i>	66
See also <i>Birchleaf Mahogany</i>	
<i>Cereal Rye</i>	8, 29, 68
See also <i>Secale cereale</i>	
<i>Chokecherry</i>	66, 75
See also <i>Prunus virginiana</i>	
<i>Chrysothamnus viscidiflorus</i>	66, 75
See also <i>Yellow Rabbitbrush</i> ;	
See also <i>Douglas Rabbitbrush</i>	
<i>Cicer Milkvetch</i>	11, 21, 36, 68
See also <i>Astragalus cicer</i>	
<i>Clasping Coneflower</i>	57, 58
See also <i>Dracopis amplexicaulis</i>	
<i>Cleome lutea</i>	58, 72
See also <i>Yellow Beeplant</i>	
<i>Cleome serrulata</i>	58, 72
See also <i>Rocky Mountain Beeplant</i>	
<i>Cliffrose</i>	66, 75
See also <i>Purshia mexicana stansburiana</i>	
<i>Colorado Blue Columbine</i>	58, 72
See also <i>Achillea millefolium occidentalis</i>	
<i>Common Vetch</i>	26, 29, 36, 69
See also <i>Vicia sativ</i>	
<i>Conservation Reserve Program (CRP)</i>	9, 13, 16, 19
<i>Coronilla varia</i>	36, 68
See also <i>Crownvetch</i>	
<i>Cover Crops</i>	27, 28, 29, 36, 68
<i>Creeping Foxtail</i>	11, 25, 49, 70
See also <i>Alopecurus arundinaceus</i>	
<i>Creeping Red Fescue</i>	50, 71
See also <i>Festuca rubra</i>	
<i>Creosote Bush</i>	66, 75
See also <i>Larrea tridentata</i>	
<i>Crested Wheatgrass</i>	11, 21, 23, 24, 47, 49, 70
See also <i>Agropyron cristatum</i>	
<i>Crimson Clover</i>	24, 26, 29, 36, 68, 69
See also <i>Trifolium incarnatum</i>	
<i>Crotalaria juncea</i>	29, 68
See also <i>Sunn Hemp</i>	
<i>Crownvetch</i>	36, 68
See also <i>Coronilla varia</i>	
<i>Curl-leaf Mountain Mahogany</i>	65, 75
See also <i>Cercocarpus ledifolius</i>	
<i>Custom seed mix</i>	14

D

<i>Dactylis glomerata</i>	49, 70
See also <i>Orchardgrass</i>	
<i>Dahurian Wildrye</i>	11, 21, 23, 49, 70
See also <i>Elymus dahuricus</i>	

Daikon Radish	27, 29, 68
<i>See also Raphanus sativus var. niger</i>	
Dalea purpureum purpurea	36, 69
<i>See also Purple Prairie Clover</i>	
Desert Bitterbrush.	66, 75
<i>See also Purshia glandulosa</i>	
Desert Globemallow	60, 74
<i>See also Sphaeralcea ambigua</i>	
Distichlis spicata	48, 70
<i>See also Inland Saltgrass</i>	
Douglas Rabbitbrush	66
<i>See also Chrysothamnus viscidiflorus</i>	
Dracopis amplexicaulis	58
<i>See also Clasping Coneflower</i>	
Dryland Orchardgrass.	23, 24
Dryland Pasture Mix.	19, 23, 24

E

Echinacea purpurea.	58, 72
<i>See also Purple Prairie Coneflower</i>	
Elymus dahuricus.	49, 70
<i>See also Dahurian Wildrye</i>	
Elymus elymoides	49, 71
<i>See also Bottlebrush Squirreltail</i>	
Elymus lanceolatus	49, 71
<i>See also Thickspike Wheatgrass</i>	
Elymus lanceolatus psammophilus.	49, 71
<i>See also Steambank Wheatgrass</i>	
Elymus trachycaulus trachycaulus	49, 71
<i>See also Slender Wheatgrass</i>	
Elymus wawawaiensis	49, 71
<i>See also Snake River Wheatgrass</i>	
Ephedra nevadensis	66, 75
<i>See also Nevada Ephedra</i>	
Ephedra viridis	66, 75
<i>See also Green Ephedra</i>	
Eragrostis tef	29, 48, 68, 71
<i>See also Teff Grass</i>	
Ericameria nauseosa	66, 75
<i>See also Rubber Rabbitbrush</i>	
Erigeron speciosus	58, 72
<i>See also Aspen Daisy</i>	
Eriogonum umbellatum	58, 73
<i>See also Sulfur Buckwheat</i>	
Eschscholzia californica	58, 73
<i>See also California Poppy</i>	

F

Fagopyrum esculentum	29, 36, 68, 69
<i>See also Buckwheat</i>	
Fall Barley	44, 45, 69
Fall Forage Blend.	41, 42, 45
Fall Triticale.	41, 70
Fall Wheat.	41, 45, 70
Festuca arundinacea	49, 71
<i>See also Tall Fescue</i>	
Festuca idahoensis	49, 71
<i>See also Idaho Fescue</i>	
Festuca ovina	50, 71
<i>See also Sheep Fescue</i>	
Festuca rubra	50, 71
<i>See also Creeping Red Fescue</i>	
Festuca trachyphylla	50, 71
<i>See also Hard Fescue</i>	
Firecracker Penstemon.	17, 57, 59, 73
<i>See also Penstemon eatonii</i>	
Firewheel or Indian Blanket.	58
<i>See also Gaillardia pulchella</i>	

Fixation Balansa Clover	11, 21, 27, 35, 36, 68, 69
<i>See also Trifolium michelianum;</i>	
<i>See also Trifolium incarnatum</i>	
Forage Cabbage.	29, 68
Forage Collard	29, 68
Forage Kale.	29, 68
<i>See Brassica oleracea var. sabellica</i>	
Forage Kochia	23, 65, 75
<i>See also Bassia prostrata</i>	
Forerunner Triticale.	45
Fourwing Saltbush.	17, 65, 75
<i>See also Atriplex canescens</i>	
Fringed Sagebrush.	65, 74
<i>See also Artemisia frigida</i>	
Frosty Berseem Clover	11, 21, 35, 36, 68, 69
<i>See also Trifolium alexandrinum</i>	

G

Gaillardia aristata.	58, 73
<i>See also Blanketflower</i>	
Gaillardia pulchella	58, 73
<i>See also Firewheel;</i>	
<i>See also Indian Blanket</i>	
Galleta Grass	17, 48, 71
<i>See also Pleuraphis jamesii</i>	
Gardners Saltbush	17, 65, 75
<i>See also Atriplex gardneri</i>	
Garrison Creeping Meadow Foxtail	11, 21, 24, 70
<i>See also Alopecurus arundinaceus</i>	
Geranium viscosissimum	58, 73
<i>See also Sticky Purple Geranium</i>	
Giant/Tree Oats	45, 69
Goldeneye Barley	45
Gooseberry Globemallow	60, 74
<i>See also Sphaeralcea grossulariifolia</i>	
Grain Mixes	14, 42, 45
Great Plains Pasture Mix	24
Green Ephedra.	66, 75
<i>See also Ephedra viridis</i>	
Green Needlegrass	17, 50, 71
<i>See also Nassella viridula</i>	

H

Hairy Vetch.	29, 37, 68, 69
<i>See also Vicia villosa</i>	
Hard Fescue	21, 50, 71
<i>See also Festuca trachyphylla</i>	
Hedysarum boreale utahensis.	58, 73
<i>See also Utah Sweetvetch</i>	
Helianthus annuus.	29, 59, 73
<i>See also Annual Sunflower</i>	
Heliomeris multiflora	59, 73
<i>See also Showy Goldeneye</i>	
Hercules Tall Wheatgrass.	25
Hesperostipa comata comata	50, 71
<i>See also Needle & Thread Grass</i>	
Honeysuckle BMR.	44
Honeysuckle DM.	44
Hordeum vulgare.	69
Horse Pasture Mix.	24
Hybrid Wheatgrass	50, 72
<i>See also Pseudoroegneria spicata x Elytriga repens</i>	
Hycrest Crested Wheatgrass.	24, 49, 70
<i>See also A. cristatum x desertorum</i>	

I

Idaho Fescue	17, 21, 49, 71
<i>See also Festuca idahoensis</i>	

Indian Blanket	58
<i>See also Gaillardia pulchella</i>	
Indian Ricegrass.	17, 21, 49, 70
<i>See also Achnatherum hymenoides</i>	
Inland Saltgrass	48, 70
<i>See also Distichlis spicata</i>	
Intermediate Wheatgrass.	21, 23, 24, 25, 47, 51, 72
<i>See also Thinopyrum intermedium intermedia</i>	
Ipomopsis aggregata	59, 73
<i>See also Scarlet Gilia</i>	
Irrigated Pasture Mix	22, 24
Italian Ryegrass	50, 71
<i>See also Lolium perenne multiflorum</i>	

J

Juncus balticus.	50, 71
<i>See also Baltic Rush</i>	

K

Kentucky Bluegrass.	21, 24, 38, 39, 50, 71
<i>See also Poa pratensis</i>	
Koeleria macrantha	50, 71
<i>See also Prairie Junegrass</i>	
Kraschen-innikovia lanata	66, 75
<i>See also Winterfat</i>	

L

Ladak Alfalfa.	21
Ladino Clover.	11, 21, 36, 69
<i>See also Trifolium repens latum</i>	
Larrea tridentata	66, 75
<i>See also Creosote Bush</i>	
Late-Maturing Forage Orchardgrass	22, 24
Lavina Beardless Barley	45
Lawn & Turf	38
Legumes & Clovers	35
Letterman Needlegrass.	49, 70
<i>See also Achnatherum lettermanii</i>	
Lewis Blue Flax	59, 73
<i>See also Linum lewisii</i>	
Leymus cinereus	50, 71
<i>See also Basin Wildrye</i>	
Liatris pycnostachya	59, 73
<i>See also Prairie Blazing Star</i>	
Licorice Root	59, 73
<i>See also Ligusticum porteri</i>	
Ligusticum porteri.	59, 73
<i>See also Licorice Root</i>	
Linum grandiflorum rubrum.	59, 73
<i>See also Scarlet Flax</i>	
Linum lewisii.	59, 73
<i>See also Lewis Blue Flax</i>	
Linum perenne.	59, 73
<i>See also Perennial Blue Flax</i>	
Little Bluestem.	48, 72
<i>See also Schizachyrium scoparium</i>	
Lolium perenne multiflorum	29, 50, 68, 71
<i>See also Annual Ryegrass;</i>	
<i>See also Italian Ryegrass</i>	
Lolium perenne perenne	50, 71
<i>See also Perennial Ryegrass</i>	
Lotus corniculatus	36, 69
<i>See also Birdsfoot Trefoil</i>	
Low Sagebrush.	17, 65, 74
<i>See also Artemisia arbuscula</i>	
Lupinus alpestris	59, 73
<i>See also Mountain Lupine</i>	

Lupinus argenteus	59, 73
<i>See also Silvery Lupine</i>	
Lupinus arizonicus	59, 73
<i>See also Arizona Lupine</i>	
Lupinus caudatus	59, 73
<i>See also Tailcup Lupine</i>	

M

Mat Saltbush	65, 75
<i>See also Atriplex corrugata</i>	
Meadow Brome	11, 21, 22, 24, 49, 70
<i>See also Bromus biebersteinii</i>	
Medicago sativa	36, 69
<i>See also Alfalfa</i>	
Medicago sativa falcata	36, 69
<i>See also Yellow Alfalfa</i>	
Melilotus officinalis	36, 69
<i>See also Yellow Sweetclover</i>	
Mexican Hat	60
<i>See also Ratibida columnifera</i>	
Mid-Maturing Forage Orchardgrass	22
Mighty Mustard Mix	29, 68
<i>See also Brassica juncea, Sinapis Alba</i>	
Mountain Big Sagebrush	65, 75
<i>See also Artemisia tridentata vaseyana</i>	
Mountain Brome	17, 49, 70
<i>See also Bromus inermis</i>	
Mountain & Cabin Mix	25
Mountain Lupine	59, 73
<i>See also Lupinus alpestris</i>	
Mountain Snowberry	66, 75
<i>See also Symphoricarpos oreophilus</i>	
Mountain Wildflower Mix	55
Mules Ear	60, 74
<i>See also Wyethia mollis</i>	
Munro's Globemallow	60, 74
<i>See also Sphaeralcea munroana</i>	
Muttongrass	17, 50, 71
<i>See also Poa fendleriana</i>	

N

Nassella viridula	50, 71
<i>See also Green Needlegrass</i>	
Needle & Thread Grass	50, 71
<i>See also Hesperostipa comata comata</i>	
Nematode Radish	29, 68
<i>See also Raphanus sativus</i>	
Nevada Ephedra	66, 75
<i>See also Ephedra nevadensis</i>	

O

Oats	9, 26, 45, 69
Onobrychis viciifolia	36, 69
<i>See also Sainfoin</i>	
Orchardgrass	21, 22, 23, 24, 25, 47, 49, 70
<i>See also Dactylis glomerata</i>	
Oro Verde Tetraploid Perennail Rye	24

P

Paiute Orchardgrass	21
Palmer's Penstemon	56, 57, 60, 74
<i>See also Penstemon palmeri</i>	
Pascopyrum smithii	50, 71
<i>See also Western Wheatgrass</i>	

Pasture Mixes	21
All Purpose Pasture Mix	24
Alpaca & Llama Pasture Mix	24
Chicken Pasture Mix	24
Dryland Pasture Mix	23, 24
Great Plains Pasture Mix	24
Homesteader's Choice Grass Mix	24
Honey Bee Pasture Mix	24
Horse Pasture Mix	24
Irrigated Pasture Mix	22, 24
Mountain & Cabin Mix	25
Mountain Pass Grass Mix	25
Pig & Hog Pasture Mix	25
Pioneer Pass Grass Mix	25
Rapid Establishment Pasture Mix	25
Salt & Alkali Soils Pasture Mix	25
Sante Fe Trail Grass Mix	25

Pearl Millet	29, 68
<i>See also Pennisetum glaucum</i>	
Pennisetum glaucum	29, 68
<i>See also Pearl Millet</i>	
Penstemon cyananthus	59, 73
<i>See also Wasatch Penstemon</i>	
Penstemon eatonii	59, 73
<i>See also Firecracker Penstemon</i>	
Penstemon palmeri	60, 74
<i>See also Palmer's Penstemon</i>	
Penstemon rydbergii	60, 74
<i>See also Rydberg's Penstemon</i>	
Penstemon strictus	60, 74
<i>See also Rocky Mountain Penstemon</i>	
Perennial Blue Flax	59, 73
<i>See also Linum perenne</i>	
Perennial Ryegrass	11, 21, 22, 24, 25, 38, 39, 50, 71
<i>See also Lolium perenne perenne</i>	
Phacelia	24, 29, 55, 56, 68
<i>See Phacelia tanacetifolia</i>	
Phacelia tanacetifolia	29, 68
<i>See Phacelia</i>	
Phalaris arundinacea	50, 71
<i>See also Reed Canarygrass</i>	
Phleum pratense	50, 71
<i>See also Timothy</i>	
Pisum sativum subsp. arvense	29, 68
<i>See also Winter Peas</i>	
Pleuraphis jamesii	48, 71
<i>See also Galleta Grass</i>	
Poa fendleriana	50, 71
<i>See also Muttongrass</i>	
Poa pratensis	50, 71
<i>See also Kentucky Bluegrass</i>	
Poa secunda ampla	50, 72
<i>See also Big Bluegrass</i>	
Poa secunda sandbergii	50, 72
<i>See also Sandberg Bluegrass</i>	
Prairie Blazing Star	59, 73
<i>See also Liatrix pycnostachya</i>	
Prairie Coneflower	55, 56, 57, 58, 60, 72, 74
<i>See also Ratibida columnifera</i>	
Prairie Junegrass	11, 17, 21, 50, 71
<i>See also Koeleria macrantha</i>	
Prairie Sage (Louisiana Sage)	65, 74
<i>See also Artemisia ludoviciana</i>	
Prosper™ 3 Grain Forage Mix	45
Prosper™ Plus with Peas Forage Mix	45
Prunus virginiana	66, 75
<i>See also Chokecherry</i>	
Psathyrostachys juncea	48, 72
<i>See also Russian Wildrye</i>	

Pseudoroegneria spicata spicata	51
<i>See also Bluebunch Wheatgrass</i>	
Pseudoroegneria spicata x Elytriga repens	50, 72
<i>See Hybrid Wheatgrass</i>	
Pubescent Wheatgrass	21, 24, 51, 72
<i>See also Thinopyrum intermedium trichophorum</i>	
Purple Prairie Clover	36, 55, 56, 57, 69
<i>See also Dalea purpureum purpurea</i>	
Purple Prairie Coneflower	58, 72
<i>See also Echinacea purpurea</i>	
Purple Top Turnips	29, 68
<i>See Brassica campestris</i>	
Purshia glandulosa	66, 75
<i>See also Desert Bitterbrush</i>	
Purshia mexicana stansburiana	66, 75
<i>See also Cliffrose</i>	
Purshia tridentata	66, 75
<i>See also Antelope Bitterbrush</i>	

R

Ranger Alfalfa	21
Rapeseed	29, 68
<i>See Brassica napus</i>	
Raphanus sativus	29, 68
<i>See Nematode Radish</i>	
Raphanus sativus var. niger	29, 68
<i>See also Daikon Radish</i>	
Ratibida columnifera	60, 74
<i>See also Prairie Coneflower; See also Mexican Hat</i>	
Red Clover	11, 21, 35, 36, 69
<i>See also Trifolium pratense</i>	
Red Elderberry	66, 75
<i>See also Sambucus racemosa</i>	
Reed Canarygrass	21, 50, 71
<i>See also Phalaris arundinacea</i>	
Rhus glabra	66, 75
<i>See also Smooth Sumac</i>	
Rhus trilobata	66, 75
<i>See also Skunkbrush Sumac</i>	
Rocky Mountain Beepant	17, 55, 57, 58, 72
<i>See also Cleome serrulata</i>	
Rocky Mountain Penstemon	55, 56, 57, 60, 74
<i>See also Penstemon strictus</i>	
Rosa woodsii	66, 75
<i>See also Woods Rose</i>	
Rubber Rabbitbrush	17, 66, 75
<i>See also Ericameria nauseosa</i>	
Rudbeckia hirta	60, 74
<i>See also Black Eyed Susan</i>	
Rudbeckia occidentalis	60, 74
<i>See also Western Coneflower</i>	
Russian Wildrye	11, 21, 48, 72
<i>See also Psathyrostachys juncea</i>	
Rustler Tall Fescue	24
Rydberg's Penstemon	60, 74
<i>See also Penstemon rydbergii</i>	

S

Sage Grouse Initiative	13, 17, 65
Sainfoin	17, 21, 24, 35, 36, 69
<i>See also Onobrychis viciifolia</i>	
Salt & Alkali Soils Pasture Mix	25
Sambucus nigra cerulea	66, 75
<i>See also Blue Elderberry</i>	
Sambucus racemosa	66, 75
<i>See also Red Elderberry</i>	
Sandberg Bluegrass	21, 50, 72
<i>See also Poa secunda sandbergii</i>	

Sand Dropseed 21, 48, 72
See also Sporobolus cryptandrus

Sand Sagebrush 65, 74
See also Artemisia filifolia

Sanguisorba minor 60, 74
See also Small Burnet

Saskatoon Serviceberry 65, 74
See also Amelanchier alnifolia

Scarlet Flax 56, 57, 59, 73
See also Linum grandiflorum rubrum

Scarlet Gilia 59, 73
See also Ipomopsis aggregata

Scarlet Globemallow 17, 60, 74
See also Sphaeralcea coccinea

Schizachyrium scoparium 48, 72
See also Little Bluestem

Schoenoplectus maritimus 48, 72
See also Alkali Bulrush

Secale cereale 29, 68, 70
See also Cereal Rye

Shadscale Saltbush 65, 75
See also Atriplex confertifolia

Sheep Fescue 21, 50, 71
See also Festuca ovina

Showy Goldeneye 55, 56, 57, 59, 73
See also Helianthus multiflorus

Siberian Wheatgrass 11, 21, 49, 70
See also Agropyron fragile sibiricum

Sideoats Grama 17, 21, 48, 70
See also Bouteloua Curtipendula

Silver Sagebrush 65, 74
See also Artemisia cana

Silvery Lupine 17, 57, 59, 73
See also Lupinus argenteus

Sinapis alba 29, 68
See also White Mustard;
See also Mighty Mustard Mix

Skunkbrush Sumac 17, 66, 75
See also Rhus trilobata

Slender Wheatgrass 11, 17, 21, 23, 49, 71
See also Elymus trachycaulus trachycaulus

Small Burnet 11, 21, 60, 74
See also Sanguisorba minor

Small-leaf Globemallow 60, 74
See also Sphaeralcea parvifolia

Smooth Brome 11, 21, 23, 49, 70
See also Bromus inermis

Smooth Sumac 66, 75
See also Rhus glabra

Snake River Wheatgrass 17, 49, 71
See also Elymus wawawaiensis

Sorghum × drummondii 29, 68
See also Sorghum Sudangrass

Sorghum Sudangrass 29, 41, 44, 45, 68, 69
See also Sorghum × drummondii

Sphaeralcea ambigua 60, 74
See also Desert Globemallow

Sphaeralcea coccinea 60, 74
See also Scarlet Globemallow

Sphaeralcea grossulariifolia 60, 74
See also Gooseberry Globemallow

Sphaeralcea munroana 60, 74
See also Munro's Globemallow

Sphaeralcea parvifolia 60, 74
See also Small-leaf Globemallow

Sporobolus airoides 48, 72
See also Alkali Bulrush

Sporobolus cryptandrus 48, 72
See also Sand Dropseed

Spring Barley 45, 69

Spring Small Grains 45

Spring Triticale 45, 70

Spring Wheat 45, 69

Standard Crested Wheatgrass 49, 70
See also Agropyron desertorum

Steambank Wheatgrass 49
See also Elymus lanceolatus psammophilus

Sticky Purple Geranium 58, 73
See also Geranium viscosissimum

Strawberry Clover 11, 21, 25, 36, 69
See also Trifolium fragiferum

Streambank Wheatgrass 17, 21, 49, 71

Sulfur Buckwheat 17, 58, 73
See also Eriogonum umbellatum

Sunn Hemp 26, 29, 68
See also Crotalaria juncea

Symphoricarpos oreophilus 66, 75
See also Mountain Snowberry

T

Tailcup Lupine 59, 73
See also Lupinus caudatus

Tall Fescue 21, 22, 24, 25, 38, 39, 49, 71
See also Festuca arundinacea

Tall Wheatgrass 11, 21, 25, 51, 72
See also Thinopyrum ponticum

Teff Grass 29, 47, 48, 68, 71
See also Eragrostis Tef

Thickspike Wheatgrass 11, 17, 21, 49, 71
See also Elymus lanceolatus lanceolatus

Thinopyrum intermedium intermedia 51, 72
See also Intermediate Wheatgrass

Thinopyrum intermedium trichophorum 51, 72
See also Pubescent Wheatgrass

Thinopyrum ponticum 51, 72
See also Tall Wheatgrass

Timothy 21, 24, 50, 71
See also Phleum pratense

Trifolium alexandrinum 29, 36, 68, 69
See also Frosty Berseem Clover

Trifolium fragiferum 36, 69
See also Strawberry Clover

Trifolium hybridum 36, 69
See also Alsike Clover

Trifolium incarnatum 29, 36, 68, 69
See also Crimson Clover

Trifolium michelianum 29, 36, 68, 69
See also Fixation Balansa Clover

Trifolium pratense 36, 69
See also Red Clover

Trifolium repens 36, 69
See also White Dutch Clover

Trifolium repens latum 36, 69
See also Ladino Clover

Triticum aestivum 69, 70

Tall Fescue Turf Blend 39

Twin Wheat 45

Tyndall Triticale 45

U

Utah Serviceberry 65, 74
See also Amelanchier utahensis

Utah Sweetvetch 17, 58, 73
See also Hedysarum boreale utahensis

V

Vicia americana 36, 69
See also American Vetch

Vicia sativ 36, 69
See also Common Vetch

Vicia villosa 29, 37, 68, 69
See also Hairy Vetch

W

Wasatch Penstemon 59, 73
See also Penstemon cyananthus

Western Coneflower 60, 74
See also Rudbeckia occidentalis

Western Wheatgrass 11, 17, 21, 50, 71
See also Pascopyrum smithii

Western Yarrow 58, 72
See also Achillea millefolium occidentalis

White Dutch Clover 21, 24, 36, 69
See also Trifolium repens

White Mustard 29, 68
See also Sinapis alba

White Yarrow 58, 72
See also Achillea millefolium

Wildflower Mixes 53
All-Native Wildflower Mix 56
Beneficial Bug Flower Mix 56
Great Basin Wildflower Mix 56
Honeybee Flower Mix 55, 56
Midwest Wildflower Mix 56
Monarch Butterfly Flower Mix 56
Mountain Wildflower Mix 55, 56
Northeast Wildflower Mix 56
Northwest Wildflower Mix 57
Red, White and Blue Wildflower Mix 57
Southeast Wildflower Mix 57
Southwest Wildflower Mix 57
Texas/Oklahoma Wildflower Mix 57
Western Wildflower Mix 57
Xeriscape Wildflower Mix 57

Wildflowers & Forbs 55, 56, 57

Willow Creek Wheat 45

Winterfat 17, 66, 75
See also Kraschen-innikovia lanata

Winter Peas 29, 68
See also Pisum sativum subsp. arvense

Winter Rye Grain 25

Woods Rose 66, 75
See also Rosa woodsii

Wyethia mollis 60, 74
See also Mules Ear

Wyoming Big Sagebrush 17, 65, 75
See also Artemisia tridentata wyomingensis

Y

Yellow Alfalfa 36, 69
See also Medicago sativa falcata

Yellow Beepant 58, 72
See also Balsamorhiza sagittata

Yellow Rabbitbrush 66
See also Chrysothamnus viscidiflorus

Yellow Sweetclover 11, 21, 36, 69
See also Melilotus officinalis

PARTING SHOT



Top: Company founder Lloyd Stevens on the phone, circa 1980.

Bottom: Lloyd Stevens wearing the same Maple Leaf hat, still on the phone 40 years later. November 2023



GREAT BASIN SEED®

450 S 50 E
Ephraim UT 84627
435.283.1411

greatbasinseed.com